Author Index to Volume 30

(Reference with (L) are to Letters to the Editor)

Agron, P. A. (see Levy, H. A.)—1486
Alder, B. J. (see Smith, E. B.)—1190
Alderdice, D. S., R. J. C. Brown, and T. Iredale. Nuclear quadrupole resonance of some bromine and iodine compounds—344(L)
Alger, R. S., T. H. Anderson, and L. A. Webb. Irradiation effects in simple organic solids—695
Amme, Robert and Sam Legvold. Temperature dependence of sound dispersion in halo-methane gases—163
Anderson, D. H. (see Gutowsky, H. S.)—860(L)
—— (see Karplus, Martin)—6
Anderson, Ernest W. (see McCall, David W.)—771, 1272
Anderson, Mary M. (see Fleming, Gretchen)—351
Anderson, T. H. (see Alger, R. S.)—695
Anderson, Weston A. and Lawrence H. Piette. Forbidden $\Delta m_s = \pm 1$, $\Delta m_I = \pm 1$ transitions in a vanadyl chelate —591(L)
—— (see Piette, Lawrence H.)—899
Andes, George M. (see McNutt, James E.)—1300
Aroeste, Henry and William J. Jameson, Jr. Shortrange interaction between a hydrogen molecule and a hydrogen atom—372
Atoji, Masao. Anhydrite obtained by the dehydration of gypsum—341(L)
—— (see Sasada, Yoshio)—1103(L)
Axtmann, Robert C. Proton NMR spectra of hydrated cations—340(L)

Babb, S. E., Jr., J. M. Robinson, and W. W. Robertson. Effects of high pressure on the near ultraviolet vapor absorption spectrum of benzene in a number of diluent gases—427
Barnes, R. G. (see Casabella, P. A.)—1393
Barnett, M. P. (see Curtiss, C. F.)—470
Barth, Charles A., William J. Schade, and Joseph Kaplan. Blue nitric oxide afterglow—347(L)
Basu, Sadhan. Some notes on the electron epelling property of alkyl groups—314
Bauer, Ernest (see Salkoff, Morris)—1614
Bauer, H.-J., H. O. Kneser, and E. Sittig. Oscillation, rotation, and spin relaxation in NO—1119
Beachell, Harold C. (see Lauer, James L.)—1489
Bearman, Richard J. Statistical mechanical theory of thermal diffusion in binary liquid solutions—835
Begun, G. M. (see Brown, L. L.)—1206
—— (see Rudolph, P. S.)—588(L)
Béné, G. J. (see Delmau, J. J.)—1634(L)
Benedict, W. S. and L. D. Kaplan. Calculation of line widths in H_2O_2-N_2 collisions—388
Benesi, Hans A. Infrared spectrum of $Mg(OH)_2$—852(L)
Bennett, R. G. and A. Henglein. ESR line widths of some DPPH derivatives—1117(L)
Berkowitz, Joseph. Correlation scheme for diatomic oxides—858(L)
—— (see Chupka, William A.)—827
Bernardes, N. and H. Primakoff. Molecule formation in the inert gases—691
Bernheim, Robert A., Thomas H. Brown, H. S. Gutowsky, and D. E. Woessner. Temperature dependence of proton relaxation times in aqueous solutions of paramagnetic ions—950
Bernstein, Richard B. (see Gordus, Adon A.)—973
—— (see Russell, Morley E.)—607, 613
Berry, R. Stephen. Bending motions in the dihalides of group II metals—286; errata—1104(L)
—— Conjugation and polar effects in butadiene—936
Bhattacharya, Rama. Some notes on charge transfer interaction between iodine and polynuclear aromatic hydrocarbons—1367(L)
Bigeleisen, Jacob, Fritz S. Klein, Ralph E. Weston, Jr., and Max Wolfsberg. Deuterium isotope effect in the reaction of hydrogen molecules with chlorine atoms and the potential energy of the H_3Cl transition complex—1340
Bijl, D., H. Kainer, and A. C. Rose-Innes. Biradical molecular compounds: a study by electron spin resonance—765
Billings, J. J. (see Nolle, A. W.)—84
Bingel, Werner A. United atom treatment of the behavior of potential energy curves of diatomic molecules for small R—1250
—— United atom treatment of the behavior of potential energy surfaces of polyatomic molecules at small internuclear distances—1254
Binks, J. H. and M. Szwarc. Effect of conjugation, hyperconjugation, and steric hindrance on methyl affinities—1494
Blumberg, W. E. and T. P. Das. Knight shift in sodium-ammonia solutions—251
Boerboom, A. J. H. (see Drowart, J.)—308
Bolz, L. H., F. A. Mauer, and H. S. Peiser. Low-temperature x-ray studies of Rice's blue material—349(L)
Borsellino, A. Statistics of deformable molecular chains—857(L)
Boyd, Richard H. Dielectric loss in 66 nylon (polyhexamethylene adipamide)—1276
Bradt, Paul (see Herron, John T.)—879
Bray, P. J. (see Casabella, P. A.)—1393
——(see Hooper, H. O.)—957
Brion, H., C. Moser, and M. Yamazaki. Electronic structure of nitric oxide—673
Broersma, S. Diffusion and viscosity in a spherical cavity—707
Broida, H. P. (see Peyron, M.)—139, 1304
Brown, D. W. (see Wall, L. A.)—602(L)
Brown, H. W. (see Peyron, M.)—1304
Brown, L. Carlton (see Parker, Paul M.)—909
Brown, L. L. and G. M. Begun. Nitrogen isotopic fractionation between nitric acid and the oxides of nitrogen—1206
Brown, R. J. C. (see Alderdice, D. S.)—344(L)
Brown, Thomas H. (see Bernheim, Robert A.)—950
—— (see Gutowsky, H. S.)—860(L)
Bube, Richard H. Reversible variations of sensitivity in certain cadmium sulfide and selenide photoconductors—266
Buckingham, A. D. Direct method of measuring molecular quadrupole moments—1580
Buddemeier, Robert W. (see Yankwich, Peter E.)—861(L)
Bueche, F. Mobility of molecules in liquids near the glass temperature—748
Burbank, R. D. Comments on J. Donohue's "Molecular symmetry of iodine heptafluoride"—1619(L)
Burrus, C. A. Zeeman effect in the 1- to 3-millimeter wave region: molecular g factors of several light molecules—976
Byron, Stanley R. Measurement of the rate of dissociation of oxygen—1380

Cahn, John W. Free energy of a nonuniform system. II. Thermodynamic basis—1121
Candela, George A., Clyde A. Hutchison, Jr., and W. Burton Lewis. Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields—246; erratum—1104(L)
Carr, E. F. Microwave dielectric measurements in the liquid crystal ethyl p-azoxybenzoate—600(L)

Carrington, Tucker. Electronic quenching of $OH(^2\Sigma^+)$ in flames and its significance in the interpretation of rotational relaxation—1087
Casabella, P. A., P. J. Bray, and R. G. Barnes. Electronic structure of some group III halides from pure quadrupole resonance measurements—1393
Casassa, Edward F. and Hershel Markovitz. Errata: Statistical thermodynamics of polymer solutions. I. Theory of the second virial coefficient for a homogeneous solute—852(L)
Cashion, J. K. and J. C. Polanyi. Infrared chemiluminescence from the gaseous reaction atomic H· plus NO; HNO in emission—317(L)
—— **and J. C. Polyani.** Infrared chemiluminescence from the gaseous reaction atomic H· plus O_2—316(L)
—— **and J. C. Polanyi.** Resolved infrared emission spectrum of the reaction atomic H· plus Cl_2—1097(L)
Catalano, Edward and Dolphus E. Milligan. Infrared spectra of H_2O, D_2O, and HDO in solid argon, krypton, and xenon—45
Cederholm, Betty J. (see Harrison, Anna J.)—355
Charandas, P. (see Srivastava, Satish Chandra)—816
Chen, Carolyn Chandler (see Green, Louis C.)—1061
Chen, Joseph H. and A. A. Petrauskas. Ultrasonic relaxation in rotational isomers—304
Chien, Chien-Yeh (see Yang, Ling)—1627(L)
Chou, Chien (see Grønvold, F.)—528
—— (see Westrum, E. F., Jr.)—761
Christy, R. W., E. Fukushima, and H. T. Li. Thermoelectric power of AgBr containing $CdBr_2$—136
Chupka, William A. Dissociation energies of some gaseous alkali halide complex ions and the hydrated ion $K(H_2O)^+$—458
—— Effect of unimolecular decay kinetics on the interpretation of appearance potentials—191
——, **Joseph Berkowitz, and Clayton F. Giese.** Vaporization of beryllium oxide and its reaction with tungsten—827
Claassen, Howard H. Force constants of metal hexafluorides—968
Clayton, Lorimer, Quitman Williams, and T. L. Weatherly. Nitryl chloride molecular constants from microwave spectrum analysis—1328
Clayton, Robert N. Oxygen isotope fractionation in the system calcium carbonate-water—1246
Clinton, William L. and Bernard Rice. Reformulation of the Jahn-Teller theorem—542
Clough, Shepard A., Donald E. McCarthy, and John N. Howard. $4\nu_2$ band of nitrous oxide—1359(L)
Coffin, Frances Dunkle. Production of atoms by a glow discharge in dry hydrogen—593(L)
Coggeshall, Norman D. Ionization of *n*-paraffin molecules—595(L)
Cohen, Arthur (see Strehlow, Roger A.)—257
Collin, Jacques. Ionization and dissociation of molecules by monoenergetic electrons. III. On the existence of a bent excited state of NO_2^+—1621(L)
Collins, F. C. and H. Raffel. Errata: Statistical mechanical theory of transport processes in liquids—1620(L)
Connick, Robert E. and Richard E. Poulson. Effect of paramagnetic ions on the nuclear magnetic resonance of O^{17} in water and the rate of elimination of water molecules from the first coordination sphere of cations—759
Cook, D. L. (see Meisenheimer, R. G.)—605(L)
Cook, J. S. and R. J. Meakins. Dielectric absorption in crystalline long-chain methyl ethers—787
Cornwell, C. D. (see Yamasaki, R. S.)—1265
Costain, C. C. and B. P. Stoicheff. Microwave spectrum, molecular structure of vinyl cyanide and a summary of CC, CH bond lengths in simple molecules—777
Cotton, F. Albert and Joseph R. Leto. Acceptor properties, reorganization energies, and π bonding in the boron and aluminum halides—993
Cramer, W. H. Elastic and inelastic scattering of low-velocity ions: Ne^+ in A, A^+ in Ne, and A^+ in A—641
Crawford, Bryce, Jr. (see Overend, John—532
Cubicciotti, Daniel (see Milne, Thomas A.)—1418, 1625(L)
Curl, R. F., Jr. Microwave spectrum, barrier to internal rotation, and structure of methyl formate—1529
Curtis, E. C. (see Overend, John)—532
Curtiss, C. F., J. O. Hirschfelder, and M. P. Barnett. Theory of detonations. III. Ignition temperature approximation—470
Cvetanović, R. J. Relative rates of reactions of oxygen atoms with olefins—19
Cyvin, Sven J. Mean amplitudes of vibration in allene and allene-d_4 molecules. II. Approximate calculations for the C—C distances—337(L)

Dahler, John S. Transport phenomena in a fluid composed of diatomic molecules—1447
Daiven, Richard and C. W. Garland. Elastic constants of sodium iodide from 180°K to 300°K—346(L)
Danford, M. D. (see Levy, H. A.)—1486
Danti, Alfred and R. C. Lord. Pure rotational absorption of ozone and sulfur dioxide from 100 to 200 microns—1310
—— **and J. L. Wood.** Far infrared spectrum and the barrier to internal rotation in 1,1,1,2-tetrafluoroethane—582
Das, T. P. and M. Karplus. Nuclear quadrupole interactions in alkali halide molecules—848(L)
—— (see Blumberg, W. E.)—251
—— (see Karmohapatro, S. B.)—327(L)
Davidson, D. W. and Jennifer Wheeler. Effect of deuteration on dielectric relaxation in *n*-propanol—1357(L)
Davis, Robert Earl (see Wasserman, Edel)—1367(L)
de Launay, Jules. Debye characteristic temperature at O°K of certain cubic crystals. II—91
Delmau, J. J. and G. J. Béné. Broadening of proton resonances in natural crude oils—1634(L)
De Maria, G., J. Drowart, and M. G. Inghram. Mass spectrometric study of Al_2O_3—318(L)
—— (see Drowart, J.)—308
Denney, Donald J. Dielectric relaxation in some two-component systems—1019
—— Viscosities of some undercooled liquid alkyl halides—159
Derge, G. (see Yang, Ling)—1627(L)
Dessy, Raymond E., T. J. Flautt, H. H. Jaffé, and G. F. Reynolds. Nuclear magnetic resonance spectra of some dialkylmercury compounds—1422
Dibeler, Vernon H. (see Herron, John T.)—879
Diesen, R. W. (see Rabinovitch, B. S.)—735
DiMarzio, E. A. (see Gibbs, J. H.)—271
Donohue, Jerry. Molecular symmetry of iodine heptafluoride—1618(L)
Douglass, Dean C. (see McCall, David W.)—771, 1272
Dressler, K. Absorption spectrum of vibrationally excited N_2 in active nitrogen—1621(L)
Drickamer, H. G. (see Stephens, D. R.)—1364(L), 1518
Drowart, J., G. De Maria, A. J. H. Boerboom, and M. G. Inghram. Mass spectrometric study of intergroup IVB molecules—308
—— (see De Maria, G.)—318(L)
Dunlap, R. D. (see Williamson, A. G.)—325(L)

Eagle, Donald F., T. L. Weatherly, and Quitman Williams. Stark effect in the microwave spectrum of nitrosyl bromide—603(L)
Eggers, D. F., Jr. (see Kasai, Paul H.)—512
Ehrlich, Gert and F. G. Hudda. Interaction of rare gases with metal surfaces. I. A, Kr, and Xe on tungsten—493

Eisenstadt, M., V. S. Rao, and G. M. Rothberg. On chemical equilibrium among the polymers of the alkali halides—604(L)
—— (see Rothberg, G. M.)—517
Eisinger, Joseph. Adsorption of oxygen on tungsten—412
—— Electrical properties of hydrogen adsorbed on silicon—927
—— **and J. T. Law.** Adsorption of oxygen on silicon—410
Eisner, Melvin (see Musa, Raiq S.)—227
Eliason, Morton A. and Joseph O. Hirschfelder. Approximate natural spin orbitals for the hydrogen molecule—1397
—— **and Joseph O. Hirschfelder.** General collision theory treatment for the rate of bimolecular, gas phase reactions—1426
Elliott, Reed O. (see Kempter, Charles P.)—1524
Ellis, C. P. and C. J. G. Raw. High-temperature gas viscosities. II. Nitrogen, nitric oxide, boron trifluoride, silicon tetrafluoride, and sulfur hexafluoride—574
Erpenbeck, J. J. (see Wall, F. T.)—634, 637
Evans, B. L. and A. D. Yoffe. Optical and electrical properties of single crystals of tri-*p*-methoxy phenyl methyl perchlorate and triphenyl methyl azide—1437
Evans, J. C. Thermodynamic and spectroscopic study of vinylidene chloride. II. Vibrational spectra—934
Evers, E. Charles and Paul W. Frank, Jr. Solutions of metals in amine solvents. II. A conductance function for dilute solutions of sodium in liquid ammonia—61

Farnsworth, H. E. (see Schlier, R. E.)—917
Ferguson, E. E. Relative intensities of absorption bands in liquid and gas phases from dispersion theory—1059
Fessenden, R. W. and J. S. Waugh. Strong coupling in nuclear resonance spectra. I. The five-spin system of *trans*-propenylbenzene—944
Fickett, W. (see Salsburg, Z. W.)—65
Fischer-Hjalmars, Inga. Theoretical investigation of the negative hydrogen molecule ion—1099(L)
Flautt, T. J. (see Dessy, Raymond E.)—1422
Fleming, Gretchen, Mary M. Anderson, Anna J. Harrison, and Lucy W. Pickett. Effect of ring size on the far ultraviolet absorption and photolysis of cyclic ethers—351
Fletcher, N. H. Entropy effect in ice crystal nucleation—1476
Florin, R. E. (see Wall, L. A.)—602(L)
Flournoy, J. M. (see Piette, L. H.)—1623(L)
Ford, Joseph. Density of electronic energy levels for a one-dimensional liquid—1546
Fraenkel, George K. (see Venkataraman, Balu)—1006
Frank, Paul W., Jr. (see Evers, E. Charles)—61
Franklin, J. L. (see Herron, John T.)—879
Frasco, D. L. and E. L. Wagner. Interpretation of the infrared spectra of the solid hydroxylammonium halides—1124
Fred, Mark (see Goodman, G. L.)—849(L)
Fredericks, William J. (see Sancier, Kenneth M.)—1355(L)
Friedman, L., F. A. Long, and M. Wolfsberg. Statistical theory of mass spectra: difficulties in interpretation of spectra of the lower alkanes—1605
Frolen, Lois J. (see Goodman, Lionel)—1361(L)
Fujita, Hiroshi and V. J. MacCosham. Extension of sedimentation velocity theory to molecules of intermediate sizes—291
Fukushima, E. (see Christy, R. W.)—136

Gallagher, J. S. (see Minkoff, G. J.)—753
Gant, P. L. and K. Yang. Tritium-ethane reaction—1108(L)
Garland, C. W. (see Dalven, Richard)—346(L)
Garn, W. B. Determination of the unreacted Hugoniot for liquid TNT—819
Garvin, David (see Greaves, J. C.)—348(L)
Gehatia, Matatiahu and Ephraim Katchalski. Brownian motion in the centrifugal field—1334
Geske, David H. (see Maki, August H.)—1356(L)
Giacometti, G. and G. Rigatti. Electronic structure of thiothiophten—1633(L)
Gibbins, Sidney G. and I. Shapiro. Vapor pressure, mass, and infrared spectra of hexaborane—1483
—— (see Williams, Robert E.)—320(L), 333(L)
Gibbs, J. H. and E. A. DiMarzio. Statistical mechanics of helix-coil transitions in biological macromolecules—271
Giese, Clayton F. (see Chupka, William A.)—827
Giguère, P A. Revised values of the O—O and the O—H bond dissociation energies—322(L); erratum—1357(L)
Gill, D. (see Luz, Z.)—1540
Gill, E. Kerry (see Volman, David H.)—589(L)
Gold, Louis. Statistics of copolymer molecular size distribution—1360(L)
—— Variable reaction rate theory of polymer size distribution—1284
Goldfarb, I. J. and H. H. Jaffé. Valence-state ionization potentials of carbon—1622(L)
Goldstein, J. H. (see Morgan, H. W.)—1025
—— (see Whipple, E. B.)—1109(L)
Gomer, Robert (see Hayward, D. O.)—1617(L)
—— (see Melmed, A. J.)—586(L)
Goodman, G. L. and Mark Fred. Electronic structure of neptunium hexafluoride—849(L)
Goodman, Lionel and Lois J. Frolen. Direction of halogen spectroscopic moments—1361(L)
—— **and Robert W. Harrell.** Calculation of $n \rightarrow \Pi^*$ transition energies in N-heterocyclic molecules by a one-electron approximation—1131
Gordon, John E. (see Turrell, George C.)—895
Gordus, Adon A. and Richard B. Bernstein. C^{13} and deuterium isotope effects in the photolysis of methyl and ethyl bromide—973
Gordy, Walter (see Miyagawa, Ichiro)—1590
—— (see Rexroad, Harvey N.)—399
Gouterman, Martin. Calculations on the zero-field splittings in triplet states of various aromatic hydrocarbons. II—1369(L)
—— Study of the effects of substitution on the absorption spectra of porphin—1139
—— **and William Moffitt.** Origin of zero-field splittings in triplet states of aromatic hydrocarbons—1107(L)
Greaves, J. C. and David Garvin. Chemically induced molecular excitation: excitation spectrum of the nitric oxide-ozone system—348(L)
Green, Louis C., Cynthia Stephens, Eleanor K. Kolchin, Carolyn Chandler Chen, Patricia P. Rush, and C. W. Ufford. He I ground-state wave function of the form $\psi = f(r_1)f(r_2)g(r_{12})$—1061
Griffel, Maurice (see Hansen, Wilford N.)—913
Griffing, Virginia, Julius L. Jackson, and Bernard J. Ransil. Magnetic interaction of H_2—1066
—— (see Padgett, Alice A.)—1286
Grønvold, F., E. F. Westrum, Jr., and Chien Chou. Heat capacities and thermodynamic properties of the pyrrhotites FeS and $Fe_{0.877}S$ from 5 to 350°K—528
—— (see Westrum, E. F., Jr.)—761
Grossweiner, L. I. (see Reinberg, A. R.)—1616(L)
Guentner, W. S., T. J. Hardwick, and R. P. Nejak. On the decrease in hydrogen yield during cyclohexane radiolysis—601(L)
Guffy, J. C. (see Lindeman, L. P.)—322(L)
Gutowsky, H. S., Hazime Kusumoto, T. H. Brown, and D. H. Anderson. Proton magnetic resonance and electron spin densities of hydrazyl—860(L)
—— (see Bernheim, Robert A.)—950
—— (see Williams, G. A.)—717

Hagstrom, Stanley and Harrison Shull. Single-center wave function for the hydrogen molecule—1314
Halperin, A. and M. Schlesinger. New color centers in KCl crystals—339(L)
Halsey, G. D., Jr. (see Walling, J. F.)—1514
Hamano, H. Bond characters and nuclear quadrupole coupling constants of halogen molecules—598(L)
Hansen, Wilford N. and Maurice Griffel. Paramagnetic susceptibilities of the chromium (III) halides—913
Happe, James A. and A. Greenville Whittaker. Proton resonance shifts for the systems HNO_3—H_2O and HNO_3—KNO_3—417
Hardwick, T. J. (see Guentner, W. S.)—601(L)
Harrell, Robert W. (see Goodman, Lionel)—1131
Harrison, Anna J., Betty J. Cederholm, and Margery A. Terwilliger. Absorption of acyclic oxygen compounds in the vacuum ultraviolet. I. Alcohols—355
—— **and Diana R. W. Price.** Absorption of acyclic oxygen compounds in the vacuum ultraviolet. II. Ethers—357
—— (see Fleming, Gretchen)—351
—— (see Lake, Judith S.)—361
Hart, R. W. and F. T. McClure. Combustion instability: acoustic interaction with a burning propellant surface—1501
Hashman, J. S. (see Ruehrwein, R. A.)—823
Haubach, W. J. (see White, David)—1308(L)
Hayakawa, Sohachiro and Masao Hirata. Unusual temperature dependence of fluorescence of uranyl ions embedded in ice—330(L)
Hayward, D. O. and R. Gomer. Adsorption of carbon dioxide on tungsten—1617(L)
Hazato, Genjiro (see Isobe, Taro)—1371(L)
Heitsch, C. W. (see Weaver, J. R.)—1075
Heller, Wilfried, Masayuki Nakagaki, and Morton L. Wallach. Theoretical investigations on the light scattering of colloidal spheres. V. Forward scattering—444
—— (see Nakagaki, Masayuki)—783
Henglein, A. (see Bennett, R. G.)—1117(L)
Herron, John T., J. L. Franklin, Paul Bradt, and Vernon H. Dibeler. Kinetics of nitrogen atom recombination—879
Hersh, Herbert N. Color centers in KI containing impurity electron acceptors: KI:Tl—790
Heylen, A. E. D. Electric strength of aromatic hydrocarbon gases—1106(L)
Hildenbrand, D. L., R. A. McDonald, W. R. Kramer, and D. R. Stull. Thermodynamic and spectroscopic study of vinylidene chloride. I. Thermodynamic properties of the solid, liquid, and ideal gas—930
Hill, R. J. and P. W. M. Jacobs. Note on the observation of molecules by field emission microscopy—853(L)
Hill, Terrell L. Exact definition of quasi-thermodynamic point functions in statistical mechanics—1521
—— Generalization of the one-dimensional Ising model applicable to helix transitions in nucleic acids and proteins—383
—— Osmotic electric or magnetic field—1161
—— Theory of solutions. II. Osmotic pressure virial expansion and light scattering in two component solutions—93
—— Theory of the dielectric constant of dilute solutions. II—1114(L)
Hillig, W. B. (see Mackenzie, J. D.)—1102(L)
Hirata, Masao (see Hayakawa, Sohachiro)—330(L)
Hirschfelder, Joseph O. (see Curtiss, C. F.)—470
—— (see Eliason, Morton A.)—1397, 1426
—— (see Jepsen, Donald W.)—1032
Hisatsune, I. C. and E. S. Jayadevappa. Vibrational intensities in liquid benzene—848(L)
Holm, C. H. and James A. Ibers. NMR study of ferrocene, ruthenocene, and titanocene dichloride—885
Hooper, H. O. and P. J. Bray. Pure quadrupole resonance determinations of molecular charge distributions. II. Substituted pyrimidines—957
Hörl, E. M. (see Peyron, M.)—1304
Hoskins, R. H., R. C. Pastor, and K. R. Trigger. Crystal constituent effects. I. Paramagnetic resonance of $NiM^{IV}F_6 \cdot 6H_2O$—601(L)
——, **R. C. Pastor, and K. R. Trigger.** Crystal constituent effects. II. Paramagnetic resonance of Ni^{+2} in double nitrates—1630(L)
Howard, John N. (see Clough, Shepard A.)—1359(L)
Howell, Keith M. and Harrison Shull. Single-center expansions for one-electron systems. H_2^+—627
Hudda, F. G. (see Ehrlich, Gert)—493
Hudson, Donald E. (see Savage, William R.)—221
Hughes, R. E. and James L. Lauer. Characterization of polymer structures on helical point nets—1165
Husain, David and H. O. Pritchard. Negative activation energies—1101(L)
Hutchison, Clyde A., Jr. (see Candela, George A.)—246, 1104(L)

Ibers, James A. (see Holm, C. H.)—885
Iczkowski, Raymond P. and John L. Margrave. Absorption spectrum of fluorine in the vacuum ultraviolet—403
Iguchi, Kaoru. Lifetime of phosphorescence of substituted naphthalenes—319(L)
Ikeda, Toshio. New method of determining the Soret coefficients—345(L)
Ikenoue, Tsuneo (see Isobe, Taro)—1371(L)
Imai, Nobuhisa and Tsuyoshi Onishi. Analaytical solution of Poisson-Boltzmann equation for two-dimensional many-center problem—1115(L)
Inghram, M. G. (see De Maria, G.)—318(L)
—— (see Drowart, J.)—308
Iredale, T. (see Alderdice, D. S.)—344(L)
Isobe, Taro, Tsuneo Ikenoue, and Genjiro Hazato. Proton magnetic resonance in the mixtures of aniline and *N*-alkylated anilines with glacial acetic acid—1371(L)

Jaccarino, V. Effects of the Co^{59} hfs on the F^{19} high-frequency NMR in antiferromagnetic CoF_2—1627(L)
Jackson, Julius L. (see Griffing, Virginia)—1066
Jacobs, P. W. M. (see Hill, R. J.)—853(L)
Jacobson, J. D. (see Salsburg, Z. W.)—65
Jaffé, H. H. (see Dessy, Raymond E.)—1422
—— (see Goldfarb, I. J.)—1622(L)
Jain, A. L. (see Lawson, A. W.)—643
Jameson, William J., Jr. (see Aroeste, Henry)—372
Jayadevappa, E. S. (see Hisatsune, I. C.)—848(L)
Jefimenko, Oleg. Diffuse bands in arc spectra—1112(L)
Jepsen, Donald W. and Joseph O. Hirschfelder. Idealized theory of the recombinations of atoms by three-body collision—1032
Johnson, H. R. and F. Rohrlich. Negative atomic ions—1608
Jones, William H., Jr. (see Lauer, James L.)—592(L), 1489
Jortner, Joshua. Energy levels of bound electrons in liquid ammonia—839
——, **G. Stein, and A. Treinin.** Spectrophotometric determination of the electron affinity of fluorine—1110(L)
Jursa, A. (see Tanaka, Y.)—1624(L)

Kainer, H. (see Bijl, D.)—765
Kallmann, H. and M. Pope. Photovoltaic effect in organic crystals—585(L)
Kaplan, Joseph (see Barth, Charles A.)—347(L)
Kaplan, L. D. (see Benedict, W. S.)—388
Karmohapatro, S. B. Charge-exchange cross sections of argon ions in hydrogen molecules—538
—— **and T. P. Das.** Erratum: Asymmetric-charge exchange reactions—327(L)

Karo, A. M. Configuration interaction in the lithium hydride molecule. II. An SCF LCAO-MO approach—1241
—— **and A. R. Olson.** Configuration interaction in the lithium hydride molecule. I. A determinantal AO approach—1232
Karplus, Martin. Contact electron-spin coupling of nuclear magnetic moments—11
—— Interpretation of the electron-spin resonance spectrum of the methyl radical—15
—— **and D. H. Anderson.** Valence-bond interpretation of electron-coupled nuclear spin interactions; application to methane—6
—— (see Das, T. P.)—848(L)
Kasai, Paul H. and Rollie J. Myers. Microwave spectrum, structure, and internal rotation of dimethyl ether—1096(L)
——, **Rollie J. Myers, D. F. Eggers, Jr., and Kenneth B. Wiberg.** Microwave spectrum, structure, and dipole moment of cyclopropene—512
Katchalski, Ephraim (see Gehatia, Matatiahu)—1334
Keller, Joseph B. and Bruno Zumino. Determination of intermolecular potentials from thermodynamic data and the law of corresponding states—1351
Keller, Seymour P. Variation of valence state of Eu in SrS phosphors—556
—— **and G. D. Pettit.** Low-temperature fluorescence spectra and crystal field splittings of rare-earth activated SrS phosphors—434
Kempter, Charles P. and Reed O. Elliott. Thermal expansion of $\langle UN \rangle$, $\langle UO_2 \rangle$, $\langle UO_2 \cdot ThO_2 \rangle$, and $\langle ThO_2 \rangle$—1524
Ketelaar, J. A. A. and J. van der Elsken. Frequency shifts in the infrared absorption spectrum of complex ions in solid solution—336(L)
Kilpatrick, John E. Term series for a rotating-vibrating diatomic molecule by perturbation—801
Kimura, Katsumi and Masaji Kubo. Structures of dimethyl ether and methyl alcohol—151
Kisliuk, P. Chemisorption of nitrogen on tungsten—174
Kistiakowsky, G. B. and F. D. Tabbutt. Gaseous detonations. XII. Rotational temperatures of the hydroxyl free radicals—577
Kitamura, Morris Y. (see Nakayama, Toshio)—1180
Klaboe, Peter and J. Rud Nielsen. Infrared and Raman spectra of fluorinated ethanes. XI. Pentafluorobromoethane—1375
Klein, Fritz S. (see Bigeleisen, Jacob)—1340
Klein, Lewis and Henry Margenau. Theory of pressure effects on alkali doublet lines—1556
Klein, Ralph, James R. McNesby, Milton D. Scheer, and Louis J. Schoen. Kinetics of D atom reactions with H_2, CH_4, and D_2CO—58
Klemperer, William. Central force fields and bending motions—594(L)
Kneser, H. O. (see Bauer, H.-J.)—1119
Knox, Kerro. Structure of K_2CuF_4. New kind of distortion for octahedral copper (II)—991
Kobayashi, Hiroshi. On the electronic spectra of porphine—1362(L)
—— On the electronic structure of porphine—1373(L)
Kolchin, Eleanor K. (see Green, Louis C.)—1061
Konitzer, John D. (see Markham, Jordan J.)—328(L)
Kopelman, R. and O. Schnepp. Infrared spectrum of hexachlorobenzene—597(L)
—— (see Schnepp, O.)—868
Kotaka, Tadao. Note on the normal stress effect in the solution of rodlike macromolecules—1566
Kramer, W. R. (see Hildenbrand, D. L.)—930
Kubo, Masaji (see Kimura, Katsumi—151
Kusch, P. Nuclear reorientation spectrum of Li^7 in the gaseous monomers and dimers of the lithium halides—52
—— (see Rothberg, G. M.)—517
Kusumoto, Hazime (see Gutowsky, H. S.)—860(L)
Kyner, W. T., J. R. M. Radok, and M. Wales. Kinetics and molecular weight distributions for unsteady-state polymerizations involving termination by chain transfer with the monomer—363

Laidler, Keith J. (see Volman, David H.)—589(L)
Laity, Richard W. General approach to the study of electrical conductance and its relation to mass transport phenomena—682
Lake, Judith S. and Anna H. Harrison. Absorption of acyclic oxygen compounds in the vacuum ultraviolet. III. Acetone and acetaldehyde—361
Lauer, James L. and William H. Jones, Jr. Relating torsion angles to valence bond angles and multiplicity of the principal symmetry axis in cyclic molecules—592(L)
——, **William H. Jones, Jr., and Harold C. Beachell.** Vibrational spectrum of 4,4-dimethylcyclopentene—1489
—— (see Hughes, R. E.)—1165
Laurie, Victor W. Comments on the structure of 1,1,1-trifluoro-2-butyne—1101(L)
—— Microwave spectrum of methyl germane—1210
Law, J. T. Adsorption of hydrogen on silicon—1568
—— (see Eisinger, J.)—410
Lawson, A. W. Relation between the Eyring and Doolittle diffusion equations—1114(L)
——, **R. Lowell, and A. L. Jain.** Thermal conductivity of water at high pressures—643
LeBlanc, F. (see Tanaka, Y.)—1624(L)
LeBlanc, Oliver H., Jr. Electron drift mobility in liquid *n*-hexane—1443
Legvold, Sam (see Amme, Robert)—163
Lehmann, Walter J., Thomas P. Onak, and I. Shapiro. Infrared spectra of alkoxyboranes. I. Dimethoxyborane and dimethoxyborane-*d*—1215
——, **Thomas P. Onak, and I. Shapiro.** Infrared spectra of alkoxyboranes. II. Chlorodimethoxyborane and dichloromethoxyborane—1219
——, **H. G. Weiss, and I. Shapiro.** Infrared spectra of alkoxyboranes. III. Di- and triethoxyboranes—1222
——, **H. G. Weiss, and I. Shapiro.** Infrared spectra of alkoxyboranes. IV. Di- and triisopropoxyboranes—1226
Leto, Joseph R. (see Cotton, F. Albert)—993
Levy, H. A., P. A. Agron, and M. D. Danford. Structure of silico-tungstic acid in aqueous solution—1486
Lewis, W. Burton (see Candela, George A.)—246, 1104(L)
Li, H. T. (see Christy, R. W.)—136
Lide, David R., Jr. Microwave spectra of molecules exhibiting internal rotation. V. Barrier height in ethyl chloride and ethyl bromide—37
Lifson, Shneior. Neighbor interactions and internal rotations in polymer molecules. III. Statistics of interdependent rotations and their application to the polyethylene molecule—964
Lindeman, L. P. and J. C. Guffy. Recalculation of $D(HO-OH)$ based on new value of $D(O-H)$—322(L)
Lippincott, Ellis R. (see Vanderslice, Joseph T.)—129
Livingston, Ralph (see Zeldes, Henry)—40
Livingston, R. L. and C. N. R. Rao. Molecular structure of tin tetrachloride—339(L)
Long, F. A. (see Friedman, L.)—1605
Lord, R. C. (see Danti, Alfred)—1310
Löwdin, Per-Olov (see Shull, Harrison)—617
Lowell, R. (see Lawson, A. W.)—643
Lowitz, D. A., J. W. Spencer, W. Webb, and R. W. Schiessler. Temperature-pressure-structure effects on the viscosity of several higher hydrocarbons—73
Lundén, Arnold. On the existence of complex ions in solid salts—323(L)
Luz, Z., D. Gill, and S. Meiboom. NMR study of the protolysis kinetics in methanol and ethanol—1540

MacCosham, V. J. (see Fujita, Hiroshi)—291
Macdonald, J. Ross. Static space charge and capacitance for two-blocking electrodes—806
Mackenzie, J. D. Erratum: structure of liquid germanium dioxide—1357(L)
——, **L. B. Nesbitt, and W. B. Hillig.** On the existence of vitreous oxygen—1102(L)
Maki, August H. and David H. Geske. Detection of electrolytically generated transient free radicals by electron spin resonance—1356(L)
Mandell, Leon (see Whipple, E. B.)—1109(L)
Mangelsdorf, Paul C., Jr. Transport processes in liquid alloys. I. A transport cell for liquid alloys—1170
Margenau, Henry (see Klein, Lewis)—1556
Margrave, John L. (see Iczkowski, Raymond P.)—403
Markham, Jordan J. and John D. Konitzer. Errata: Experimental and theoretical study of the shape of the *F* absorption in KCl—328(L)
Markovitz, Hershel (see Casassa, Edward F.)—852(L)
Mason, Edward A. and Joseph T. Vanderslice. Binding energy of Ne_2^+ from ion scattering data—599(L)
—— (see Vanderslice, Joseph T.)—129
Matsen, F. A. (see Ormand, Fred T.)—368
Matsunaga, Yoshio. Electron spin resonance absorption of aromatic hydrocarbon-iodine complexes—855(L)
Mauer, F. A. (see Bolz, L. H.)—349(L)
May, A. D., J. C. Stryland, and H. L. Welsh. Raman spectra of H_2 and CH_4 at high pressures—1099(L)
Mayer, J. E. (see Mazo, R. M.)—333(L)
Mazo, R. M. and J. E. Mayer. Energy fluctuations in an open system—333(L)
McCall, David W., Dean C. Douglass, and Ernest W. Anderson. Diffusion in ethylene polymers. IV—771
——, **Dean C. Douglass, and Ernest W. Anderson.** Molecular motion in polyethylene. II—1272
McCarthy, Donald E. (see Clough, Shepard A.)—1359(L)
McCarty, Maclyn, Jr. (see Robinson, G. Wilse)—999
McClure, Donald S. (see Schnepp, Otto)—874
McClure, F. T. (see Hart, R. W.)—1501
McConnell, Harden M. Errata: Spin density matrices for paramagnetic molecules—328(L)
—— Negative nuclear spin-spin coupling constants for aromatic protons—126
——, **W. W. Porterfield, and R. E. Robertson.** Paramagnetic resonance of bis-cyclopentadienyl vanadium—442
McDonald, R. A. (see Hildenbrand, D. L.)—930
McGarvey, Bruce R. and George Slomp, Jr. NMR spectrum of the ethyl group. An exact solution—1586
McGrath, J. W. (see Silvidi, A. A.)—1028
McNesby, James R. (see Klein, Ralph)—58
McNutt, James E. and George M. Andes. Relationship of the contact angle to interfacial energies—1300
Meakins, R. J. (see Cook, J. S.)—787
Medlin, W. L. Thermoluminescent properties of calcite—451
Meiboom, S. (see Luz, Z.)—1540
Meisenheimer, R. G. and D. L. Cook. Magnetic susceptibility of manganese sesquioxide at temperatures from 4 to 700°K—605(L)
Melmed, A. J. and R. Gomer. Field emission from metal whiskers—586(L)
Melton, C. E. and P. S. Rudolph. Mass spectrum of acetylene produced by 5.1-Mev alpha particles—847(L)
—— (see Rudolph, P. S.)—588(L)
Miller, R. C. (see Rampolla, R. W.)—566
Milligan, Dolphus E. (see Catalano, Edward)—45
Mills, I. M. and D. H. Whiffen. Integration theorems on vibrational intensities—1619(L)
Milne, Thomas A. and Daniel Cubicciotti. Calculation of the energies of some alkali halide trimers—1625(L)
—— **and Daniel Cubicciotti.** Energies and vibrational frequencies of gaseous alkali halide M_2X^+ ions—1418
Minkoff, G. J., F. I. Scherber, and J. S. Gallagher. Energetic species trapped at 4.2°K from gaseous discharges—753
Miyagawa, Ichiro and Walter Gordy. Electron spin resonance in an irradiated single crystal of dimethylglyoxime—1590
Miyazawa, Tatsuo and Kenneth S. Pitzer. Internal rotation and infrared spectra of formic acid monomer and normal coordinate treatment of out-of-plane vibrations of monomer, dimer, and polymer—1076
Mizushima, San-ichiro (see Shimanouchi, Takehiko)—1365 (L)
Moffitt, William and Albert Moscowitz. Optical activity in absorbing media—648
—— (see Gouterman, Martin)—1107(L)
Morgan, H. W. and J. H. Goldstein. Microwave spectrum and molecular structure of vinyl fluoride—1025
Moscowitz, Albert (see Moffitt, William)—648
Moser, C. (see Brion, H.)—673
Mueller, C. R. Use of vapor pressure data to calculate enthalpies of mixing—326(L)
Musa, Raiq S. and Melvin Eisner. Ultrasonic absorption associated with tertiary butanol complex formation in dilute solutions in cyclohexane—227
Myers, Rollie J. (see Kasai, Paul H.)—512, 1096(L)

Nagai, Kazuo. Molecular configurations of vinyl polymers with strictly regular structures and their mean dimensions and electric moments in dilute solutions—660
Nakagaki, Masayuki and Wilfried Heller. Theoretical investigations on the light scattering of colloidal spheres. VI. Backward scattering—783
—— (see Heller, Wilfried)—444
Nakayama, Toshio, Morris Y. Kitamura, and K. Watanabe. Ionization potential and absorption coefficients of nitrogen dioxide—1180
Nanda, V. S. and R. K. Pathria. Polymers and theory of numbers. I. The single-chain theory of degradation—27
—— **and R. K. Pathria.** Polymers and theory of numbers. III. Some remarks on the theories of random degradation—35
—— (see Pathria, R. K.)—31, 1322
Navias, Louis (see Sears, Gerald W.)—1111(L)
Nejak, R. P. (see Guentner, W. S.)—601(L)
Nelson, R. C. Organic photoconductors. V. A model for photoconductivity in cationic dyes—406
Nesbitt, L. B. (see Mackenzie, J. D.)—1102(L)
Nielsen, J. Rud and Rose Theimer. Assignment of the fundamental vibrational frequencies and calculated thermodynamic functions for 1,1-difluoro-2,2-dibromoethylene—103
—— (see Klaboe, Peter)—1375
—— (see Theimer, Rose)—98
Nolle, A. W. and J. J. Billings. Proton magnetic resonance in polyisobutylene at various temperatures, pressures, and frequencies—84
Nosanow, L. H. Statistical mechanics of multicomponent systems: perturbation theory—1596

Ogawa, M. and Y. Tanaka. New emission bands of N_2 in the vacuum ultraviolet region—1354(L)
Olson, A. R. (see Karo, A. M.)—1232
Onak, Thomas P. (see Lehmann, Walter J.)—1215, 1219
Onishi, Tsuyoshi (see Imai, Nobuhisa)—1115(L)
O'Reilly, D. E. Erratum: Paramagnetic resonance of vanadyl etioporphyrin I—591(L)
Orgel, L. E. Comment on "Effects of dissolved Gd^{3+} on the H_2O^{17} nuclear resonance"—1617(L)

Ormand, Fred T. and F. A. Matsen. Nuclear magnetic shielding constants for several 2-, 3-, and 4-electron atoms and ions—368
Osada, K. Phosphorescence of sodium acetate—1363(L)
O'Sullivan, W. Study of the wurtzite-type binary compounds. III. Valence band structure of BeO—379
Overend, John, M. J. Youngquist, E. C. Curtis, and Bryce Crawford, Jr. Vibrational intensities. XI. CO_2 and the Wilson-Wells method—532

Padgett, Alice A. and Virginia Griffing. LCAO-MO SCF study of B_2—1286
Palko, A. A. Separation of boron isotopes. III. The *n*-butyl sulfide-BF_3 system—1187
Paoloni, Leonello. Nature of the hydrogen bond—1045
Parker, Paul M. and L. Carlton Brown. Computation of rigid asymmetric rotator constants from energy moments. II—909
Parry, R. W. (see Weaver, J. R.)—1075
Parsons, Arthur E. and Alan W. Searcy. Prediction of the shapes of two-centered covalent molecules and ions—1635 (L)
Pastor, R. C. (see Hoskins, R. H.)—601(L), 1630(L)
Pathria, R. K. and V. S. Nanda. Polymers and theory of numbers. II. The *N*-chain theory of degradation—31
—— **and V. S. Nanda.** Polymers and theory of numbers. IV. The problem of weak and strong links in degradation—1322
—— (see Nanda, V. S.)—27, 35
Payette, Gisele and C. Sandorfy. Electronic distribution in some conjugated ketones. Molecular orbital calculations including overlap—168
Payne, Herbert. Solution of the Fermi-Thomas equation for positive ions—343(L)
Pearson, Ralph G. Ionic models and the vibrational spectra of molecules—1537
Peiser, H. S. (see Bolz, L. H.)—349(L)
Petrauskas, A. A. (see Chen, Joseph H.)—304
Pettit, G. D. (see Keller, S. P.)—434
Peyron, M. and H. P. Broida. Spectra emitted from solid nitrogen condensed at very low temperatures from a gas discharge—139
——, **E. M. Hörl, H. W. Brown, and H. P. Broida.** Spectroscopic evidence for triatomic nitrogen in solids at very low temperature—1304
Pickett, Lucy W. (see Fleming, Gretchen)—351
Piette, Lawrence H. and Weston A. Anderson. Potential energy barrier determinations for some alkyl nitrites by nuclear magnetic resonance—899
——, **R. C. Rempel, H. E. Weaver, and J. M. Flournoy.** EPR studies of electron irradiated ice and solid hydrogen —1623(L)
—— (see Anderson, Weston A.)—591(L)
Pilar, Frank L. Errata: 1,2- *versus* 1,4-addition to 1,3-butadiene by a simple LCAO-MO method—591(L)
—— Further considerations of a previous LCAO-MO study of the allylic-type transition state in 1,3-butadiene—375
Pistorius, Carl W. F. T. Normal frequencies of the plane XY_2Z molecule—332(L)
Pitzer, Kenneth S. (see Miyazawa, Tatsuo)—1076
—— (see Sinanoglu, Oktay)—422
Polanyi, J. C. (see Cashion, J. K.)—316(L), 317(L), 1097(L)
Pope, M. (see Kallmann, H.)—585(L)
Porter, Richard F. (see Schoonmaker, Richard C.)—283
Porterfield, W. W. (see McConnell, H. M.)—442
Potts, W. J. (see Scherer, J. R.)—1527
Poulson, Richard E. (see Connick, Robert E.)—759
Powell, Richard E. Curve-matching method for quasi-unimolecular reactions—724
Price, Diana R. W. (see Harrison, Anna J.)—357
Primakoff, H. (see Bernardes, N.)—691
Pritchard, H. O. (see Husain, David)—1101(L)
Proctor, T. M. and Paul M. Sutton. Static spacecharge distributions with a single mobile charge carrier—212
Purbrick, R. L. Emission spectrum of TeO—962

Rabinovitch, B. S. and R. W. Diesen. Unimolecular decomposition of chemically activated *sec*-butyl radicals from H atoms plus *cis*-butene-2—735
Radok, J. R. M. (see Kyner, W. T.)—363
Raffel, H. (see Collins, F. C.)—1620(L)
Rampolla, R. W., R. C. Miller, and C. P. Smyth. Microwave absorption and molecular structure in liquids. XXV. Measurements of dielectric constant and loss at 3.1-mm wavelength by an interferometric method—566
Ransil, Bernard J. Quadrupole coupling constant, dipole moment, and electron population of CO—1113(L)
—— (see Griffing, Virginia)—1066
Rao, C. N. R. (see Livingston, R. L.)—339(L)
Rao, V. S. (see Eisenstadt, M.)—604(L)
Raw, C. J. G. (see Ellis, C. P.)—574
Reid, C. Semiempirical treatment of the hydrogen bond—182
Reinberg, A. R. and L. I. Grossweiner. Transient processes in the optical bleaching of *F* and *F'* centers in potassium chloride—1616(L)
Reitz, D. C. Hyperfine spectra of some deuterium substituted triphenylmethyls—1364(L)
Rempel, R. C. (see Piette, L. H.)—1623(L)
Rexroad, Harvey N. and Walter Gordy. Electron spin resonance studies of irradiated teflon: effects of various gases —399
Reynolds, G. F. (see Dessy, Raymond E.)—1422
Rice, Bernard (see Clinton, William L.)—542
Rice, Stuart A. On a relation between coarse graining and diagonal singularity—587(L)
Rigatti, G. (see Giacometti, G.)—1633(L)
Robertson, R. E. (see McConnell, H. M.)—442
Robertson, W. W. (see Babb, S. E., Jr.)—427
—— (see Weigang, O. E., Jr.)—1413
Robinson, G. Wilse and Maclyn McCarty, Jr. Trapped NH_2 radicals at 4.2°K—999
Robinson, J. M. (see Babb, S. E., Jr.)—427
Rohrlich, F. (see Johnson, H. R.)—1608
Rose-Innes, A. C. (see Bijl, D.)—765
Rosen, Gerald. Ignition of combustible gases—298
Rosen, Joseph S. Solutions under pressure—547
Rosenstock, Herbert B. and James H. Schulman. Models for luminescence degradation in organic solids—116
Roth, J. Thermodynamic functions of sodium cyanate and potassium cyanate—596(L)
Rothberg, G. M., M. Eisenstadt, and P. Kusch. Free evaporation of alkali halide crystals—517
—— (see Eisenstadt, M.)—604(L)
Rowland, F. S. Ratio of HT/HTO in the atmosphere—1098 (L)
Rudolph, P. S., C. E. Melton, and G. M. Begun. Formation of NO^- in nitric oxide and nitrous oxide by electron impact —588(L)
—— (see Melton, C. E.)—847(L)
Ruehrwein, R. A. and J. S. Hashman. Formation of ozone from atomic oxygen at low temperatures—823
Runciman, W. A. Analysis of the spectra of gadolinium salts—1632(L)
Rush, Patricia P. (see Green, Louis C.)—1061

Russell, Morley E. and Richard B. Bernstein. Kinetics of the thermal decomposition of dimethylmercury. I. Cyclopentane inhibition—607
—— **and Richard B. Bernstein.** Kinetics of the thermal decomposition of dimethylmercury. II. Carbon-13 isotope effect—613

Sakamoto, Yosio and Ukiko Takahasi. Born's and Hund's basic potential as useful tools for calculating Madelung's coefficients of complex crystals—337(L)
Sala, Oswaldo (see Stammreich, H.)—856(L)
Salkoff, Morris and Ernest Bauer. Vibrational relaxation times in oxygen—1614
Salsburg, Z. W., J. D. Jacobson, W. Fickett, and W. W. Wood. Application of the Monte Carlo method to the lattice-gas model. I. Two-dimensional triangular lattice—65
Sancier, Kenneth M., William J. Fredericks, and Henry Wise. Luminescence of solids produced by surface recombination of atoms—1355(L)
Sandorfy, C. (see Payette, Gisele)—168
Sapp, Richard C. Comment: On the magnetic susceptibility of ferrous ammonium Tutton salt at liquid helium temperatures—326(L)
Sasada, Yoshio and Masao Atoji. Errata: Crystal structure and lattice energy of orthorhombic hexachloroethane—1103(L)
Satten, Robert A. Errata: On the theory of electronic-vibrational interaction for rare earth and actinide series ions in crystals. II. Octahedral complexes—590(L)
Sauer, J. A. (see Woodward, A. E.)—854(L)
Savage, William R., Donald E. Hudson, and Frank H. Spedding. Mass spectrometric study of heats of sublimation of dysprosium, samarium, thulium, and ytterbium—221
Scace, R. I. and G. A. Slack. Solubility of carbon in silicon and germanium—1551
Schade, William J. (see Barth, Charles A.)—347(L)
Scheer, Milton D. (see Klein, Ralph)—58
Scherber, F. I. (see Minkoff, G. J.)—753
Scherer, J. R. and W. J. Potts. Normal coordinates for the out-of-plane deformations of vinyl bromide—1527
Schiessler, R. W. (see Lowitz, D. A.)—73
Schlesinger, M. (see Halperin, A.)—339(L)
Schlier, R. E. and H. E. Farnsworth. Structure and adsorption characteristics of clean surfaces of germanium and silicon—917
Schnepp, Otto. Low-temperature phase transition of crystalline hexamethylbenzene. II—48
—— Near ultraviolet absorption spectrum of crystalline 1,3,5-trichlorobenzene—863
—— **and R. Kopelman.** Near ultraviolet spectrum of crystalline hexachlorobenzene—868
—— **and Donald S. McClure.** Near ultraviolet spectrum of crystalline durene—874
—— (see Kopelman, R.)—597(L)
Schoen, Louis J. (see Klein, Ralph)—58
Schoonmaker, Richard C. and Richard F. Porter. Heats of dimerization of alkali fluoride molecules—283
Schulman, James H. (see Rosenstock, Herbert B.)—116
Schurin, B. Infrared dispersion of carbon tetrafluoride—1
Scott, Allen B. Comment on "Existence of complex ions in solid salts"—324(L)
—— (see Watson, L. Richard)—342(L)
Scott, R. L. (see Williamson, A. G.)—325(L)
Scott, T. A., Jr., and E. L. Wagner. Vibrational spectra and structure of oxamide and dithiooxamide—465
Searcy, Alan W. (see Parsons, Arthur E.)—1635(L)
Sears, Gerald W. and Louis Navias. Evaporation of aluminum oxide—1111(L)
Segal, Bernice G. (see Venkataraman, Balu)—1006
Shapiro, I. (see Gibbins, Sidney G.)—1483
—— (see Lehmann, Walter J.)—1215, 1219, 1222, 1226
—— (see Williams, Robert E.)—320(L), 333(L)
Shaw, T. M. Dissociation of hydrogen in a microwave discharge—1366(L)
Shimanouchi, Takehiko, Soji Tsuchiya, and San-ichiro Mizushima. C—Cl stretching frequencies and the molecular structure of polyvinyl chloride—1365(L)
Shuler, Kurt E. Analysis of vibrational relaxation data in shock wave experiments—1631(L)
Shull, Harrison. Natural spin orbital analysis of hydrogen molecule wave functions—1405
—— **and Per-Olov Löwdin.** Superposition of configurations and natural spin orbitals. Applications to the He problem—617
—— (see Hagstrom, Stanley)—1314
—— (see Howell, Keith M.)—627
Shulman, R. G. and B. J. Wyluda. Effects of gadolinium upon the H_2O^{17} nuclear resonance—335(L)
Sidei, Tunahiko and Syukuro Yano. Study on the hydrogen bond in NH_4HF_2 by NMR—1109(L)
Silvidi, A. A. and J. W. McGrath. Proton magnetic resonance study of the structure of potassium pentaborate—1028
Sinanoğlu, Oktay. Scattering of high velocity neutral particles by an orientation dependent potential—850(L)
—— **and Kenneth S. Pitzer.** Theoretical pre-exponential rate factors for abstraction reactions—422
Sittig, E. (see Bauer, H.-J.)—1119
Slack, G. A. (see Scace, R. I.)—1551
Slomp, George, Jr. (see McGarvey, Bruce R.)—1586
Smith, E. Brian and B. J. Alder. Perturbation calculations in equilibrium statistical mechanics. I. Hard sphere basis potential—1190
Smyth, C. P. (see Rampolla, R. W.)—566
Somayajulu, G. R. Errata: On covalent bond length and bond order. VIII—1357(L)
Spedding, Frank H. (see Savage, William R.)—221
Spencer, J. W. (see Lowitz, D. A.)—73
Srivastava, B. N. and K. P. Srivastava. Mutual diffusion of pairs of rare gases at different temperatures—984
—— **and R. C. Srivastava.** Thermal conductivity and Eucken correction for diatomic gases and binary gas mixtures—1200
Srivastava, K. P. (see Srivastava, B. N.)—984
Srivastava, R. C. (see Srivastava, B. N.)—1200
Srivastava, Satish Chandra and P. Charandas. Simple equation for estimating the dipole moment of a molecule from solution data—816
Stammreich, H., Oswaldo Sala, and Yara Tavares. Raman spectrum and structure of iron pentacarbonyl—856(L)
Stanton, Henry E. High-energy methyl ions from propane under electron impact—1116(L)
Stein, G. (see Jortner, J.)—1110(L)
Stephens, Cynthia (see Green, Louis C.)—1061
Stephens, D. R. and H. G. Drickamer. Effect of pressure on some charge transfer spectra—1518
—— **and H. G. Drickamer.** Pressure-induced ligand field peak in K_2ReCl_6—1364(L)
Stewart, James E. Vibrational spectra of primary and secondary aliphatic amines—1259
Stoicheff, B. P. (see Costain, C. C.)—777
Strehlow, Roger A. and Arthur Cohen. Limitations of the reflected shock technique for studying fast chemical reactions and its application to the observation of relaxation in nitrogen and oxygen—257
Stryland, J. C. (see May, A. D.)—1099(L)
Stull, D. R. (see Hildenbrand, D. L.)—930

Sullivan, John H. Rate of reaction of hydrogen with iodine at equilibrium—1577
—— Rates of reaction of hydrogen with iodine—1292
Sutton, Paul M. (see Proctor, T. M.)—212
Symons, M. C. R. Metal solutions—1628(L)
Szwarc, M. (see Binks, J. H.)—1494

Tabbutt, F. D. (see Kistiakowsky, G. B.)—577
Takahasi, Ukiko (see Sakamoto, Yosio)—337(L)
Tanaka, Y., F. LeBlanc, and A. Jursa. Second positive bands in the Lewis-Rayleigh afterglow of nitrogen—1624(L)
—— (see Ogawa, M.)—1354(L)
Tavares, Yara (see Stammreich, H.—856(L)
Terwilliger, Margery A. (see Harrison, Anna J.)—355
Theimer, Rose and J. Rud Nielsen. Infrared and Raman spectra of fluorinated ethylenes. IX. 1,1-difluoro-2-chloro-2-bromoethylene—98
—— (see Nielsen, J. Rud)—103
Tietz, T. Thomas-Fermi model for diatomic hydrides—1104(L)
Treinin, A. (see Jortner, J.)—1110(L)
Trigger, K. R. (see Hoskins, R. H.)—601(L), 1630(L)
Tsuchiya, Soji (see Shimanouchi, Takehiko)—1365(L)
Turrell, George C. and John E. Gordon. Infrared spectrum of the dimethylnitrilium ion—895
Tuttle, T. R., Jr. Analysis of the ESR absorption spectrum of Wurster's blue ion—331(L)
Twomey, S. Experimental test of the Volmer theory of heterogeneous nucleation—941

Ufford, C. W. (see Green, Louis C.)—1061

van der Elsken, J. (see Ketelaar, J. A. A.)—336(L)
Vanderryn, Jack. Infrared spectrum of BF_3—331(L)
Vanderslice, Joseph T., Edward A. Mason, and Ellis R. Lippincott. Interactions between ground-state nitrogen atoms and molecules. The N—N, N—N_2, and N_2—N_2 interactions—129
—— (see Mason, Edward A.)—599(L)
Venkataraman, Balu, Bernice G. Segal, and George K. Fraenkel. Paramagnetic resonance of methyl- and chloro-substituted *p*-benzosemiquinones—1006
Verdier, Peter H. and E. Bright Wilson, Jr. Force constant calculations in linear triatomic molecules from infrared and microwave data—1372(L)
Volman, David H., E. Kerry Gill, and Keith J. Laidler. Excited state of oxygen reached by energy transfer from mercury $^3P_1$—589(L)
von Roos, Oldwig. Destruction of metastable helium atoms in binary collisions—729

Wada, Akiyoshi. Dielectric properties of polypeptide solutions. II. Relation between the electric dipole moment and the molecular weight of α helix—328(L)
—— Dielectric properties of polypeptide solutions. III. Elucidation of the critical frequency of dielectric dispersion from the molecular shape of the α helix—329(L)
Wagner, E. L. (see Frasco, D. L.)—1124
—— (see Scott, T. A., Jr.)—465
Wales, M. (see Kyner, W. T.)—363
Wall, F. T. and J. J. Erpenbeck. New method for the statistical computation of polymer dimensions—634
—— **and J. J. Erpenbeck.** Statistical computation of radii of gyration and mean internal dimensions of polymer molecules—637
Wall, L. A., D. W. Brown, and R. E. Florin. Electron spin resonance spectra from gamma-irradiated solid nitrogen—602(L)
Wall, R. A. (see Woodward, A. E.)—854(L)
Wallach, Morton L. (see Heller, Wilfried)—444
Walling, J. F. and G. D. Halsey, Jr. Exact lattice-cluster expansion for the frost points of argon-krypton gas mixtures—1514
Ward, Raymond L. Electron spin resonance of nitrobenzene negative ion—852(L)
Wasserman, Edel and Robert Earl Davis. On the identity of the green forms of bianthrone—1367(L)
Watanabe, K. (see Nakayama, Toshio)—1180
Watson, L. Richard and Allen B. Scott. Effect of divalent cations on the coagulation of *F* centers in potassium chloride—342(L)
Waugh, J. S. (see Fessenden, R. W.)—944
Weatherly, T. L. (see Clayton, Lorimer)—1328
—— (see Eagle, Donald F.)—603(L)
Weaver, H. E. (see Piette, L. H.)—1623(L)
Weaver, J. R., C. W. Heitsch, and R. W. Parry. Dipole moment of tetraborane—1075
Webb, L. A. (see Alger, R. S.)—695
Webb, W. (see Lowitz, D. A.)—73
Weigang, O. E., Jr., and W. W. Robertson. Vibration perturbations in electronically excited molecules—1413
Weiss, H. G. (see Lehmann, W. J.)—1222, 1226
Welsh, H. L. (see May, A. D.)—1099(L)
Wentink, Tunis, Jr. Triatomic linear molecules containing carbon and oxygen, sulfur, selenium, or tellurium. II. Potential constants—105
Weston, Ralph E., Jr. (see Bigeleisen, Jacob)—1340
Westrum, E. F. Jr., Chien Chou, and F. Grønvold. Heat capacities and thermodynamic properties of the iron tellurides $Fe_{1.11}Te$ and $FeTe_2$ from 5 to 350°K—761
—— (see Grønvold, F.)—528
Wheeler, Jennifer (see Davidson, D. W.)—1357(L)
Whiffen, D. H. (see Mills, I. M.)—1619(L)
Whipple, E. B., J. H. Goldstein, and Leon Mandell. Proton magnetic resonance in haloallenes—1109(L)
White, David and W. J. Haubach. Separation of the hydrogen isotopes by preferential adsorption at 20.4°K—1368(L)
Whittaker, A. Greenville (see Happe, James A.)—417
Wiberg, Kenneth B. (see Kasai, Paul H.)—512
Widom, B. One-dimensional inelastic collisions with impulsive interactions—238
Wilkinson, P. G. Forbidden band systems in nitrogen. I. The Vegard-Kaplan system in absorption—773
Williams, F. A. Apparent order of heterogeneous spray reactions—1017
Williams, G. A. and H. S. Gutowsky. Electron coupling of nuclear spins. II. Molecular orbital interpretation of coupling constants observed in fluorobenzenes—717
Williams, Quitman (see Clayton, Lorimer)—1328
—— (see Eagle, Donald F.)—603(L)
Williams, Richard. Polarization of the phosphorescence of naphthalene and phenanthrene—233
Williams, Robert E., Sidney G. Gibbins, and I. Shapiro. Nuclear magnetic resonance spectra of hexaborane—333(L)
——, **Sidney G. Gibbins, and I. Shapiro.** Reinterpretation of the nuclear magnetic resonance spectra of unstable pentaborane-B_5H_{11}—320(L)
Williamson, A. G., R. L. Scott, and R. D. Dunlap. Heat of mixing of perfluoro-*n*-heptane with 2,2,4-trimethylpentane iso-octane—325(L)
Wilmshurst, J. K. Empirical expression for ionic character and the determination of *s* hybridization from nuclear quadrupole coupling constants—561
—— Estimation of *s*-electron promotional energies and the dependence of orbital hybridization on ionicity—889

Wilson, E. Bright, Jr. (see Verdier, Peter H.)—1372(L)
Wise, Henry (see Sancier, Kenneth M.)—1355(L)
—— (see Wood, Bernard J.)—1104(L)
Woessner, D. E. (see Bernheim, Robert A.)—950
Wolfsberg, Max (see Bigeleisen, Jacob)—1340
—— (see Friedman, L.)—1605
Wood, Bernard J. and Henry Wise. Errata: Diffusion and heterogeneous reaction. II. Catalytic activity of solids for hydrogen-atom recombination—1104(L)
Wood, J. L. (see Danti, Alfred)—582
Wood, W. W. (see Salsburg, Z. W.)—65
Woodward, A. E., J. A. Sauer, and R. A. Wall. Segmental motion in polybutene-1—854(L)
Wyluda, B. J. (see Shulman, R. G.)—335(L)
Yamasaki, R. S. and C. D. Cornwell. Nuclear quadrupole coupling in the alkali chloroiodides. II. Iodine resonances—1265
Yamazaki, M. (see Brion, H.)—673
Yang, K. (see Gant, P. L.)—1108(L)
Yang, Ling, Chien-Yeh Chien, and G. Derge. Self-diffusion of iron in iron silicate melt—1627(L)
Yankwich, Peter E. and Robert W. Buddemeier. Large reverse carbon isotope effect—861(L)
Yano, Syukuro (see Sidei, Tunahiko)—1109(L)
Yoffe, A. D. (see Evans, B. L.)—1437
Youngquist, M. J. (see Overend, John)—532

Zeldes, Henry and Ralph Livingston. Paramagnetic resonance study of irradiated glasses of methanol and ethanol—40
Zumino, Bruno (see Keller, Joseph B.)—1351

Analytic Subject Index to Volume 30

(References with (L) are to Letters to the Editor)

Absorption Spectra

Absorption of acyclic oxygen compounds in the vacuum ultraviolet. I. Alcohols, Anna J. Harrison, Betty J. Cederholm, and Margery A. Terwilliger—355

Absorption of acyclic oxygen compounds in the vacuum ultraviolet. II. Ethers, Anna J. Harrison and Diana R. W. Price—357

Absorption of acyclic oxygen compounds in the vacuum ultraviolet. III. Acetone and acetaldehyde, Judith S. Lake and Anna J. Harrison—361

Absorption spectra of fluorine and hydrogen fluoride in the vacuum ultraviolet, Raymond P. Iczkowski and John L. Margrave—403

Absorption spectrum of vibrationally excited N_2 in active nitrogen, K. Dressler—1621(L)

Analysis of the spectra of gadolinium salts, W. A. Runciman—1632(L)

Assignment of the fundamental vibrational frequencies and calculated thermodynamic functions for 1,1-difluoro-2,2-dibromoethylene, J. Rud Nielsen and Rose Theimer—103

Bending motions in the dihalides of group II metals, R. Stephen Berry—286

Calculation of line widths in H_2O—N_2 collisions, W. S. Benedict and L. D. Kaplan—388

Calculation of $n\rightarrow\pi$ transition energies in *N*-heterocyclic molecules by a one-electron approximation, Lionel Goodman and Robert W. Harrell—1131

C—Cl stretching frequencies and the molecular structure of polyvinyl chloride, Takahiko Shimanouchi, Soji Tsuchiya, and San-ichiro Mizushima—1365(L)

Color centers in KI containing impurity electron acceptors: KI:Tl, Herbert N. Hersh—790

Comments on the structure of 1,1,1-trifluoro-2-butyne, Victor W. Laurie—1101(L)

Diffuse bands in arc spectra, Oleg Jefimenko—1112(L)

Direction of halogen spectroscopic moments, Lionel Goodman and Lois J. Frolen—1361(L)

Effect of divalent cations on the coagulation of *F* centers in potassium chloride, L. Richard Watson and Allen B. Scott—342(L)

Effect of pressure on some charge transfer spectra, D. R. Stephens and H. G. Drickamer—1518

Effect of ring size on the far ultraviolet absorption and photolysis of cyclic ethers, Gretchen Fleming, Mary M. Anderson, Anna J. Harrison, and Lucy W. Pickett—351

Effects of high pressure on the near ultraviolet vapor absorption spectrum of benzene in a number of diluent gases, S. E. Babb, Jr., J. M. Robinson, and W. W. Robertson—427

Electronic structure of neptunium hexafluoride, G. L. Goodman and Mark Fred—849(L)

Electronic structure of porphine, Hiroshi Kobayashi—1373(L)

Errata: Experimental and theoretical study of the shape of the *F* absorption in KCl [J. Chem. Phys. **29,** 673 (1958)], Jordan J. Markham and John D. Konitzer—328(L)

Errata: On the theory of electronic-vibrational interaction for rare earth and actinide series ions in crystals. II. Octahedral complexes. [J. Chem. Phys. **29,** 658 (1958)], Robert A. Satten—590(L)

Erratum: Bending motions in the dihalides of group II metals [J. Chem. Phys. **30,** 286 (1959)], R. Stephen Berry—1104(L)

Far infrared spectrum and the barrier to internal rotation in 1,1,1,2-tetrafluoroethane, Alfred Danti and J. L. Wood—582

Forbidden band systems in nitrogen. I. The Vegard-Kaplan system in absorption, P. G. Wilkinson—773

Force constant calculations in linear triatomic molecules from infrared and microwave data, Peter H. Verdier and E. Bright Wilson, Jr.—1372(L)

$4\nu_2$ band of nitrous oxide, Shepard A. Clough, Donald E. McCarthy, and John N. Howard—1359(L)

Frequency shifts in the infrared absorption spectrum of complex ions in solid solution, J. A. A. Ketelaar and J. van der Elsken—336(L)

Infrared and raman spectra of fluorinated ethylenes. IX. 1,1-difluoro-2-chloro-2-bromoethylene, Rose Theimer and J. Rud Nielsen—98

Infrared and Raman spectra of fluorinated ethanes. XI. Pentafluorobromoethane, Peter Klaboe and J. Rud Nielsen—1375

Infrared spectra of alkoxyboranes. I. Dimethoxyborane and dimethoxyborane-*d*, Walter J. Lehmann, Thomas P. Onak, and I. Shapiro—1215

Infrared spectra of alkoxyboranes. II. Chlorodimethoxyborane and dichloromethoxyborane, Walter J. Lehmann, Thomas P. Onak, and I. Shapiro—1219

Infrared spectra of alkoxyboranes. III. Di- and triethoxyboranes, W. J. Lehmann, H. G. Weiss, and I. Shapiro—1222

Infrared spectra of alkoxyboranes. IV. Di- and triisopropoxyboranes, W. J. Lehmann, H. G. Weiss, and I. Shapiro—1226

Infrared spectra of H_2O, D_2O, and HDO in solid argon, krypton, and xenon, Edward Catalano and Dolphus E. Milligan—45

Infrared spectrum of BF_2, Jack Vanderryn—331(L)

Infrared spectrum of hexachlorobenzene, R. Kopelman and O. Schnepp—597(L)

Infrared spectrum of $Mg(OH)_3$, Hans A. Benesi—852(L)

Infrared spectrum of the dimethylnitrilium ion, George C. Turrell and John E. Gordon—895

Internal rotation and infrared spectra of formic acid monomer and normal coordinate treatment of out-of-plane vibrations of monomer, dimer, and polymer, Tatsuo Miyazawa and Kenneth S. Pitzer—1076

Interpretation of the infrared spectra of the solid hydroxylammonium halides, D. L. Frasco and E. L. Wagner—1124

Ionization potential and absorption coefficients of nitrogen dioxide, Toshio Nakayama, Morris Y. Kitamura, and K. Watanabe—1180

Low-temperature phase transition of crystalline hexamethylbenzene. II. O. Schnepp—48

Mean amplitudes of vibration in allene and allene-d_4 molecules. II. Approximate calculations for the C—C distances, Sven J. Cyvin—337(L)

Metal solutions, M. C. R. Symons—1628(L)

Microwave spectra of molecules exhibiting internal rotation. V. Barrier height in ethyl chloride and ethyl bromide, David R. Lide, Jr.—37

Microwave spectrum and molecular structure of vinyl fluoride, H. W. Morgan and J. H. Goldstein—1025

Microwave spectrum, barrier to internal rotation, and structure of methyl formate, R. F. Curl, Jr.—1529

Microwave spectrum, molecular structure of vinyl cyanide and a summary of CC, CH bond lengths in simple molecules, C. C. Costain and B. P. Stoicheff—777

Microwave spectrum of methyl germane, Victor W. Laurie—1210

Microwave spectrum, structure, and dipole moment of cyclopropene, Paul H. Kasai, Rollie J. Myers, D. F. Eggers, Jr., and K. B. Wiberg—512

Microwave spectrum, structure, and internal rotation of dimethyl ether, Paul H. Kasai and Rollie J. Myers—1096(L)

Nature of the hydrogen bond, Leonello Paoloni—1045

Absorption Spectra (continued)
New color centers in KCl crystals, A. Halperin and M. Schlesinger—339(L)
Near ultraviolet absorption spectrum of crystalline 1,3,5-trichlorobenzene, O. Schnepp—863
Near ultraviolet spectrum of crystalline durene, Otto Schnepp and Donald S. McClure—874
Near ultraviolet spectrum of crystalline hexachlorobenzene, O. Schnepp and R. Kopelman—868
Nitryl chloride molecular constants from microwave spectrum analysis, Lorimer Clayton, Quitman Williams, and T. L. Weatherly—1328
Normal coordinates for the out-of-plane deformations of vinyl bromide, J. R. Scherer and W. J. Potts—1527
Normal frequencies of the plane XY_2Z molecule, Carl W. F. T. Pistorius—332(L)
Optical and electrical properties of single crystals of tri-*p*-methoxy phenyl methyl perchlorate and triphenyl methyl azide, B. L. Evans and A. D. Yoffe—1437
Pressure-induced ligand field peak in K_2ReCl_6, D. R. Stephens and H. G. Drickamer—1364(L)
Pure rotational absorption of ozone and sulfur dioxide from 100 to 200 microns, Alfred Danti and R. C. Lord—1310
Quadrupole coupling constant, dipole moment, and electron population of CO, Bernard J. Ransil—1113(L)
Relative intensities of absorption bands in liquid and gas phases from dispersion theory, E. E. Ferguson—1059
Second positive bands in the Lewis-Rayleigh afterglow of nitrogen, Y. Tanaka, F. LeBlanc, and A. Jursa—1624(L)
Semiempirical treatment of the hydrogen bond, C. Reid—182
Spectrophotometric determination of the electron affinity of fluorine, J. Jortner, G. Stein, and A. Treinin—1110(L)
Stark effect in the microwave spectrum of nitrosyl bromide, Donald F. Eagle, T. L. Weatherly, and Quitman Williams—603(L)
Study of the effects of substitution on the absorption spectra of porphin, Martin Gouterman—1139
Term species for a rotating-vibrating diatomic molecule by perturbation, John E. Kilpatrick—801
Theory of pressure effects on alkali doublet lines, Lewis Klein and Henry Margenau—1556
Thermodynamic and spectroscopic study of vinylidene chloride. II. Vibrational spectra, J. C. Evans—935
Transient processes in the optical bleaching of *F* and *F'* centers in potassium chloride, A. R. Reinberg and L. I. Grossweiner—1616(L)
Trapped NH_2 radicals at 4.2°K, G. Wilse Robinson and Maclyn McCarty, Jr.—998
Triatomic linear molecules containing carbon and oxygen, sulfur, selenium, or tellurium. II. Potential constants, Tunis Wentink, Jr.—105
Vapor pressure and mass and infrared spectra of hexaborane, Sidney G. Gibbins and I. Shapiro—1483
Vibration perturbations in electronically excited molecules, O. E. Weigang, Jr., and W. W. Robertson—1414
Vibrational intensities. XI. CO_2 and the Wilson-Wells method, John Overend, M. J. Youngquist, E. C. Curtis, and Bryce Crawford, Jr.—533
Vibrational intensities in liquid benzene, I. C. Hisatsune and E. S. Jayadevappa—848(L)
Vibrational spectra and structure of oxamide and diethiooxamide, T. A. Scott, Jr., and E. L. Wagner—464
Vibrational spectra of primary and secondary aliphatic amines, James E. Stewart—1259
Vibrational spectrum of 4,4-dimethylcyclopentene, James L. Lauer, William H. Jones, Jr., and Harold C. Beachell—1489
Zeeman effect in the 1 to 3 millimeter wave region: Molecular *g* factors of several light molecules, C. A. Burrus—976

Infrared of
Aliphatic amines, James E. Stewart—1259
All eneand allene-d_4 molecules. Sven J. Cyvin—337(L)
BF_3, Jack Vanderryn—331(L)
Chlorodimethoxyborane and dichloromethoxyborane, Walter J. Lehmann, Thomas P. Onak, and I. Shapiro—1219
Complex ions in solid solution, J. A. A. Ketelaar and J. van der Elsken—336(L)
CO_2, John Overend, M. J. Youngquist, E. C. Curtis, and Bryce Crawford, Jr.—533
Di- and triethoxyboranes, W. J. Lehmann, H. G. Weiss, and I. Shapiro—1222
Di- and triisopropoxyboranes, W. J. Lehmann, H. G. Weiss, and I. Shapiro—1226
Diatomic molecule, John E. Kilpatrick—801
Dihalides of group II metals, R. Stephen Berry—286
Dimethoxyborane and dimethoxyborane-*d*, Walter J. Lehmann, Thomas P. Onak, and I. Shapiro—1215
Dimethylnitrilium ion, George C. Turrell and John E. Gordon—895
Formic acid monomer, Tatsuo Miyazawa and Kenneth S. Pitzer—1076
4,4-Dimethylcyclopentene, James L. Lauer, William H. Jones, Jr., and Harold C. Beachell—1489
Hexaborane, Sidney G. Gibbins and I. Shapiro—1483
Hexachlorobenzene, R. Kopelman and O. Schnepp—597(L)
H_2O, D_2O, and HDO in solid argon, krypton, and xenon, Edward Catalano and Dolphus E. Milligan—45
Hydrogen bond, C. Reid—182
Hydrogen bond, Leonello Paoloni—1045
Hydroxylammonium halides, D. L. Frasco and E. L. Wagner—1124
Liquid and gas phases, E. E. Ferguson—1059
Liquid benzene, I. C. Hisatsune and E. S. Jayadevappa—848(L)
$Mg(OH)_2$, Hans A. Benesi—852(L)
Nitrous oxide, Shepard A. Clough, Donald E. McCarthy, and John N. Howard—1359(L)
1,1-Difluoro-2-chloro-2-bromoethylene, Rose Theimer and J. Rud Nielsen—98
1,1-Difluoro-2,2-dibromoethylene, J. Rud Nielsen and Rose Theimer—103
1,1,1,2-Tetrafluoroethane, Alfred Danti and J. L. Wood—582
Oxamide and diethiooxamide, T. A. Scott, Jr., and E. L. Wagner—464
Ozone and sulfur dioxide, Alfred Danti and R. C. Lord—1310
Pentafluorobromoethane, Peter Klaboe and J. Rud Nielsen—1375
Polyvinyl chloride, Takahiko Shimanouchi, Soji Tsuchiya, and San-ichiro Mizushima—1365(L)
Triatomic linear molecules, Tunis Wentink, Jr.—105
Triatomic molecules, Peter H. Verdier and E. Bright Wilson, Jr.—1372(L)
Vinyl bromide, J. R. Scherer and W. J. Potts—1527
Vinylidene chloride, J. C. Evans—935
Microwave of
CO, Bernard J. Ransil—1113(L)
Cyclopropene, Paul H. Kasai, Rollie J. Myers, D. F. Eggers, Jr., and K. B. Wiberg—513
Dimethyl ether, Paul H. Kasai and Rollie J. Myers—1096(L)
Ethyl chloride and ethyl bromide, David R. Lide, Jr.—37
H_2O—N_2, W. S. Benedict and L. D. Kaplan—388
Light molecules, C. A. Burrus—976
Linear triatomic molecules, Peter H. Verdier and E. Bright Wilson, Jr.—1372(L)
Methyl formate, R. F. Curl, Jr.—1529
Methyl germane, Victor W. Laurie—1210
Nitrosyl bromide, Donald F. Eagle, T. L. Weatherly, and Quitman Williams—603(L)

Nitryl chloride molecular constants, Lorimer Clayton, Quitman Williams, and T. L. Weatherly—1328
1,1,1-Trifluoro-2-butyne, Victor W. Laurie—1101(L)
Vinyl cyanide, C. C. Costain and B. P. Stoicheff—777
Vinyl fluoride, H. W. Morgan and J. H. Goldstein—1025
XY_2Z molecule, Carl W. F. T. Pistorius—332(L)

Of Crystals

Charge transfer systems, D. R. Stephens and H. G. Drickamer—1518
Complex ions in solid solution, J. A. A. Ketelaar and J. van der Elsken—336(L)
Crystalline durene, Otto Schnepp and Donald S. McClure—874
Crystalline hexachlorobenzene, O. Schnepp and R. Kopelman—868
Crystalline hexamethylbenzene. II, O. Schnepp—48
Crystalline 1,3,5-trichlorobenzene, O. Schnepp—863
F centers in potassium chloride, L. Richard Watson and Allen B. Scott—342(L)
Hexachlorobenzene, R. Kopelman and O. Schnepp—597(L)
Hydrogen bond, C. Reid—182
KCl crystals, A. Halperin and M. Schlesinger—339(L)
$Mg(OH)_2$, Hans A. Benesi—852(L)
Potassium chloride, A. R. Reinberg and L. I. Grossweiner—1616(L)
Solid hydroxylammonium halides, D. L. Frasco and E. L. Wagner—1124
Tri-*p*-methoxy phenyl methyl perchlorate and triphenyl methyl azide, B. L. Evans and A. D. Yoffe—1437

Visible or Ultraviolet of

Acetone and acetaldehyde, Judith S. Lake and Anna J. Harrison—361
Alcohols, Anna J. Harrison, Betty J. Cederholm, and Margery A. Terwilliger—355
Alkalies, Lewis Klein and Henry Margenau—1556
Benzene, S. E. Babb, Jr., J. M. Robinson, and W. W. Robertson—427
Charge transfer systems, D. R. Stephens and H. G. Drickamer—1518
Crystalline durene, Otto Schnepp and Donald S. McClure—874
Crystalline hexachlorobenzene, O. Schnepp and R. Kopelman—868
Crystalline hexamethylbenzene. II, O. Schnepp—48
Crystalline 1,3,5-trichlorobenzene, O. Schnepp—863
Cyclic ethers, Gretchen Fleming, Mary M. Anderson, Anna J. Harrison, and Lucy W. Pickett—351
Electronically excited molecules, O. E. Weigang, Jr., and W. W. Robertson—1414
Ethers, Anna J. Harrison and Diana R. W. Price—357
F centers in potassium chloride, L. Richard Watson and Allen B. Scott—342(L)
Fluorine, J. Jortner, G. Stein, and A. Treinin—1110(L)
Fluorine and hydrogen fluoride, Raymond P. Iczkowski and John L. Margrave—403
Gadolinium salts, W. A. Runciman—1632(L)
Halogens, Lionel Goodman and Lois J. Frolen—1361(L)
KCl crystals, A. Halperin and M. Schlesinger—339(L)
KI:Tl, Herbert N. Hersh—790
K_2ReCl_6, D. R. Stephens and H. G. Drickamer—1364(L)
Metal solutions, M. C. R. Symons—1628(L)
Neptunium hexafluoride, G. L. Goodman and Mark Fred—849(L)
N-heterocyclic molecules, Lionel Goodman and Robert W. Harrell—1131
NH_2 radicals, G. Wilse Robinson and Maclyn McCarty, Jr.—998
Nitrogen, P. G. Wilkinson—773
Nitrogen, Y. Tanaka, F. LeBlanc, and A. Jursa—1624(L)
Nitrogen dioxide, Toshio Nakayama, Morris Y. Kitamura, and K. Watanabe—1180
N_2, K. Dressler—1621(L)
Porphin, Martin Gouterman—1139
Porphine, Hiroshi Kobayashi—1373(L)
Potassium chloride, A. R. Reinberg and L. I. Grossweiner—1616(L)

Adsorption (see Surface Phenomena)

Apparatus and Methods

Application of the Monte Carlo method to the lattice-gas model. I. Two-dimensional triangular lattice, Z. W. Salsburg, J. D. Jacobson, W. Fickett, and W. W. Wood—65
Curve-matching method for quasi-unimolecular reactions, Richard E. Powell—724
Energetic species trapped at 4.2°K from gaseous discharges, G. J. Minkoff, F. I. Scherber, and J. S. Gallagher—753
Potential energy barrier determinations for some alkyl nitrites by nuclear magnetic resonance, Lawrence H. Piette and Weston A. Anderson—899
Transport processes in liquid alloys. I. Transport cell for liquid alloys, Paul C. Mangelsdorf, Jr.—1170

Catalysis

Errata: Diffusion and heterogeneous reaction. II. The catalytic activity of solids for hydrogen-atom recombination [J. Chem. Phys. **29,** 1416 (1958)], Bernard J. Wood and Henry Wise—1104(L)

Centrifugation

Brownian motion in the centrifugal field, Matatiahu Gehatia and Ephraim Katchalski—1134
Extension of sedimentation velocity theory to molecules of intermediate sizes, Hiroshi Fujita and V. J. MacCosham—291

Chemical Reactions (see Kinetics of Reactions)

Conductance

Electron drift mobility in liquid *n*-hexane, Oliver H. LeBlanc, Jr.—1443
Optical and electrical properties of single crystals of tri-*p*-methoxy phenyl methyl perchlorate and triphenyl methyl azide, B. L. Evans and A. D. Yoffe—1437

Crystal Growth

Comment on "Existence of complex ions in solid salts," Allen B. Scott—324(L)
Entropy effect in ice crystal nucleation, N. H. Fletcher—1476
Erratum: Structure of liquid germanium dioxide [J. Chem. Phys. **29,** 605 (1958)], J. D. Mackenzie—1357(L)
Existence of complex ions in solid salts, Arnold Lundén—323(L)
General approach to the study of electrical conductance and its relation to mass transport phenomena, Richard W. Laity—682
Solution of metals in amine solvents. II. A conductance function for dilute solutions of sodium in liquid ammonia, E. Charles Evers and Paul W. Frank, Jr.—61
Static space-charge distributions with single mobile charge carrier, T. M. Proctor and Paul M. Sutton—212
Transport processes in liquid alloys. I. Transport cell for liquid alloys, Paul C. Mangelsdorf, Jr.—1170

Crystalline State

Analysis of the spectra of gadolinium salts, W. A. Runciman—1632(L)
Anhydrite obtained by the dehydration of gypsum, Masao Atoji—341(L)

Crystalline State (continued)

Born's and Hund's basic potential as useful tools for calculating Madelung's coefficients of complex crystals, Yosio Sakamoto and Ukiko Takahasi—337(L)
Color centers in KI containing impurity electron acceptors: KI:Tl, Herbert N. Hersh—790
Comment on "Existence of complex ions in solid salts," Allen B. Scott—324(L)
Crystal constituent effects. I. Paramagnetic resonance of $NiM^{IV}F_6 \cdot 6H_2O$, R. H. Hoskins, R. C. Pastor, and K. R. Trigger—601(L)
Crystal constituent effects. II. Paramagnetic resonance of Ni^{+2} in double nitrates, R. H. Hoskins, R. C. Pastor, and K. R. Trigger—1630(L)
Debye characteristic temperature at 0°K of certain cubic crystals. II, Jules de Launay—91
Dielectric absorption in crystalline long-chain methyl ethers, J. S. Cook and R. J. Meakins—787
Effect of divalent cations on the coagulation of *F* centers in potassium chloride, L. Richard Watson and Allen B. Scott—342(L)
Effects of the Co^{59} hfs on the F^{19} high-frequency NMR in antiferromagnetic CoF_2, V. Jaccarino—1627(L)
Elastic constants of sodium iodide from 180°K to 300°K, Richard Dalven and C. W. Garland—346(L)
Entropy effect in ice crystal nucleation, N. H. Fletcher—1476
EPR studies of electron-irradiated ice and solid hydrogen, L. H. Piette, R. C. Rempel, H. E. Weaver, and J. M. Flournoy—1623(L)
Errata: Experimental and theoretical study of the shape of the *F* absorption in KCl [J. Chem. Phys. **29,** 673 (1958)], Jordan J. Markham and John D. Konitzer—328(L)
Errata: On the theory of electronic-vibrational interaction for rare earth and actinide series ions in crystals. II. Octahedral complexes [J. Chem. Phys. **29,** 658 (1958)], Robert A. Satten—590(L)
Erratum: Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields [J. Chem. Phys. **30,** 246 (1959)], George A. Candela, Clyde A. Hutchison, Jr., and W. Burton Lewis—1104(L)
Existence of complex ions in solid salts, Arnold Lundén—323(L)
Field emission from metal whiskers, A. J. Melmed and R. Gomer—586(L)
General approach to the study of electrical conductance and its relation to mass transport phenomena, Richard W. Laity—682
Low-temperature phase transition of crystalline hexamethylbenzene. II, O. Schnepp—48
Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields, George A. Candela, Clyde A. Hutchison, Jr., and W. Burton Lewis—246
New color centers in KCl crystals, A. Halperin and M. Schlesinger—339(L)
NMR study of ferrocene, ruthenocene, and titanocene dichloride, C. H. Holm and James A. Ibers—885
Optical and electrical properties of single crystals of tri-*p*-methoxy phenyl methyl perchlorate and triphenyl methyl azide, B. L. Evans and A. D. Yoffe—1437
Paramagnetic susceptibilities of the chromium (III) halides, Wilford N. Hansen and Maurice Griffel—913
Photovoltaic effect in organic crystals, H. Kallmann and M. Pope—585(L)
Potential energy barrier determinations for some alkyl nitrites by nuclear magnetic resonance, Lawrence H. Piette and Weston A. Anderson—899
Relation between the Eyring and Doolittle diffusion equations, A. W. Lawson—1114(L)
Semiempirical treatment of the hydrogen bond, C. Reid—182
Solubility of carbon in silicon and germanium, R. I. Scace and G. A. Slack—1551
Structure and adsorption characteristics of clean surfaces of germanium and silicon, R. E. Schlier and H. E. Farnsworth—917
Study of the wurtzite-type binary compounds. III. Valence band structure of BeO, W. O'Sullivan—379
Thermal expansion of $\langle UN \rangle$, $\langle UO_2 \rangle$, $\langle UO \cdot ThO_2 \rangle$, and $\langle ThO_2 \rangle$, Charles P. Kempter and Reed O. Elliott—1524
Thermoelectric power of AgBr containing $CdBr_2$, R. W. Christy, E. Fukushima and H. T. Li—136
Thermoluminescent properties of calcite, W. L. Medlin—451
Transient processes in the optical bleaching of *F* and *F'* centers in potassium chloride, A. R. Reinberg and L. I. Grossweiner—1616(L)
Unusual temperature dependence of fluorescence of uranyl ions embedded in ice, Sohachiro Hayakawa and Masao Hirata—330(L)

Crystal Structure

Near ultraviolet absorption spectrum of crystalline 1,3,5-trichlorobenzene, O. Schnepp—863
Near ultraviolet spectrum of crystalline hexachlorobenzene, O. Schnepp and R. Kopelman—868
Proton magnetic resonance study of the structure of potassium pentaborate, A. A. Silvidi and J. W. McGrath—1028
Structure of K_2CuF_4. New kind of distortion for octahedral copper(II), Kerro Knox—990

Detonation (see also Shock Waves)

Gaseous detonations. XII. Rotational temperatures of the hydroxyl free radicals, G. B. Kistiakowsky and F. D. Tabbutt—577
Theory of detonations. III. Ignition temperature approximation, C. F. Curtiss, J. O. Hirschfelder, and M. P. Barnett—469

Deuterium (see Isotopes)

Dielectrics

Dielectric absorption in crystalline long-chain methyl ethers, J. S. Cook and R. J. Meakins—787
Dielectric loss in 66 nylon (polyhexamethylene adipamide), Richard H. Boyd—1276
Dielectric properties of polypeptide solutions. II. A relation between the electric dipole moment and the molecular weight of α-helix, Akiyoshi Wada—328(L)
Dielectric properties of polypeptide solutions. III. Elucidation of the critical frequency of dielectric dispersion from the molecular shape of the α helix, Akiyoshi Wada—329(L)
Dielectric relaxation in some two-component systems, Donald J. Denney—1019
Effect of deuteration on dielectric relaxation in *n*-propanol, D. W. Davidson and Jennifer Wheeler—1357(L)
Errata: Diffusion and heterogeneous reaction. II. The catalytic activity of solids for hydrogen-atom recombination [J. Chem. Phys. **29,** 1416 (1958)], Bernard J. Wood and Henry Wise—1104(L)
Microwave absorption and molecular structure in liquids. XXV. Measurements of dielectric constant and loss at 3.1-mm wavelength by an interferometric method, R. W. Rampolla, R. C. Miller, and C. P. Smyth—566
Microwave dielectric measurements in the liquid crystal ethyl *p*-azoxybenzoate, E. F. Carr—600(L)
Optical and electrical properties of single crystals of tri-*p*-methoxy phenyl methyl perchlorate and triphenyl methyl azide, B. L. Evans and A. D. Yoffe—1437
Simple equation for estimating the dipole moment of a molecule from solution data, Satish Chandra Srivastava and P. Charandas—816
Theory of the dielectric constant of dilute solutions. II, Terrell L. Hill—1114(L)

Diffusion

Brownian motion in the centrifugal field, Matatiahu Gehatia and Ephraim Katchalski—1334
Diffusion and viscosity in a spherical cavity, S. Broersma—707
Diffusion in ethylene polymers. IV. David W. McCall, Dean C. Douglass, and Ernest W. Anderson—771
Errata: Diffusion and heterogeneous reaction. II. The catalytic activity of solids for hydrogen-atom recombination [J. Chem. Phys. **29,** 1416 (1958)], Bernard J. Wood and Henry Wise—1104(L)
Relation between the Eyring and Doolittle diffusion equations, A. W. Lawson—1114(L)
Self-diffusion of iron in iron silicate melt, Ling Yang, Chien-Yeh Chien, and G. Derge—1627(L)
Static space-charge distributions with a single mobile charge carrier, T. M. Proctor and Paul M. Sutton—212
Statistical mechanical theory of thermal diffusion in binary liquid solutions, Richard J. Bearman—835
Theory of detonations. III. Ignition temperature approximation, C. F. Curtiss, J. O. Hirschfelder, and M. P. Barnett—469
Transport processes in liquid alloys. I. Transport cell for liquid alloys, Paul C. Mangelsdorf, Jr.—1170
Mutual diffusion of pairs of rare gases at different temperatures, B. N. Srivastava and K. P. Srivastava—983

Dipole Moment

Configuration interaction in the lithium hydride molecule. I A determinantal *AO* approach, A. M. Karo and A. R. Olson—1232
Dielectric absorption in crystalline long-chain methyl ethers, J. S. Cook and R. J. Meakins—787
Dielectric properties of polypeptide solutions. II. A relation between the electric dipole moment and the molecular weight of α-helix, Akiyoshi Wada—328(L)
Dielectric properties of polypeptide solutions. III. Elucidation of the critical frequency of dielectric dispersion from the molecular shape of the α helix, Akiyoshi Wada—329(L)
Dipole moment of tetraborane, J. R. Weaver, C. W. Heitsch, and R. W. Parry—1075
Electrical properties of hydrogen adsorbed on silicon, J. Eisinger—927
Infrared dispersion of carbon tetrafluoride, B. Schurin—1
Microwave spectrum, barrier to internal rotation, and structure of methyl formate, R. F. Curl, Jr.—1529
Microwave spectrum, structure, and dipole moment of cyclopropene, Paul H. Kasai, Rollie J. Myers, D. F. Eggers, Jr., and K. B. Wiberg—513
Nature of the hydrogen bond, Leonello Paoloni—1045
Nitryl chloride molecular constants from microwave spectrum analysis, Lorimer Clayton, Quitman Williams, and T. L. Weatherly—1328
Quadrupole coupling constant, dipole moment and electron population of CO, Bernard J. Ransil—1113(L)
Simple equation for estimating the dipole moment of a molecule from solution data, Satish Chandra Srivastava and P. Charandas—816
Zeeman effect in the 1 to 3 millimeter wave region: Molecular *g* factors of several light molecules, C. A. Burrus—976

Effusion

Evaporation of aluminum oxide, Gerald W. Sears and Louis Navias—1111(L)

Elasticity

Electrochemistry

Detection of electrolytically generated transient free radicals by electron spin resonance, August H. Maki and D. H. Geske—1356(L)
New method of determining the Soret coefficients, Toshio Ikeda—345(L)
Static space charge and capacitance for two blocking electrodes, J. Ross Macdonald—806
Static space-charge distributions with a single mobile charge carrier, T. M. Proctor and Paul M. Sutton—212
Transport processes in liquid alloys. I. Transport cell for liquid alloys, Paul C. Mangelsdorf, Jr.—1170

Electron Affinity

Negative atomic ions, H. R. Johnson and F. Rohrlich—1608
Optical and electrical properties of single crystals of tri-*p*-methoxy phenyl methyl perchlorate and triphenyl methyl azide, B. L. Evans and A. D. Yoffe—1437

Electron Diffraction

Molecular structure of tin tetrachloride, R. L. Livingston and C. N. R. Rao—339(L)
Structure and adsorption characteristics of clean surfaces of germanium and silicon, R. E. Schlier and H. E. Farnsworth—917
Structures of dimethyl ether and methyl alcohol, Katsumi Kimura and Masaji Kubo—151

Emission Spectra

Blue nitric oxide afterglow, Charles A. Barth, William J. Schade, and Joseph Kaplan—347(L)
Chemically induced molecular excitation: the excitation spectrum of the nitric oxide–ozone system, J. C. Greaves and David Garvin—348(L)
Emission spectrum of TeO, R. L. Purbrick—962
Infrared chemiluminescence from the gaseous reaction atomic H· plus NO_2; HNO in emission, J. K. Cashion and J. C. Polanyi—317(L)
Infrared chemiluminescence from the gaseous reaction atomic H· plus O_2, J. K. Cashion and J. C. Polanyi—316(L)
New color centers in KCl crystals, A. Halperin and M. Schlesinger—339(L)
New emission bands of N_2 in the vacuum ultraviolet region, M. Ogawa and Y. Tanaka—1354(L)
Resolved infrared emission spectrum of the reaction atomic H· plus Cl_2, J. K. Cashion and J. C. Polanyi—1097(L)
Spectra emitted from solid nitrogen condensed at very low temperatures from a gas discharge, M. Peyron and H. P. Broida—139
Spectroscopic evidence for triatomic nitrogen in solids at very low temperature, M. Peyron, E. M. Hörl, H. W. Brown, and H. P. Broida—1304

Equation of State

Determination of intermolecular potentials from thermodynamic data and the law of corresponding states, Joseph B. Keller and Bruno Zumino—1351

Errata

Asymmetric-charge exchange reactions [J. Chem. Phys. **29,** 240 (1958)], S. B. Karmohapatra and T. P. Das—327(L)
Bending motions in the dihalides of group II metals [J. Chem. Phys. **30,** 286 (1959)], R. Stephen Berry—1104(L)
Crystal structure and lattice energy of orthorhombic hexachloroethane [J. Chem. Phys. **21,** 145 (1953)], Yoshio Sasada and M. Atoji—1103(L)
Diffusion and heterogeneous reaction. II. The catalytic activity of solids for hydrogen-atom recombination [J. Chem. Phys. **29,** 1416 (1958)], Bernard J. Wood and Henry Wise—1104(L)
Experimental and theoretical study of the shape of the *F* absorption in KCl [J. Chem. Phys. **29,** 673 (1958)], Jordan J. Markham and John D. Konitzer—328(L)

Errata (continued)

Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields [J. Chem. Phys. **30,** 246 (1959)], George A. Candela, Clyde A. Hutchison, Jr., and W Burton Lewis —1104(L)

On covalent bond length and bond order. VIII [J. Chem. Phys. **28,** 822 (1958)], G. R. Somayajulu—1357(L)

Revised values of the O—O and O—H bond dissociation energies [J. Chem. Phys. **30,** 322 (1959)], P. A. Giguère—1357(L)

Spin density matrices for paramagnetic molecules [J. Chem. Phys. **28,** 1188 (1958)], Harden M. McConnell—328(L)

Statistical mechanical theory of transport processes in liquids [J. Chem. Phys. **29,** 699 (1958)], F. C. Collins and H. Raffel—1620

Statistical thermodynamics of polymer solutions. I. Theory of the second virial coefficient for a homogeneous solute [J. Chem. Phys. **29,** 493 (1958)], Edward F. Cassasa and Hershel Markovitz—852(L)

Structure of liquid germanium dioxide [J. Chem. Phys. **29,** 605 (1958)], J. C. Mackenzie—1357(L)

Field Emission Microscopy

Adsorption of carbon dioxide on tungsten, D. O. Hayward and R. Gomer—1617(L)

Field emission from metal whiskers, A. J. Melmed and R. Gomer—586(L)

Interaction of rare gases with metal surfaces. I. A, Kr, and Xe on tungsten, Gert Ehrlich and F. G. Hudda—493

Note on the observation of molecules by field emission microscopy, R. J. Hill and P. W. M. Jacobs—853(L)

Films (see Surface Phenomena)

Flames

Combustion instability: Acoustic interaction with a burning propellant surface, R. W. Hart and F. T. McClure—1502

Electronic quenching of OH($^2\Sigma^+$) in flames, and its significance in the interpretation of rotational relaxation, Tucker Carrington—1087

Ignition of combustible gases, Gerald Rosen—298

Fluorescence

Electronic quenching of OH($^2\Sigma^+$) in flames, and its significance in the interpretation of rotational relaxation, Tucker Carrington—1087

Low-temperature fluorescence spectra and crystal field splittings of rare earth activated *Srs* phosphors, S. P. Keller and G. D. Pettit—434

Near ultraviolet spectrum of crystalline durene, Otto Schnepp and Donald S. McClure—874

Unusual temperature dependence of fluorescence of uranyl ions embedded in ice, Sohachiro Hayakawa and Masao Hirata —330(L)

Variation of valence state of Eu in SrS phosphors, Seymour P. Keller— 557

Free Rotation (see Rotational Isomerism)

Gases

Application of the Monte Carlo method to the lattice-gas model. I. Two-dimensional triangular lattice, Z. W. Salsburg, J. D. Jacobson, W. Fickett, and W. W. Wood—65

Determination of intermolecular potentials from thermodynamic data and the law of corresponding states, Joseph B. Keller and Bruno Zumino—1351

Electric strength of aromatic hydrogen gases, A. E. D. Heylen —1106(L)

Exact lattice-cluster expansion for the frost points of argon-krypton gas mixture, J. F. Walling and G. D. Halsey, Jr.—1515

Free evaporation of alkali halide crystals, G. M. Rothberg, M. Eisenstadt, and P. Kusch—518

High temperature gas viscosities. II. Nitrogen, nitric oxide, boron trifluoride, silicon tetrafluoride, and sulfur hexafluoride, C. P. Ellis and C. J. G. Raw—574

Interactions between ground-state nitrogen atoms and molecules. The N—N, N—N_2, and N_2—N_2 interactions, Joseph T. Vanderslice, Edward A. Mason, and Ellis R. Lippincott —129

Measurement of the rate of dissociation of oxygen, Stanley R. Byron—1380

Molecule formation in the inert gases, N. Bernardes and H. Primakoff—691

Perturbation calculations in equilibrium statistical mechanics. I. Hard sphere basis potential, E. B. Smith and B. J. Alder —1190

Relative intensities of absorption bands in liquid and gas phases from dispersion theory, E. E. Ferguson—1059

Temperature dependence of sound dispersion in halo-methane gases, Robert Amme and Sam Legvold—163

Thermal conductivity and Eucken correction for diatomic gases and binary gas mixtures, B. N. Srivastava and R. C. Srivastava—1200

Vibrational relaxation times in oxygen, Morris Salkoff and Ernest Bauer—1614

Glasses

Existence of vitreous oxygen, J. D. Mackenzie, L. B. Nesbitt, and W. B. Hillig—1102(L)

Mobility of molecules in liquids near the glass temperature, F. Bueche—748

Paramagnetic resonance study of irradiated glass of methanol and ethanol, Henry Zeldes and Ralph Livingston—40

Heat Capacity (see Thermodynamic Properties)

High Pressures

Effect of pressure on some charge transfer spectra, D. R. Stephens and H. G. Drickamer—1518

Pressure-induced ligand field peak in K_2ReCl_6, D. R. Stephens and H. G. Drickamer—1364(L)

Proton magnetic resonance in polyisobutylene at various temperatures, pressures, and frequencies, A. W. Nolle and J. J. Billings—84

Raman spectra of H_2 and CH_4 at high pressures, A. D. May, J. C. Stryland, and H. L. Welsh—1099(L)

Solutions under pressure, Joseph S. Rosen—548

Temperature-pressure-structure effects on the viscosity of several higher hydrocarbons, D. A. Lowitz, J. W. Spencer, W. Webb, and R. W. Schiessler—73

Thermal conductivity of water at high pressures, A. W. Lawson, R. Lowell, and A. L. Jain—643

Hindered Rotation (see Rotation)

Infrared Spectra (see Absorption Spectra)

Intensities of Spectra

Direction of halogen spectroscopic moments, Lionel Goodman and Lois J. Frolen—1361(L)

Integration theorems on vibrational intensities, I. M. Mills and D. H. Whiffen—1619(L)

Relative intensities of absorption bands in liquid and gas phases from dispersion theory, E. E. Ferguson—1059

Trapped NH_2 radicals at 4.2°K, G. Wilse Robinson and Maclyn McCarty, Jr.—998

Vibrational intensities. XI. CO_2 and the Wilson-Wells method, John Overend, M. J. Youngquist, E. C. Curtis, and Bryce Crawford, Jr.—533

Vibrational intensities in liquid benzene, I. C. Hisatsune and E. S. Jayadevappa—848(L)

Isotope Effects

C^{13} and deuterium isotope effects in the photolysis of methyl and ethyl bromide, Adon A. Gordus and Richard B. Bernstein—973

Comments on the structure of 1,1,1-trifluoro-2-butyne, Victor W. Laurie—1101(L)

Deuterium isotope effect in the reaction of hydrogen molecules with chlorine atoms and the potential energy of the H_2Cl transition complex, Jacob Bigeleisen, Fritz S. Klein, Ralph E. Weston, Jr., and Max Wolfsberg—1340

Effect of deuteration on dielectric relaxation in *n*-propanol, D. W. Davidson and Jennifer Wheeler—1357(L)

Internal rotation and infrared spectra of formic acid monomer and normal coordinate treatment of out-of-plane vibrations of monomer, dimer, and polymer, Tatsuo Miyazawa and Kenneth S. Pitzer—1076

Kinetics of the thermal decomposition of dimethylmercury. II. Carbon-13 isotope effect, Morley E. Russell and Richard B. Bernstein—613

Large reverse carbon isotope effect, Peter E. Yankwich and Robert W. Buddemeier—861(L)

Microwave spectrum, molecular structure of vinyl cyanide, and a summary of CC, CH bond lengths in simple molecules, C. C. Costain and B. P. Stoicheff—777

Microwave spectrum, structure, and dipole moment of cyclopropene, Paul H. Kasai, Rollie J. Myers, D. F. Eggers, Jr., and K. E. Wiberg—513

Nitrogen isotopic fractionation between nitric acid and the oxides of nitrogen, L. L. Brown and G. M. Begun—1206

Oxygen isotope fractionation in the system calcium carbonate-water, Robert N. Clayton—1246

Separation of boron isotopes. III. The *n*-butyl sulfide-BF_3 system, A. A. Palko—1187

Separation of the hydrogen isotopes by preferential adsorption at 20.4°K, David White and W. J. Haubach—1368(L)

Spectroscopic evidence for triatomic nitrogen in solids at very low temperature, M. Peyron, E. M. Hörl, H. W. Brown, and H. P. Broida—1304

Isotopes

Nitrogen isotopic fractionation between nitric acid and the oxides of nitrogen, L. L. Brown and G. M. Begun—1206

Oxygen isotope fractionation in the system calcium carbonate-water, Robert N. Clayton—1246

Ratio of HT/HTO in the atmosphere, F. S. Rowland—1098(L)

Separation of boron isotopes. III. The *n*-butyl sulfide-BF_3 system, A. A. Palko—1187

Separation of the hydrogen isotopes by preferential adsorption at 20.4°K, David White and W. J. Haubach—1368(L)

Tritium-ethane reaction. P. L. Gant and K. Yang—1108(L)

Kinetics of Reaction

Apparent order of heterogeneous spray reactions, F. A. Williams—1016

C^{13} and deuterium isotope effects in the photolysis of methyl and ethyl bromide, Adon A. Gordus and Richard B. Bernstein—973

Combustion instability: Acoustic interaction with a burning propellant surface, R. W. Hart and F. T. McClure—1502

Curve-matching method for quasi-unimolecular reactions, Richard E. Powell—724

Decrease in hydrogen yield during cyclohexane radiolysis, W. S. Guentner, T. J. Hardwick, and R. P. Nejak—601(L)

Destruction of meastable helium atoms in binary collisions, Oldwig von Roos—729

Deuterium isotope effect in the reaction of hydrogen molecules with chlorine atoms and the potential energy of the H_2Cl transition complex, Jacob Bigeleisen, Fritz S. Klein, Ralph E. Weston, Jr., and Max Wolfsberg—1340

Dissociation of hydrogen in a microwave discharge, T. M. Shaw—1366(L)

Effect of conjugation, hyperconjugation, and steric hindrance methyl affinities, J. H. Binks and M. Szwarc—1494

Effect of paramagnetic ions on the nuclear magnetic resonance of O^{17} in water and the rate of elimination of water molecules from the first coordination sphere of cations, Robert E. Connick and Richard E. Poulson—759

Energetic species trapped at 4.2°K from gaseous discharges, G. J. Minkoff, F. I. Scherber, and J. S. Gallagher—753

Errata: 1,2-*versus* 1,4-addition to 1,3-butadiene by a simple LCAO—MO method, Frank L. Pilar—591(L)

Excited state of oxygen reached by energy transfer from mercury $^3P_1$, David H. Volman, E. Kerry Gill, and Keith J. Laidler—589(L)

Formation of ozone from atomic oxygen at low temperatures, R. A. Ruehrwein and J. S. Hashman—823

General collision theory treatment for the rate of bimolecular, gas phase reactions, Morton A. Eliason and Joseph O. Hirschfelder—1426

Idealized theory of the recombinations of atoms by three-body collision, Donald W. Jepsen and Joseph O. Hirschfelder—1032

Identity of the green forms of bianthrone, Edel Wasserman and Robert Earl Davis—1367(L)

Ignition of combustible gases, Gerald Rosen—298

Kinetics and molecular weight distributions for unsteady state polymerizations involving termination by chain transfer with the monomer, W. T. Kyner, J. R. M. Radok, and M. Wales—363

Kinetics of D atom reactions with H_2, CH_4, and D_2CO, Ralph Klein, James R. McNesby, Milton D. Scheer, and Louis J. Schoen—58

Kinetics of nitrogen atom recombination, John T. Herron, J. L. Franklin, Paul Bradt, and Vernon H. Dibeler—879

Kinetics of the thermal decomposition of dimethylmercury. I. Cyclopentane inhibition, Morley E. Russell and Richard B. Bernstein—607

Kinetics of the thermal decomposition of dimethylmercury. II. Carbon-13 isotope effect, Morley E. Russell and Richard B. Bernstein—613

Large reverse carbon isotope effect, Peter E. Yankwich and Robert W. Buddemeier—861(L)

Limitations of the reflected shock technique for studying fast chemical reactions and its application to the observation of relaxation in nitrogen and oxygen, Roger A. Strehlow and Arthur Cohen—257

Measurement of the rate of dissociation of oxygen, Stanley R. Byron—1380

Negative activation energies, David Husain and H. O. Pritchard—1101(L)

NMR study of the protolysis kinetics in methanol and ethanol, Z. Luz, D. Gill, and S. Meiboom—1540

Production of atoms by a glow discharge in dry hydrogen, Frances Dunkle Coffin—593(L)

Rate of reaction of hydrogen with iodine at equilibrium, John H. Sullivan—1577

Rates of reaction of hydrogen with iodine, John H. Sullivan—1292

Relative rates of reactions of oxygen atoms with olefins, R. J. Cvetanović—19

Statistics of copolymer molecular size distribution, Louis Gold—1360(L)

Structure and adsorption characteristics of clean surfaces of germanium and silicon, R. E. Schlier and H. E. Farnsworth—917

Theoretical pre-exponential rate factors for abstraction reactions, Oktay Sinanoğlu and Kenneth S. Pitzer—421

Theory of detonations. III. Ignition temperature approximation, C. F. Curtiss, J. O. Hirschfelder, and M. P. Barnett—469

Tritium-ethane reaction, P. L. Gant and K. Yang—1108(L)

Kinetics of Reaction (continued)

Ultrasonic absorption associated with tertiary butanol complex formation in dilute solutions in cyclohexane, Raiq S. Musa and Melvin Eisner—228

Unimolecular decomposition of chemically activated *sec*-butyl radicals from H atoms plus *cis*-butene-2, B. S. Rabinovitch and R. W. Diesen—735

Variable reaction rate theory of polymer size distribution, Louis Gold—1284

Large Molecules (see Polymers)

Light Scattering

Theoretical investigations on the light scattering of colloidal spheres. V. Forward scattering, Wilfried Heller, Masayuki Nakagaki, and Morton L. Wallach—444

Theoretical investigations on the light scattering of colloidal spheres. VI. Backward scattering, Masayuki Nakagaki and Wilfried Heller—783

Theory of solutions. II. Osmotic pressure virial expansion and light scattering in two component solutions, Terrell L. Hill—93

Liquids

Density of electronic energy levels for a one-dimensional liquid, Joseph Ford—1546

Electron drift mobility in liquid *n*-hexane, Oliver H. LeBlanc, Jr.—1443

Errata: Statistical mechanical theory of transport processes in liquids [J. Chem. Phys. **29**, 699 (1958)], F. C. Collins and H. Raffel—1620

Erratum: Structure of liquid germanium dioxide [J. Chem. Phys. **29**, 605 (1958)], J. D. Mackenzie—1357(L)

Microwave absorption and molecular structure in liquids. XXV. Measurements of dielectric constant and loss at 3.1-mm wavelength by an interferometric method, R. W. Rampolla, R. C. Miller, and C. P. Smyth—566

Mobility of molecules in liquids near the glass temperature, F. Bueche—748

Relative intensities of absorption bands in liquid and gas phases from dispersion theory, E. E. Ferguson—1059

Vibrational intensities in liquid benzene, I. C. Hisatsune and E. S. Jayadevappa—848(L)

Viscosities of some undercooled liquid alkyl halides, Donald J. Denney—159

Magnetic Resonance

Analysis of the ESR absorption spectrum of Wurster's blue ion, T. R. Tuttle, Jr.—331(L)

Biradical molecular compounds: a study by electron spin resonance, D. Bijl, H. Kainer, and A. C. Rose-Innes—765

Broadening of proton resonances in natural crude oils, J. J. Delmau and G. J. Béné—1634(L)

Calculations on the zero-field splittings in triplet states of various aromatic hydrocarbons. II, Martin Gouterman—1369

Comment on "Effects of dissolved Gd^{3+} on the H_2O^{17} nuclear resonance," L. E. Orgel—1617(L)

Contact electron-spin coupling of nuclear magnetic moments, Martin Karplus—11

Crystal constituent effects. I. Paramagnetic resonance of $NiM^{IV}F_6 \cdot 6H_2O$, R. H. Hoskins, R. C. Pastor, and K. R. Trigger—601(L)

Crystal constituent effects. II. Paramagnetic resonance of Ni^{+2} in double nitrates, R. H. Hoskins, R. C. Pastor, and K. R. Trigger—1630(L)

Detection of electrolytically generated transient free radicals by electron spin resonance, August H. Maki and D. H. Geske—1356(L)

Effect of paramagnetic ions on the nuclear magnetic resonance of O^{17} in water and the rate of elimination of water molecules from the first coordination sphere of cations, Robert E. Connick and Richard E. Poulson—759

Effects of gadolinium upon the H_2O^{17} nuclear resonance, R. G. Shulman and B. J. Wyluda—335(L)

Effects of the Co^{59} hfs on the F^{19} high-frequency NMR in antiferromagnetic CoF_2, V. Jaccarino—1627(L)

Electron coupling of nuclear spins. II. Molecular orbital interpretation of coupling constants observed in fluorobenzenes, G. A. Williams and H. S. Gutowsky—717

Electron spin resonance absorption of aromatic hydrocarbon-iodine complexes, Yoshio Matsunaga—855(L)

Electron spin resonance in an irradiated single crystal of dimethylglyoxime, Ichiro Miyagawa and Walter Gordy—1590

Electron spin resonance of nitrobenzene negative ion, Raymond L. Ward—852(L)

Electron spin resonance spectra from gamma-irradiated solid nitrogen, L. A. Wall, D. W. Brown, and R. E. Florin—602(L)

Electron spin resonance studies of irradiated Teflon: Effects of various gases, Harvey N. Rexroad and Walter Gordy—399

Electronic structure of neptunium hexafluoride, G. L. Goodman and Mark Fred—849(L)

EPR studies of electron irradiated ice and solid hydrogen, L. H. Piette, R. C. Rempel, H. E. Weaver, and J. M. Flournoy—1623(L)

Errata: Paramagnetic resonance of vanadyl etioporphyrin I [J. Chem. Phys. **29**, 1188 (1958)], D. E. O'Reilly—591(L)

ESR line widths of some DPPH derivatives, R. G. Bennett and A. Henglein—1117(L)

Forbidden $\Delta m_s \pm 1$, $\Delta m_I = \mp$ transitions in a vanadyl chelate, Weston A. Anderson and Lawrence H. Piette—591(L)

Hyperfine spectra of some deuterium substituted triphenylmethyls, D. C. Reitz—1364(L)

Interpretation of the electron spin resonance spectrum of the methyl radical, Martin Karplus—15

Irradiation effects in simple organic solids, R. S. Alger, T. H. Anderson, and L. A. Webb—695

Knight shift in sodium-ammonia solutions, W. E. Blumberg and T. P. Das—251

Magnetic interaction of H_3, Virginia Griffing, Julius L. Jackson, and Bernard J. Ransil—1066

Metal solutions, M. C. R. Symons—1628(L)

Molecular motion in polyethylene. II, David W. McCall, Dean C. Douglass, and Ernest W. Anderson—1272

Negative nuclear spin-spin coupling constants for aromatic protons, Harden M. McConnell—126

NMR spectrum of the ethyl group. An exact solution, Bruce R. McGarvey and George Slomp, Jr.—1586

NMR study of ferrocene, ruthenocene, and titanocene dichloride, C. H. Holm and James A. Ibers—885

NMR study of the protolysis kinetics in methanol and ethanol, Z. Luz, D. Gill, and S. Meiboom—1540

Nuclear magnetic resonance spectra of hexaborane, Robert E. Williams, Sidney G. Gibbins, and I. Shapiro—333(L)

Nuclear magnetic resonance spectra of some dialkylmercury compounds, Raymond E. Dessy, T. J. Flautt, H. H. Jaffé, and G. F. Reynolds—1422

Nuclear magnetic shielding constants for several 2-, 3-, and 4-electron atoms and ions, Fred T. Ormand and F. A. Matsen—368

Origin of zero-field splittings in triplet states of aromatic hydrocarbons, Martin Gouterman and William Moffitt—1107(L)

Paramagnetic resonance of *bis*-cyclopentadienyl vanadium, H. M. McConnell, W. M. Porterfield, and R. E. Robertson—441

Paramagnetic resonance of methyl- and chloro-substituted *p*-benzosemiquinones, Balu Venkataraman, Bernice G. Segal, and George K. Fraenkel—1005

Paramagnetic resonance study of irradiated glasses of methanol and ethanol. Henry Zeldes and Ralph Livingston—40
Potential energy barrier determinations for some alkyl nitrites by nuclear magnetic resonance, Lawrence H. Piette and Weston A. Anderson—899
Proton magnetic resonance and electron spin densities of hydrazyl, H. S. Gutowsky, Hazime Kusumoto, T H. Brown, and D. H. Anderson—860(L)
Proton magnetic resonance in haloallenes, E. B. Whipple, J. H. Goldstein, and Leon Mandell—1109(L)
Proton magnetic resonance in polyisobutylene at various temperatures, pressures, and frequencies, A. W. Nolle and J. J. Billings—84
Proton magnetic resonance in the mixture of aniline and *N*-alkylated anilines with glacial acetic acid, Taro Isobe, Tsuneo Ikenoue, and Genjiro Hazato—1371(L)
Proton magnetic resonance study of the structure of potassium pentaborate, A. A. Silvidi and J. W. McGrath—1028
Proton NMR spectra of hydrated cations, Robert C. Axtmann—340(L)
Proton resonance shifts for the systems HNO_3-H_2O and HNO_3-KNO_3, James A. Happe and A. Greenville Whittaker—416
Reinterpretation of the nuclear magnetic resonance spectra of unstable pentaborane-B_5H_{11}, Robert E. Williams, Sidney G. Gibbins, and I. Shapiro—320(L)
Strong coupling in nuclear resonance spectra. I. The five-spin system of *trans*-propenylbenzene, R. W. Fessenden and J. S. Waugh—944
Study on the hydrogen bond in NH_4HF_2 by NMR, Tunahiko Sidei and Syukuro Yano—1109(L)
Temperature dependence of proton relaxation times in aqueous solutions of paramagnetic ions, Robert A. Bernheim, Thomas H. Brown, H. S. Gutowsky, and D. E. Woessner—950
Valence-bond interpretation of electron coupled nuclear spin interactions; application to methane, Martin Karplus and D. H. Anderson—6
Variation of valence state of Eu in SrS phosphors, Seymour P. Keller—557

Magnetic Susceptibilities

Comment: On the magnetic susceptibility of ferrous ammonium Tutton salt at liquid helium temperatures, Richard C. Sapp—326(L)
Electronic structure of neptunium hexafluoride, G. L. Goodman and Mark Fred—849(L)
Erratum: Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields [J. Chem. Phys. **30**, 246 (1959)], George A. Candela, Clyde A. Hutchison, Jr., and W. Burton Lewis—1104(L)
Magnetic susceptibilities of manganese sesquioxide at temperatures from 4 to 700°K, R. G. Meisenheimer and D. L. Cook—605(L)
Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields, George A. Candela, Clyde A. Hutchison, Jr., and W. Burton Lewis—246
Paramagnetic susceptibilities of the chromium (III) halides, Wilford N. Hansen and Maurice Griffel—913
Thomas-Fermi model for diatomic hydrides, T. Tietz—1104(L)

Mass Spectra

Charge exchange cross sections of argon ions in hydrogen molecules, S. B. Karmohapatro—539
Correlation scheme for diatomic oxides, J. Berkowitz—858(L)
Dissociation energies of some gaseous alkali halide complex ions and the hydrated ion $K(H_2O)^+$, William A. Chupka—458
Effect of unimolecular decay kinetics on the interpretation of appearance potentials, William. A. Chupka—191
Errata: Revised values of the O—O and O—H bond dissociation energies [J. Chem. Phys. **30**, 322 (1959)], P. A. Giguère—1357(L)
Formation of NO^- in nitric oxide and nitrous oxide by electron impact, P. S. Rudolph, C. E. Melton, and G. M. Begun—588(L)
Heats of dimerization of alkali fluoride molecules, Richard C. Schoonmaker and Richard F. Porter—283
High-energy methyl ions from propane under electron impact, Henry E. Stanton—1116(L)
Ionization and dissociation of molecules by monoenergetic electrons. III. On the existence of a bent excited state of NO_2^+, Jacques Collin—1621(L)
Ionization of *n*-paraffin molecules, Norman D. Coggeshall—595(L)
Mass spectrometric study of Al_2O_3, G. De Maria, J. Drowart, and M. G. Inghram—318(L)
Mass spectrometric study of heats of sublimation of dysprosium, samarium, thulium, and ytterbium, William R. Savage, Donald E. Hudson, and Frank H. Spedding—221
Mass spectrometric study of intergroup IVB molecules, J. Drowart, G. De Maria, A. J. H. Boerboom, and M. G. Inghram—308
Mass spectrum of acetylene produced by 5.1-Mev alpha particles, C. E. Melton and P. S. Rudolph—847(L)
Recalculation of D(HO—OH) based on new value of D(O—H), L. P. Lindeman and J. C. Guffy—322(L)
Revised values of the O—O and the O—H bond dissociation energies, P. A. Giguère—322(L)
Statistical theory of mass spectra: Difficulties in interpretation of spectra of the lower alkanes, L. Friedman, F. A. Long, and M. Wolfsberg—1605
Vapor pressure and mass and infrared spectra of hexaborane, Sidney G. Gibbins and I. Shapiro—1483
Vaporization of beryllium oxide and its reaction with tungsten, William A. Chupka, Joseph Berkowitz, and Clayton F. Giese—827

Mechanics Classical

One-dimensional inelastic collisions with impulsive interactions, B. Widom—238
Relating torsion angles to valence bond angles and multiplicity of the principal symmetry axis in cyclic molecules, James L. Lauer and William H. Jones, Jr.—592(L)

Mechanics Quantum

Acceptor properties, reorganization energies, and π-bonding in the boron and aluminum halides, F. Albert Cotton and Joseph R. Leto—992
Approximate natural spin orbitals for the hydrogen molecule, Morton A. Eliason and Joseph O. Hirschfelder—1397
Calculation of $n \rightarrow \pi$ transition energies in N-heterocyclic molecules by a one-electron approximation, Lionel Goodman and Robert W. Harrell—1131
Calculations on the zero-field splittings in triplet states of various aromatic hydrocarbons. II, Martin Gouterman—1369
Charge exchange cross sections of argon ions in hydrogen molecules, S. B. Karmohapatro—539
Configuration interaction in the lithium hydride molecule. I. A determinantal AO approach, A. M. Karo and A. R. Olson—1232
Configuration interaction in the lithium hydride molecule. II. An SCF LCAO—MO approach, A. M. Karo—1241
Conjugation and polar effects in butadiene, R. Stephen Berry—937
Contact electron-spin coupling of nuclear magnetic moments, Martin Karplus—11
Density of electronic energy levels for a one-dimensional liquid, Joseph Ford—1546
Electronic distribution in some conjugated ketones. Molecular orbital calculations including overlap, Gisele Payette and C. Sandorfy—168

Mechanics Quantum (continued)

Electronic spectra of porphine, Hiroshi Kobayashi—1362(L)
Electronic structure of neptunium hexafluoride, G. L. Goodman and Mark Fred—849(L)
Electronic structure of nitric oxide, H. Brion, C. Moser, and M. Yamazaki—673
Electronic structure of porphine, Hiroshi Kobayashi—1373(L)
Electronic structure of thiothiophten, G. Giacometti and G. Rigatti—1633(L)
Errata: On the theory of electronic-vibrational interaction for rare earth and actinide series ions in crystals. II. Octahedral complexes [J. Chem. Phys. **29,** 658 (1958)], Robert A. Satten—590(L)
Errata: 1,2-*versus* 1,4-addition to 1,3-butadiene by a simple LCAO-MO method, Frank L. Pilar—591(L)
Estimation of *s*-electron promotional energies and the dependence of orbital hybridization on ionicity, J. K. Wilmshurst—889
Further considerations of a previous LCAO-MO study of the allylic-type transition state in 1,3-butadiene, Frank L. Pilar—375
He I ground-state wave function of the form $\psi = f(r_1)\,f(r_2)\,g(r_{12})$, Louis C. Green, Cynthia Stephens, Eleanor K. Kolchin, Carolyn Chandler Chen, Patricia P. Rush, and C. W. Ufford—1061
Idealized theory of the recombinations of atoms by three-body collision, Donald W. Jepsen and Joseph O. Hirschfelder—1032
LCAO-MO SCF study of B_2, Alice A. Padgett and Virginia Griffing—1286
Lifetime of phosphorescence of substituted naphthalenes, Kaoru Iguchi—319(L)
Magnetic interaction of H_3, Virginia Griffing, Julius L. Jackson, and Bernard J. Ransil—1066
Molecule formation in the inert gases, N. Bernardes and H. Primakoff—691
Natural spin orbital analysis of hydrogen molecule wave functions, Harrison Shull—1405
Nature of the hydrogen bond, Leonello Paoloni—1045
Negative atomic ions, H. R. Johnson and F. Rohrlich—1608
Notes on the electron repelling property of alkyl groups, Sadhan Basu—314
Nuclear magnetic shielding constants for several 2-, 3-, and 4-electron atoms and ions, Fred T. Ormand and F. A. Matsen—368
One-dimensional inelastic collisions with impulsive interactions, B. Widom—238
Optical activity in absorbing media, William Moffitt and Albert Moscowitz—648
Origin of zero-field splittings in triplet states of aromatic hydrocarbons, Martin Gouterman and William Moffitt—1107(L)
Quadrupole coupling constant, dipole moment, and electron population of CO, Bernard J. Ransil—1113(L)
Reformulation of the Jahn-Teller theorem, William L. Clinton and Bernard Rice—543
Short-range interaction between a hydrogen molecule and a hydrogen atom, Henry Aroeste and William J. Jameson, Jr.—372
Single-center expansions for one-electron systems. H_2^+, Keith M. Howell and Harrison Shull—627
Single-center wave function for the hydrogen molecule, Stanley Hagstrom and Harrison Shull—1314
Solution of the Fermi-Thomas equation for positive ions, Herbert Payne—343(L)
Study of the effects of substitution on the absorption spectra of porphin, Martin Gouterman—1139
Study of the wurtzite-type binary compounds. III. Valence band structure of BeO, W. O'Sullivan—379
Superposition of configurations and natural spin orbitals. Applications to the He problem, Harrison Shull and Per-Olov Löwdin—617
Term series for a rotating-vibrating diatomic molecule by perturbation, John E. Kilpatrick—801
Theoretical investigation of the negative hydrogen molecule ions, Inga Fischer-Hjalmars—1099(L)
Thomas-Fermi model for diatomic hydrides, T. Tietz—1104(L)
United-atom treatment of the behavior of potential energy curves of diatomic molecules for small R, Werner A. Bingel—1250
United-atom treatment of the behavior of potential energy surfaces of polyatomic molecules at small internuclear distances, Werner A. Bingel—1254
Valence-bond interpretation of electron coupled nuclear spin interactions; application to methane, Martin Karplus and D. H. Anderson—6

Mechanics, Statistical

Application of the Monte Carlo method to the lattice-gas model. I. Two-dimensional triangular lattice, Z. W. Salsburg, J. D. Jacobson, W. Fickett, and W. W. Wood—65
Energy fluctuations in an open system, R. M. Mazo and J. E. Mayer—333(L)
Errata: Statistical mechanical theory of transport processes in liquids [J. Chem. Phys. **29,** 699 (1958)], F. C. Collins and H. Raffel—1620
Exact definition of quasi-thermodynamic point functions in statistical mechanics, Terrell L. Hill—1521
General collision theory treatment for the rate of bimolecular, gas phase reactions, Morton A. Eliason and Joseph O. Hirschfelder—1426
Generalization of the one-dimensional Ising model applicable to helix transitions in nucleic acids and proteins, Terrell L. Hill—383
Interactions between ground-state nitrogen atoms and molecules. The N—N, N—N_2, and N_2—N_2 interactions, Joseph T. Vanderslice, Edward A. Mason, and Ellis R. Lippincott—129
Molecule formation in the inert gases, N. Bernardes and H. Primakoff—691
Neighbor interactions and internal rotations in polymer molecules. III. Statistics of interdependent rotations and its application to the polyethylene molecule, Shneior Lifson—964
New method for the statistical computation of polymer dimensions, F. T. Wall and J. J. Erpenbeck—634
Perturbation calculations in equilibrium statistical mechanics. I. Hard sphere basis potential, E. B. Smith and B. J. Alder—1190
Relation between coarse graining and diagonal singularity, Stuart A. Rice—587(L)
Statistical computation of radii of gyration and mean internal dimensions of polymer molecules, F. T. Wall and J. J. Erpenbeck—637
Statistical mechanical theory of thermal diffusion in binary liquid solutions, Richard J. Bearman—835
Statistical mechanics of helix-coil transitions in biological macromolecules, J. H. Gibbs and E. A. DiMarzio—271
Statistical mechanics of multicomponent systems: perturbation theory, L. H. Nosanow—1596
Statistics of deformable molecular chains, A. Borsellino—857(L)
Theory of solutions. II. Osmotic pressure virial expansion and light scattering in two component solutions, Terrell L. Hill—93
Transport phenomena in a fluid composed of diatomic molecules, John S. Dahler—1447

Metals

Metal solutions, M. C. R. Symons—1628(L)
Solutions of metals in amine solvents. II. A conductance function for dilute solutions of sodium in liquid ammonia, E. Charles Evers and Paul W. Frank, Jr.—61

Transport processes in liquid alloys. I. Transport cell for liquid alloys, Paul C. Mangelsdorf, Jr.—1170

Microwave Spectra (see Absorption Spectra)

Molecular Beams

Nuclear quadrupole interactions in alkali halide molecules, T. P. Das and M. Karplus—848(L)
Nuclear reorientation spectrum of Li^7 in the gaseous monomers and dimers of the lithium halides, P. Kusch—52

Molecular Films (see Surface Phenomena)

Molecular Spectra (see Absorption Spectra, Emission Spectra, Fluorescence, and Raman Spectra)

Molecular Structure and Constants (see also Absorption Spectra, Fluorescence, Raman Spectra, Electron and X-Ray Diffraction)

Absorption spectra of fluorine and hydrogen fluoride in the vacuum ultraviolet, Raymond P. Iczkowski and John L. Margrave—403
Acceptor properties, reorganization energies, and π-bonding in the boron and aluminum halides, F. Albert Cotton and Joseph R. Leto—992
Assignment of the fundamental vibrational frequencies and calculated thermodynamic functions for 1,1-difluoro-2,2-dibromoethylene, J. Rud Nielsen and Rose Theimer—103
Bending motions in the dihalides of group II metals, R. Stephen Berry—286
Binding energy of Ne_2^+ from ion scattering data, Edward A. Mason and Joseph T. Vanderslice—599(L)
Calculation of line widths in H_2O—N_2 collisions, W. S. Benedict and L. D. Kaplan—388
Central force fields and bending motions, William Klemperer—594(L)
C—Cl stretching frequencies and the molecular structure of polyvinyl chloride, Takahiko Shimanouchi, Soji Tsuchiya and San-ichiro Mizushima—1365(L)
Characterization of polymer structures on helical point nets, R. E. Hughes and James L. Lauer—1165
Chemical equilibrium among the polymers of the alkali halides, M. Eisenstadt, V. S. Rao, and G. M. Rothberg—604(L)
Comments on J. Donohue's "Molecular symmetry of iodine heptafluoride", R. D. Burbank—1619(L)
Comments on the structure of 1,1,1-trifluoro-2-butyne, Victor W. Laurie—1101(L)
Computation of rigid asymmetric rotator constants from energy moments (II), Paul M. Parker and L. Carlton Brown—909
Contact electron-spin coupling of nuclear magnetic moments, Martin Karplus—11
Correlation scheme for diatomic oxides, J. Berkowitz—858(L)
Electric strength of aromatic hydrogen gases, A. E. D. Heylen—1106(L)
Electron coupling of nuclear spins. II. Molecular orbital interpretation of coupling constants observed in fluorobenzenes, G. A. Williams and H. S. Gutowsky—717
Electron spin resonance absorption of aromatic hydrocarbon-iodine complexes, Yoshio Matsunaga—855(L)
Electron spin resonance of nitrobenzene negative ion, Raymond L. Ward—852(L)
Electronic spectra of porphine, Hiroshi Kobayashi—1362(L)
Electronic structure of porphine, Hiroshi Kobayashi—1373(L)
Electronic structure of some group III halides from pure quadrupole resonance measurements, P. A. Casabella, P. J. Bray, and R. G. Barnes—1393
Energies and vibrational frequencies of gaseous alkali halide M_2X^+ ions, Thomas A. Milne and Daniel Cubicciotti—1418
Erratum: Bending motions in the dihalides of group II metals [J. Chem. Phys. **30**, 286 (1959)], R. Stephen Berry—1104(L)
Force constant calculations in linear triatomic molecules from infrared and microwave data, Peter H. Verdier and E. Bright Wilson, Jr.—1372(L)
Force constants of metal hexafluorides, Howard H. Claassen—968
$4\nu_2$ band of nitrous oxide, Shepard A. Clough, Donald E. McCarthy, and John N. Howard—1359(L)
Heats of dimerization of alkali fluoride molecules, Richard C. Schoonmaker and Richard F. Porter—283
Hyperfine spectra of some deuterium substituted triphenylmethyls, D. C. Reitz—1364(L)
Identity of the green forms of bianthrone, Edel Wasserman and Robert Earl Davis—1367(L)
Infrared and Raman spectra of fluorinated ethylenes. IX. 1,1-Difluoro-2-chloro-2-bromoethylene, Rose Theimer and J. Rud Nielsen—98
Infrared and Raman spectra of fluorinated ethanes. XI. Pentafluorobromoethane, Peter Klaboe and J. Rud Nielsen—1375
Infrared dispersion of carbon tetrafluoride, B. Schurin—1
Infrared spectra of alkoxyboranes. I. Dimethoxyborane and dimethoxyborane-*d*, Walter J. Lehmann, Thomas P. Onak, and I. Shapiro—1215
Infrared spectra of alkoxyboranes. II. Chlorodimethoxyborane and dichloromethoxyborane, Walter J. Lehmann, Thomas P. Onak, and I. Shapiro—1219
Infrared spectra of alkoxyboranes. III. Di- and triethoxyboranes W. E. Lehmann, H. G. Weiss, and I. Shapiro—1222
Infrared spectra of alkoxyboranes. IV. Di- and triisopropoxyboranes, W. J. Lehmann, H. G. Weiss, and I. Shapiro—1226
Infrared spectra of H_2O, D_2O, and HDO in solid argon, krypton, and xenon, Edward Catalano and Dolphus E. Milligan—45
Infrared spectrum of BF_3, Jack Vanderryn—331(L)
Infrared spectrum of the dimethylnitrilium ion, George C. Turrell and John E. Gordon—895
Internal rotation and infrared spectra of formic acid monomer and normal coordinate treatment of out-of-plane vibrations of monomer, dimer, and polymer, Tatsuo Miyazawa and Kenneth S. Pitzer—1076
Interpretation of the electron spin resonance spectrum of the methyl radical, Martin Karplus—15
Interpretation of the infrared spectra of the solid hydroxylammonium halides, D. L. Frasco and E. L. Wagner—1124
Ionic models and the vibrational spectra of molecules, Ralph G. Pearson—1537
Ionization and dissociation of molecules by monoenergetic electrons. III. On the existence of a bent excited state of NO_2^+, Jacques Collin—1621(L)
Low-temperature phase transition of crystalline hexamethylbenzene. II, O. Schnepp—48
Mean amplitudes of vibration in allene and allene-d_4 molecules. II. Approximate calculations for the C—C distances, Sven J. Cyvin—337(L)
Microwave spectra of molecules exhibiting internal rotation. V. Barrier height in ethyl chloride and ethyl bromide, David R. Lide, Jr.—37
Microwave spectrum and molecular structure of vinyl fluoride, H. W. Morgan and J. H. Goldstein—1025
Microwave spectrum, barrier to internal rotation, and structure of methyl formate, R. F. Curl, Jr.—1529
Microwave spectrum, molecular structure of vinyl cyanide and a summary of CC, CH bond lengths in simple molecules, C. C. Costain and B. P. Stoicheff—777
Microwave spectrum of methyl germane, Victor W. Laurie—1210

Molecular Structure and Constants (see also Absorption Spectra, Fluorescence, Raman Spectra, Electron and X-ray Diffraction)(continued)

Microwave spectrum, structure, and dipole moment of cyclopropene, Paul H. Kasai, Rollie J. Myers, D. F. Eggers, Jr., and K. B. Wiberg—513

Microwave spectrum, structure, and internal rotation of dimethyl ether, Paul H. Kasai and Rollie J. Myers—1096(L)

Molecular configurations of vinyl polymers with strictly regular structures and their mean dimensions and electric moments in dilute solutions, Kazuo Nagai—660

Molecular structure of tin tetrachloride, R. L. Livingston and C. N. R. Rao—339(L)

Molecular symmetry of iodine heptafluoride, Jerry Donohue —1618(L)

Near ultraviolet absorption spectrum of crystalline 1,3,5-trichlorobenzene, O. Schnepp—863

Near ultraviolet spectrum of crystalline hexachlorobenzene, O. Schnepp and R. Kopelman—868

Negative nuclear spin-spin coupling constants for aromatic protons, Harden M. McConnell—126

Neighbor interactions and internal rotations in polymer molecules. III. Statistics of interdependent rotations and its application to the polyethylene molecule, Shneior Lifson—964

New method for the statistical computation of polymer dimensions, F. T. Wall and J. J. Erpenbeck—634

Nitryl chloride molecular constants from microwave spectrum analysis, Lorimer Clayton, Quitman Williams, and T. L. Weatherly—1328

NMR study of ferrocene, ruthenocene, and titanocene dichloride, C. H. Holm and James A. Ibers—885

Normal coordinates for the out-of-plane deformations of vinyl bromide, J. R. Scherer and W. J. Potts—1527

Normal frequencies of the plane XY_2Z molecule, Carl W. F. T. Pistorius—332(L)

Notes on charge transfer interaction between iodine and polynuclear aromatic hydrocarbons, Rama Bhattacharya— —1367(L)

Notes on the electron repelling property of alkyl groups, Sadhan Basu—314

Nuclear magnetic resonance spectra of hexaborane, Robert E. Williams, Sidney G. Gibbins, and I. Shapiro—333(L)

Nuclear magnetic resonance spectra of some dialkylmercury compounds, Raymond E. Dessy, T. J. Flautt, H. H. Jaffé, and G. F. Reynolds—1422

Nuclear quadrupole coupling in the alkali chloroiodides. II. Iodine resonances, R. S. Yamasaki and C. D. Cornwell—1265

Nuclear quadrupole interactions in alkali halide molecules, T. P. Das and M. Karplus—848(L)

Nuclear reorientation spectrum of Li^7 in the gaseous monomers and dimers of the lithium halides, P. Kusch—52

Paramagnetic resonance of methyl- and chloro-substituted *p*-benzosemiquinones, Balu Venkataraman, Bernice G. Segal, and George K. Fraenkel—1005

Paramagnetic resonance study of irradiated glasses of methanol and ethanol, Henry Zeldes and Ralph Livingston—40

Prediction of the shapes of two-centered covalent molecules and ions, Arthur E. Parsons and Alan W. Searcy—1635(L)

Proton magnetic resonance in haloallenes, E. B. Whipple, J. H. Goldstein, and Leon Mandell—1109(L)

Proton magnetic resonance in the mixture of aniline and *N*-alkylated anilines with glacial acetic acid, Taro Isobe, Tsuneo Ikenoue, and Genjiro Hazato—1371(L)

Proton magnetic resonance study of the structure of potassium pentaborate, A. A. Silvidi and J. W. McGrath—1028

Proton resonance shifts for the systems HNO_3—H_2O and HNO_3—KNO_3, James A. Happe and A. Greenville Whittaker—416

Pure quadrupole resonance determinations of molecular charge distributions. II. Substituted pyrimidines, H. O. Hooper and P. J. Bray—957

Pure rotational absorption of ozone and sulfur dioxide from 100 to 200 microns, Alfred Danti and R. C. Lord—1310

Raman spectra and structure of iron pentacarbony, H. Stammreich, Oswaldo Sala, and Yara Tavares—856(L)

Reinterpretation of the nuclear magnetic resonance spectra of unstable pentaborane-B_5H_{11}, Robert E. Williams, Sidney G. Gibbins, and I. Shapiro—320(L)

Relating torsion angles to valence bond angles and multiplicity of the principal symmetry axis in cyclic molecules, James L. Lauer and William H. Jones, Jr.—592(L)

Relative rates of reactions of oxygen atoms with olefins, R. J. Cvetanović—19

Segmental motion in poly(butene-1), A. E. Woodward, J. A. Sauer, and R. W. Wall—854(L)

Spectroscopic evidence for triatomic nitrogen in solids at very low temperature, M. Peyron, E. M. Hörl, H. W. Brown, and H. P. Broida—1304

Stark effect in the microwave spectrum of nitrosyl bromide, Donald F. Eagle, T. L. Weatherly, and Quitman Williams —603(L)

Statistical mechanics of helix-coil transitions in biological macromolecules, J. H. Gibbs and E. A. DiMarzio—271

Strong coupling in nuclear resonance spectra. I. The five-spin system of *trans*-propenylbenzene, R. W. Fessenden and J. S. Waugh—944

Structures of dimethyl ether and methyl alcohol, Katsumi Kimura and Masaji Kubo—151

Study on the hydrogen bond in NH_4HF_2 by NMR, Tunahiko Sidei and Syukuro Yano—1109(L)

Thermodynamic and spectroscopic study of vinylidene chloride. II. Vibrational spectra, J. C. Evans—935

Thomas-Fermi model for diatomic hydrides, T. Tietz—1104(L)

Triatomic linear molecules containing carbon and oxygen, sulfur, selenium, or tellurium II. Potential constants, Tunis Wentink, Jr.—105

Valence-bond interpretation of electron coupled nuclear spin interactions; application to methane, Martin Karplus and D. H. Anderson—6

Vibrational spectra and structure of oxamide and diethiooxamide, T. A. Scott, Jr., and E. L. Wagner—464

Vibrational spectra of primary and secondary aliphatic amines, James E. Stewart—1259

Vibrational spectrum of 4,4-dimethylcyclopentene, James L. Lauer, William H. Jones, Jr., and Harold C. Beachell—1489

Zeeman effect in the 1 to 3 millimeter wave region: Molecular *g* factors of several light molecules, C. A. Burrus—976

Neutron Diffraction

Anhydride obtained by the dehydration of gypsum, Masao Atoji—341(L)

Nuclear Quadrupole Resonance

Electronic structure of some group III halides from pure quadrupole resonance measurements, P. A. Casabella, P. J. Bray, and R. G. Barnes—1393

Nuclear quadrupole coupling in the alkali chloroiodides. II. Iodine resonances, R. S. Yamasaki and C. D. Cornwell—1265

Nuclear quadrupole resonance of some bromine and iodine compounds, D. S. Alderdice, R. J. C. Brown, and T. Iredale —344(L)

Pure quadrupole resonance determinations of molecular charge distributions. II. Substituted pyrimidines, H. O. Hooper and P. J. Bray—957

Nuclear Resonance (see Magnetic Resonance)

Optical Activity

Optical activity in absorbing media, William Moffitt and Albert Moscowitz—648

Phase Transitions

Experimental test of the Volmer theory of heterogeneous nucleation, S. Twomey—942

Phosphors

Calculations on the zero-field splittings in triplet states of various aromatic hydrocarbons. II, Martin Gouterman—1369
Lifetime of phosphorescence of substituted naphthalenes, Kaoru Iguchi—319(L)
Low-temperature fluorescence spectra and crystal field splittings of rare earth activated SrS phosphors, S. P. Keller and G. D. Pettit—434
Luminescence of solids produced by surface recombination of atoms, Kenneth M. Sancier, William J. Fredericks, and Henry Wise—1355(L)
Phosphorescence of sodium acetate, K. Osada—1363(L)
Polarization of the phosphorescence of naphthalene and phenanthrene, Richard Williams—235
Variation of valence state of Eu in SrS phosphors, Seymour P. Keller—557

Photochemistry

C^{13} and deuterium isotope effects in the photolysis of methyl and ethyl bromide, Adon A. Gordus and Richard B. Bernstein—973
Excited state of oxygen reached by energy transfer from mercury $^3P_1$, David H. Volman, E. Kerry Gill, and Keith J. Laidler—589(L)

Photoconductivity

Organic photoconductors. V. A model for photoconductivity in cationic dyes, R. C. Nelson—406
Photovoltaic effect in organic crystals, H. Kallmann and M. Pope—585(L)
Reversible variations of sensitivity in certain cadmium sulfide and selenide photoconductors, Richard H. Bube—266

Polymers

C—Cl stretching frequencies and the molecular structure of polyvinyl chloride, Takahiko Shimanouchi, Soji Tsuchiya, and San-ichiro Mizushima—1365(L)
Characterization of polymer structures on helical point nets, R. E. Hughes and James L. Lauer—1165
Degradation of polymers and theory of numbers. I. The single-chain theory, V. S. Nanda and P. K. Pathria—27
Degradation of polymers and theory of numbers. II. N-chain theory, R. K. Pathria and V. S. Nanda—31
Degradation of polymers and theory of numbers. IV. The problem of weak and strong links, R. K. Pathria and V. S. Nanda—1322
Dielectric loss in 66 nylon (polyhexamethylene adipamide), Richard H. Boyd—1276
Diffusion in ethylene polymers. IV, David W. McCall, Dean C. Douglass, and Ernest W. Anderson—771
Electron spin resonance studies of irradiated Teflon: Effects of various gases, Harvey N. Rexroad and Walter Gordy—399
Generalization of the one-dimensional Ising model applicable to helix transitions in nucleic acids and proteins, Terrell L. Hill—383
Kinetics and molecular weight distributions for unsteady state polymerizations involving termination by chain transfer with the monomer, W. T. Kyner, J. R. M. Radok, and M. Wales—363
Molecular configurations of vinyl polymers with strictly regular structures and their mean dimensions and electric moments in dilute solutions, Kazuo Nagai—660
Molecular motion in polyethylene. II. David W. McCall, Dean C. Douglass, and Ernest W. Anderson—1272
Neighbor interactions and internal rotations in polymer molecules. III. Statistics of interdependent rotations and its application to the polyethylene molecule, Shneior Lifson—964
New method for the statistical computation of polymer dimensions, F. T. Wall and J. J. Erpenbeck—634
Proton magnetic resonance in polyisobutylene at various temperatures, pressures, and frequencies, A. W. Nolle and J. J. Billings—84
Remarks on the theories of random degradation of linear polymers, V. S. Nanda and R. K. Pathria—35
Segmental motion in poly(butene-1), A. E. Woodward, J. A. Sauer, and R. W. Wall—854(L)
Statistical computation of radii of gyration and mean internal dimensions of polymer molecules, F. T. Wall and J. J. Erpenbeck—637
Statistical mechanics of helix-coil transitions in biological macromolecules, J. H. Gibbs and E. A. DiMarzio—271
Statistics of copolymer molecular size distribution, Louis Gold—1360(L)
Statistics of deformable molecular chains, A. Borsellino—857(L)
Variable reaction rate theory of polymer size distribution, Louis Gold—1284

Proteins

Dielectric properties of polypeptide solutions. II. A relation between the electric dipole moment and the molecular weight of α helix, Akiyoshi Wada—328(L)
Dielectric properties of polypeptide solutions. III. Elucidation of the critical frequency of dielectric dispersion from the molecular shape of the α helix, Akiyoshi Wada—329(L)
Generalization of the one dimensional ising model applicable to helix transitions in nucleic acids and proteins, Terrell L. Hill—383
Statistical mechanics of helix-coil transitions in biological macromolecules, J. H. Gibbs and E. A. DiMarzio—271

Quadrupole Resonance (see **Nuclear Quadrupole Resonance**)

Quantum Mechanics (see **Mechanics, Quantum**)

Radiation Chemistry

Decrease in hydrogen yield during cyclohexane radiolysis, W. S. Guentner, T. J. Hardwick and R. P. Nejak—601(L)
Electron spin resonance in an irradiated single crystal of dimethylglyoxime, Ichiro Miyagawa and Walter Gordy—1590
Irradiation effects in simple organic solids, R. S. Alger, T. H. Anderson, and L. A. Webb—695
Models for luminescence degradation in organic solids, Herbert B. Rosenstock and James H. Schulman—116
Paramagnetic resonance study of irradiated glasses of methanol and ethanol, Henry Zeldes and Ralph Livingston—40
Ratio of HT/HTO in the atmosphere, F. S. Rowland—1098(L)

Raman Spectra

Assignment of the fundamental vibrational frequencies and calculated thermodynamic functions for 1,1-difluoro-2,2-dibromoethylene, J. Rud Nielsen and Rose Theimer—103
Infrared and Raman spectra of fluorinated ethylenes. IX. 1,1-difluoro-2-chloro-2-bromoethylene, Rose Theimer and J. Rud Nielsen—98
Infrared and Raman spectra of fluorinated ethanes. XI. Pentafluorobromoethane, Peter Klaboe and J. Rud Nielsen—1375
Raman spectra and structure of iron pentacarbonyl, H. Stammreich, Oswaldo Sala, and Yara Tavares—856(L)
Raman spectra of H_2 and CH_4 at high pressures, A. D. May, J. C. Stryland, and H. L. Welsh—1099(L)
Thermodynamic and spectroscopic study of vinylidene chloride. II. Vibrational spectra, J. C. Evans—935
Vibrational spectrum of 4,4-dimethylcyclopentene, James L. Lauer, William H. Jones, Jr., and Harold C. Beachell—1489

Reaction Rates (see Kinetics of Reaction)

Refractive Indexes

Infrared dispersion of carbon tetrafluoride, B. Schurin—1
Optical and electrical properties of single crystals of tri-*p*-methoxy phenyl methyl perchlorate and triphenyl methyl azide, B. L. Evans and A. D. Yoffe—1437

Rotation

Computation of rigid asymmetric rotator constants from energy moments (II), Paul M. Parker and L. Carlton Brown—909
Electronic quenching of OH($^2\Sigma^+$) in flames, and its significance in the interpretation of rotational relaxation, Tucker Carrington—1087
Far infrared spectrum and the barrier to internal rotation in 1,1,1,2-tetrafluoroethane, Alfred Danti and J. L. Wood—582
$4\nu_2$ band of nitrous oxide, Shepard A. Clough, Donald E. McCarthy, and John N. Howard—1359(L)
Infrared spectra of H_2O, D_2O, and HDO in solid argon, krypton, and xenon, Edward Catalano and Dolphus E. Milligan—45
Microwave spectra of molecules exhibiting internal rotation. V. Barrier height in ethyl chloride and ethyl bromide, David R. Lide, Jr.—37
Microwave spectrum, structure, and internal rotation of dimethyl ether, Paul H. Kasai and Rollie J. Myers—1096(L)
Neighbor interactions and internal rotations in polymer molecules. III. Statistics of interdependent rotations and its application to the polyethylene molecule, Shneior Lifson—964
Potential energy barrier determinations for some alkyl nitrites by nuclear magnetic resonance, Lawrence H. Piette and Weston A. Anderson—899
Pure rotational absorption of ozone and sulfur dioxide from 100 to 200 microns, Alfred Danti and R. C. Lord—1310
Term series for a rotating-vibrating diatomic molecule by perturbation, John E. Kilpatrick—801
Trapped NH_2 radicals at 4.2°K, G. Wilse Robinson and Maclyn McCarty, Jr.—998
Ultrasonic relaxation in rotational isomers, Joseph H. Chen and A. A. Petrauskas—304
Zeeman effect in the 1 to 3 millimeter wave region: Molecular *g* factors of several light molecules, C. A. Burrus—976

Scattering

Binding energy of Ne_2^+ from ion scattering data, Edward A. Mason and Joseph T. Vanderslice—599(L)
Destruction of metastable helium atoms in binary collisions, Oldwig von Roos—729
Elastic and inelastic scattering of low-velocity ions: Ne^+ in A, A^+ in Ne, and A^+ in A, W. H. Cramer—641
Scattering of high-velocity neutral particles by an orientation dependent potential, Oktay Sinanoğlu—850(L)

Semiconductors

Structure and adsorption characteristics of clean surfaces of germanium and silicon, R. E. Schlier and H. E. Farnsworth—917

Shock Waves (see also Detonation)

Analysis of vibrational relaxation data in shock wave experiments, Kurt E. Shuler—1631(L)
Determination of the unreacted Hugoniot for liquid TNT, W. B. Garn—819
Limitations of the reflected shock technique for studying fast chemical reactions and its application to the observation of relaxation in nitrogen and oxygen, Roger A. Strehlow and Arthur Cohen—257
Measurement of the rate of dissociation of oxygen, Stanley R. Byron—1380

Solutions (see also Liquids)

Analytical solution of Poisson-Boltzmann equation for two-dimensional many-center problem, Nobuhisa Imai and Tsuyoshi Onishi—1115(L)
Dielectric properties of polypeptide solutions. II. A relation between the electric dipole moment and the molecular weight of α helix, Akiyoshi Wada—328(L)
Dielectric properties of polypeptide solutions. III. Elucidation of the critical frequency of dielectric dispersion from the molecular shape of the α helix, Akiyoshi Wada—329(L)
Effects of gadolinium upon the H_2O^{17} nuclear resonance, R. G. Shulman and B. J. Wyluda—335(L)
Energy levels of bound electrons in liquid ammonia, Joshua Jortner—839
Exact lattice-cluster expansion for the frost points of argon-krypton gas mixture, J. F. Walling and G. D. Halsey, Jr.—1515
General approach to the study of electrical conductance and its relation to mass transport phenomena, Richard W. Laity—682
Heat of mixing of perfluoro-*n*-heptane with 2,2,4-trimethylpentane iso-octane, A. G. Williamson, R. L. Scott, and R. D. Dunlap—325(L)
Knight shift in sodium-ammonia solutions, W. E. Blumberg and T. P. Das—251
Metal solutions, M. C. R. Symons—1628(L)
New method of determining the Soret coefficients, Toshio Ikeda—345(L)
Note on the normal stress effect in the solution of rodlike macromolecules, Tadao Kotaka—1566
Osmotic electric or magnetic field, Terrell L. Hill—1161
Proton NMR spectra of hydrated cations, Robert C. Axtmann—340(L)
Proton resonance shifts for the systems HNO_3—H_2O and HNO_3—KNO_3, James A. Happe and A. Greenville Whittaker—416
Solubility of carbon in silicon and germanium, R. I. Scace and G. A. Slack—1551
Solutions of metals in amine solvents. II. A conductance function for dilute solutions of sodium in liquid ammonia, E. Charles Evers and Paul W. Frank, Jr.—61
Solutions under pressure, Joseph S. Rosen—548
Spectrophotometric determination of the electron affinity of fluorine, J. Jortner, G. Stein, and A. Treinin—1110(L)
Statistical mechanics of multicomponent systems: Perturbation theory, L. H. Nosanow—1596
Structure of silico-tungstic acid in aqueous solution, H. A. Levy, P. A. Agron, and M. D. Danford—1486
Temperature dependence of proton relaxation times in aqueous solutions of paramagnetic ions, Robert A. Bernheim, Thomas H. Brown, H. S. Gutowsky, and D. E. Woessner—950
Theory of the dielectric constant of dilute solutions. II, Terrell L. Hill—1114(L)
Theory of solutions. II. Osmotic pressure virial expansion and light scattering in two component solutions, Terrell L. Hill—93
Use of vapor pressure data to calculate enthalpies of mixing, C. R. Mueller—326(L)

Spectra (see Absorption Spectra, Emission Spectra Fluorescence, Raman Spectra)

Statistical Mechanics (see Mechanics, Statistical)

Surface Phenomena

Adsorption of hydrogen on silicon, J. T. Law—1568
Adsorption of oxygen on silicon, J. Eisinger and J. T. Law—410
Adsorption of oxygen on tungsten, J. Eisinger—412
Chemisorption of nitrogen on tungsten, P. Kisliuk—174

Interaction of rare gases with metal surfaces. I. A, Kr, and Xe on tungsten, Gert Ehrlich and F. G. Hudda—493
Luminescence of solids produced by surface recombination of atoms, Kenneth M. Sancier, William J. Fredericks, and Henry Wise—1355(L)
Relationship of the contact angle to interfacial energies, James E. McNutt and George M. Andes—1300
Separation of the hydrogen isotopes by preferential adsorption at 20.4°K, David White and W. J. Haubach—1368(L)
Vibrational spectra and structure of oxamide and diethiooxamide, T. A. Scott, Jr., and E. L. Wagner—464

Thermal Conductivity

Adsorption of carbon dioxide on tungsten, D. O. Hayward and R. Gomer—1617(L)
Electrical properties of hydrogen adsorbed on silicon, J. Eisinger—927
Structure and adsorption characteristics of clean surfaces of germanium and silicon, R. E. Schlier and H. E. Farnsworth—917
Thermal conductivity and Eucken correction for diatomic gases and binary gas mixtures, B. N. Srivastava and R. C. Srivastava—1200
Thermal conductivity of water at high pressures, A. W. Lawson, R. Lowell, and A. L. Jain—643

Thermal Diffusion

Statistical mechanical theory of thermal diffusion in binary liquid solutions, Richard J. Bearman—835

Thermodynamic Properties

Assignment of the fundamental vibrational frequencies and calculated thermodynamic functions for 1,1-difluoro-2,2-dibromoethylene, J. Rud Nielsen and Rose Theimer—103
Calculation of the energies of some alkali halide trimers, Thomas A. Milne and Daniel Cubicciotti—1625(L)
Chemical equilibrium among the polymers of the alkali halides, M. Eisenstadt, V. S. Rao, and G. M. Rothberg—604(L)
Chemisorption of nitrogen on tungsten, P. Kisliuk—174
Correlation scheme for diatomic oxides, J. Berkowitz—858(L)
Debye characteristic temperature at 0°K of certain cubic crystals. II, Jules de Launay—91
Dissociation energies of some gaseous alkali halide complex ions and the hydrated ion $K(H_2O)^+$, William A. Chupka—458
Energies and vibrational frequencies of gaseous alkali halide M_2X^+ ions, Thomas A. Milne and Daniel Cubicciotti—1418
Errata: Revised values of the O—O and O—H bond dissociation energies [J. Chem. Phys. **30**, 322 (1959)], P. A. Giguère—1357(L)
Heat capacities and thermodynamic properties of the iron tellurides $Fe_{1.11}Te$ and $FeTe_2$ from 5 to 350°K, E. F. Westrum, Jr., Chien Chou, and F. Grønvold—761
Heat capacities and thermodynamic properties of the pyrrhotites FeS and $Fe_{0.877}S$ from 5 to 350°K F. Grønvold, E. F. Westrum, Jr., and Chien Chou—529
Heat of mixing of perfluoro-*n*-heptane with 2,2,4-trimethylpentane iso-octane, A. G. Williamson, R. L. Scott, and R. D. Dunlap—325(L)
Infrared and raman spectra of fluorinated ethylenes. IX. 1,1-Difluoro-2-chloro-2-bromoethylene, Rose Theimer and J. Rud Nielsen—98
Internal rotation and infrared spectra of formic acid monomer and normal coordinate treatment of out-of-plane vibrations of monomer, dimer, and polymer, Tatsuo Miyazawa and Kenneth S. Pitzer—1076
Mass spectrometric study of Al_2O_3, G. De Maria, J. Drowart, and M. G. Inghram—318(L)
Mass spectrometric study of heats of sublimation of dysprosium, samarium, thulium, and ytterbium, William R. Savage, Donald E. Hudson, and Frank H. Spedding—221
Mass spectrometric study of inter-group IVB molecules, J. Drowart, G. De Maria, A. J. H. Boerboom, and M. G. Inghram—308
Nitrogen isotopic fractionation between nitric acid and the oxides of nitrogen, L. L. Brown and G. M. Begun—1206
Notes on charge transfer interaction between iodine and polynuclear aromatic hydrocarbons, Rama Bhattacharya—1367(L)
Recalculation of D(HO—OH) based on new value of D(O—H), L. P. Lindeman and J. C. Guffy—322(L)
Revised values of the O—O and the O—H bond dissociation energies, P. A. Giguère—322(L)
Separation of boron isotopes. III. The *n*-butyl sulfide-BF_3 system, A. A. Palko—1187
Solubility of carbon in silicon and germanium, R. I. Scace and G. A. Slack—1551
Solutions under pressure, Joseph S. Rosen—548
Thermodynamic and spectroscopic study of vinylidene chloride. I. Thermodynamic properties of the solid, liquid, and ideal gas, D. L. Hildenbrand, R. A. McDonald, W. R. Kramer, and D. R. Stull—930
Thermodynamic functions of sodium cyanate and potassium cyanate, J. Roth—596(L)
Ultrasonic absorption associated with tertiary butanol complex formation in dilute solutions in cyclohexane, Raiq S. Musa and Melvin Eisner—228
Use of vapor pressure data to calculate enthalpies of mixing, C. R. Mueller—326(L)
Vapor pressure and mass and infrared spectra of hexaborane, Sidney G. Gibbins and I. Shapiro—1483
Vaporization of beryllium oxide and its reaction with tungsten, William A. Chupka, Joseph Berkowitz, and Clayton F. Giese—827

Thermodynamics

Energy fluctuations in an open system, R. M. Mazo and J. E. Mayer—333(L)
Exact definition of quasi-thermodynamic point functions in statistical mechanics, Terrell L. Hill—1521
Free energy of a nonuniform system. II. Thermodynamic basis, John W. Cahn—1121
Osmotic electric or magnetic field, Terrell L. Hill—1161
Theory of solutions. II. Osmotic pressure virial expansion and light scattering in two-component solutions, Terrell L. Hill—93

Thermoluminescence

Thermoluminescent properties of calcite, W. L. Medlin—451

Transport Phenomena

Errata: Statistical mechanical theory of transport processes in liquids [J. Chem. Phys. **29**, 699 (1958)], F. C. Collins and H. Raffel—1620
General collision theory treatment for the rate of bimolecular, gas phase reactions, Morton A. Eliason and Joseph O. Hirschfelder—1426
Statistical mechanical theory of thermal diffusion in binary liquid solutions, Richard J. Bearman—835
Thermal conductivity and Eucken correction for diatomic gases and binary gas mixtures, B. N. Srivastava and R. C. Srivastava—1200
Transport phenomena in a fluid composed of diatomic molecules, John S. Dahler—1447

Ultrasonics

Elastic constants of sodium iodide from 180°K to 300°K, Richard Dalven and C. W. Garland—346
Oscillation, rotation, and spin relaxation in NO, H.-J. Bauer and H. O. Kneser—1119
Temperature dependence of sound dispersion in halo-methane gases, Robert Amme and Sam Legvold—163
Ultrasonic absorption associated with tertiary butanol complex formation in dilute solutions in cyclohexane, Raiq S. Musa and Melvin Eisner—228
Ultrasonic relaxation in rotational isomers, Joseph H. Chen and A. A. Petrauskas—304

Valence and Chemical Bond

Acceptor properties, reorganization energies, and π-bonding in the boron and aluminum halides, F. Albert Cotton and Joseph R. Leto—992
Anhydrite obtained by the dehydration of gypsum, Masao Atoji—341
Approximate natural spin orbitals for the hydrogen molecule, Morton A. Eliason and Joseph O. Hirschfelder—1397
Binding energy of Ne_2^+ from ion scattering data, Edward A. Mason and Joseph T. Vanderslice—599(L)
Bond characters and nuclear quadrupole coupling constants of halogen molecules, H. Hamano—598(L)
Calculation of the energies of some alkali halide trimers, Thomas A. Milne and Daniel Cubicciotti—1625(L)
Calculations on the zero-field splittings in triplet states of various aromatic hydrocarbons. II, Martin Gouterman—1369
Comment on "Effects of dissolved Gd^{3+} on the H_2O^{17} nuclear resonance", L. E. Orgel—1617(L)
Configuration interaction in the lithium hydride molecule. I. A determinantal AO approach, A. M. Karo and A. R. Olson—1232
Configuration interaction in the lithium hydride molecule. II. An SCF LCAO—MO approach, A. M. Karo—1241
Conjugation and polar effects in butadiene, R. Stephen Berry—937
Dipole moment of tetraborane, J. R. Weaver, C. W. Heitsch, and R. W. Parry—1075
Direction of halogen spectroscopic moments, Lionel Goodman and Lois J. Frolen—1361(L)
Electron coupling of nuclear spins. II. Molecular orbital interpretation of coupling constants observed in fluorobenzenes, G. A. Williams and H. S. Gutowsky—717
Electron spin resonance in an irradiated single crystal of dimethylglyoxime, Ichiro Miyagawa and Walter Gordy—1590
Electronic spectra of porphine, Hiroshi Kobayashi—1362(L)
Electronic structure of porphine, Hiroshi Kobayashi—1373(L)
Electronic structure of some group III halides from pure quadrupole resonance measurements, P. A. Casabella, P. J. Bray, and R. G. Barnes—1393
Empirical expression for ionic character and the determination of *s* hybridization from nuclear quadrupole coupling constants, J. K. Wilmshurst—562
Errata: On covalent bond length and bond order. VIII. [J. Chem. Phys. **28**, 822 (1958)], G. R. Somayajulu—1357(L)
Estimation of *s*-electron promotional energies and the dependence of orbital hybridization on ionicity, J. K. Wilmshurst—889
Internal rotation and infrared spectra of formic acid monomer and normal coordinate treatment of out-of-plane vibrations of monomer, dimer, and polymer, Tatsuo Miyazawa and Kenneth S. Pitzer—1076
Ionic models and the vibrational spectra of molecules, Ralph G. Pearson—1537
LCAO-MO SCF study of B_2, Alice A. Padgett and Virginia Griffing—1286
Low-temperature x-ray studies on Rice's blue material, L. H. Bolz, F. A. Mauer, and H. S. Peiser—349(L)
Microwave spectrum, molecular structure of vinyl cyanide, and a summary of CC, CH bond lengths in simple molecules, C. Costain and B. P. Stoicheff—777
Molecule formation in the inert gases, N. Bernardes and H. Primakoff—691
Natural spin orbital analysis of hydrogen molecule wave functions, Harrison Shull—1405
Nature of the hydrogen bond, Leonello Paoloni—1045
Negative nuclear spin-spin coupling constants for aromatic protons, Harden M. McConnell—126
Notes on charge transfer interaction between iodine and polynuclear aromatic hydrocarbons, Rama Bhattacharya—1367(L)
Nuclear magnetic resonance spectra of hexaborane, Robert E. Williams, Sidney G. Gibbins, and I. Shapiro—333(L)
Nuclear quadrupole coupling in the alkali chloroiodides. II. Iodine resonances, R. S. Yamasaki and C. D. Cornwell—1265
Nuclear quadrupole resonance of some bromine and iodine compounds, D. S. Alderdice, R. J. C. Brown, and T. Iredale 344(L)
Paramagnetic resonance of bis-cyclopentadienyl vanadium, H. M. McConnell, W. M. Porterfield, and R. E. Robertson—441
Prediction of the shapes of two-centered covalent molecules and ions, Arthur E. Parsons and Alan W. Searcy—1635(L)
Proton magnetic resonance study of the structure of potassium pentaborate, A. A. Silvidi and J. W. McGrath—1028
Pure quadrupole resonance determinations of molecular charge distributions. II. Substituted pyrimidines, H. O. Hooper and P. J. Bray—957
Raman spectra and structure of iron pentacarbonyl, H. Stammreich, Oswaldo Sala, and Yara Tavares—856(L)
Semiempirical treatment of the hydrogen bond, C. Reid—182
Study on the hydrogen bond in NH_4HF_2 by NMR, Tunahiko Sidei and Syukuro Yano—1109(L)
Study of the wurtzite-type binary compounds. III. Valence band structure of BeO, W. O'Sullivan—379
Temperature-pressure-structure effects on the viscosity of several higher hydrocarbons, D. A. Lowitz, J. W. Spencer, W. Webb, and R. W. Schiessler—73
Theoretical investigation of the negative hydrogen molecule ions, Inga Fischer-Hjalmars—1099(L)
Valence state ionization potentials of carbon, I, J. Goldfarb and H. H. Jaffé—1622(L)
Vibrational spectra and structure of oxamide and diethiooxamide, T. A. Scott, Jr., and E. L. Wagner—464
Viscosities of some undercooled liquid alkyl halides, Donald J. Denney—159

Viscosity

Diffusion and viscosity in a spherical cavity, S. Broersma—707
Erratum: Structure of liquid germanium dioxide [J. Chem. Phys. **29**, 605 (1958)], J. D. Mackenzie)1357(L)
High-temperature gas viscosities. II. Nitrogen, nitric oxide, boron trifluoride, silicon tetrafluoride, and sulfur hexafluoride, C. P. Ellis and C. J. G. Raw—574
Relation between the Eyring and Doolittle diffusion equations, A. W. Lawson—1114(L)
Theory of detonations. III. Ignition temperature approximation, C. F. Curtiss, J. O. Hirschfelder, and M. P. Barnett—469

X-Ray Diffraction

Structure of K_2CuF_4. New kind of distortion for octahedral copper(II), Kerro Knox—990
Structure of silico-tungstic acid in aqueous solution, H. A. Levy, P. A. Agron, and H. D. Danford.
Thermal expansion of $\langle UN \rangle$, $\langle UO_2 \rangle$, $\langle UO_2 \cdot ThO_2 \rangle$, and $\langle ThO_2 \rangle$, Charles P. Kempter and Reed O. Elliott—1524

Note to Subscribers: The index which appears in the following pages has been typeset and printed by a new process as part of the American Institute of Physics Documentation Research Project. Copy is composed by electric typewriter on punched cards. Printing is done by (1) high speed filming of the cards, (2) preparation of offset plates, and (3) offset printing. It is hoped that this method will point the way toward economies in the preparation of indexes to AIP Journals by reducing the amount of typesetting and proofreading.

Author Index to Volume 31

(References with (L) are to Letters to the Editor)

Adler, George. Amorphous and unoriented character of polymers formed in radiation induced solid state polymerization—848(L)

Agron, P. A. (see Levy, H. A.)—1458

Albrecht, A. C. and M. E. Green. Photoconductivity in a rigid glass—261(L)

Alder, Berni J. Free-volume theory for square-well potentials—1666

—— and T. E. Wainwright. Studies in molecular dynamics. I. General method—459

Allen, Harry C., Jr., and E. K. Plyler. Ethane carbon-carbon distance obtained from infrared spectra—1062

Allen, Leland C. Electronic wave functions for polyatomic molecules—736

—— (see Karo, Arnold M.)—968

Allen, Thomas L. Bond energies and the interactions between next-nearest neighbors. I. Saturated hydrocarbons, diamond, sulfanes, S_8, and organic sulfur compounds—1039

Altman, Robert L. Thermodynamic functions of some gaseous diatomic halides of aluminum, boron, and lithium—1035

—— (see Wilkins, Roger L.)—337

Amelinckx, S. Mechanism for the growth of whiskers from solution on an impervious substrate—1687(L)

Anderson, Ernest W. (see McCall, David W.)—1555

Anderson, John H. and John A. Weil. Paramagnetic resonance of color centers in germanium-doped quartz—427

Anderson, Kenneth H. (see Benson, Sidney W.)—1082

Anderson, R. E. (see Dodgen, H. W.)—851(L)

Anderson, Roy S. (see Poole, Charles P., Jr.)—346

Ard, W. B., Jr. (see Randall, J. L.)—730

Aroeste, Henry (see Baldursson, Steingrimur)—814

Atoji, Masao and William N. Lipscomb. Molecular and crystal structure of B_9Cl_9. I. Preliminary x-ray diffraction study—601

—— and Ronald C. Medrud. Structures of calcium dicarbide and uranium dicarbide by neutron diffraction—332

——, J. E. Schirber, and C. A. Swenson. Crystal structure of β-Hg—1628

—— and Donald E. Williams. Deuterium positions in lanthanum deuteroxide by neutron diffraction—329

Auffray, J. P. (see Stephen, M. J.)—1329

Axtmann, R. C., W. E. Shuler, and J. H. Eberly. H^1-P^{31} spin coupling in trialkyl phosphates—850(L)

Baeder, D. L. (see Lucchesi, P. J.)—558(L)

Baer, R. and C. Dean. Nuclear quadrupole resonances using impurity molecules as probes—1690(L)

Bak, Thor A. (see Prigogine, I.)—1368

Baker, John G. (see Favero, Paolo)—566(L)

Baldursson, Steingrimur and Joseph E. Mayer with Henry Aroeste. Theory of Bose-Einstein fluids, statistical mechanical treatment of the thermodynamic properties of liquid helium—814

Bale, Harold D. and Paul W. Schmidt. Small angle x-ray scattering from aluminum hydroxide gels. II—1612

Balk, P. (see Benson, G. C.)—109

Ballik, E. A. and D. A. Ramsay. Ground state of the C_2 molecule—1128(L)

Barfield, R. N. and W. G. Schneider. Excess ultrasonic absorption in diethylamine-water mixtures—488

Barrow, Gordon M. (see Bell, Charles L.)—300, 1158

—— (see McKinney, Paul C.)—294

Bartell, L. S. and R. A. Bonham. Molecular structure of ethylene—400

—— and R. C. Hirst. Electron diffraction study of the structure of phosphine—449

—— (see Bonham, R. A.)—702

Barth, C. A. (see Hildebrandt, A. F.)—273(L)

Barua, A. K. Force parameters for some nonpolar molecules on the exp 6-8 model—957

Bauer, S. H. (see Wentink, T., Jr.)—834

Beale, G. E., Jr., and H. P. Broida. Spectral study of a visible, short-duration afterglow in nitrogen—1030

Bearman, Richard J. On the linear phenomenological equations. II. The linear statistical mechanical theory—751

Becker, Edwin D. NMR studies of hydrogen bonding in alcohols and phenol—269(L)

—— and Robert B. Bradley. Effects of "ring currents" on the NMR spectra of porphyrins—1413(L)

Becker, Ralph S. (see Fernandez, Jose)—467

Belford, R. Linn and M. Karplus. Ligand influence upon radial wave functions—394

Bell, Charles L. and Gordon M. Barrow. Evidence for a low-lying second potential minimum in hydrogen-bonded systems—1158

—— and Gordon M. Barrow. Hydrogen bond: an experimental verification of the double minimum potential—300

Bennett, R. G. and F. W. Dalby. Experimental determination of the oscillator strength of the first negative bands of N_2^+—434

Benson, G. C., P. Balk, and P. White. Contribution of surface distortion to the surface energy of alkali halide crystals—109

Benson, Sidney W. and Kenneth H. Anderson. On the trapping of free radicals of oxygen and chlorine—1082

—— and D. V. S. Jain. Further studies of the pyrolysis of dimethyl ether—1008

Bent, Henry A. (see Fateley, William G.)—204

Berg, Daniel. Dielectric constant of liquid sulfur hexafluoride—572(L)

Bernstein, Richard B. (see Hostettler, Hans U.)—1422(L)

—— (see Rothe, Erhard W.)—1619

Bethke, George W. Oscillator strengths in the far ultraviolet. I. Nitric oxide—662

—— Oscillator strengths in the far ultraviolet. II. Oxygen Schumann-Runge bands—669

Bienenstock, Arthur. Scaling error in radial distribution studies—570(L)

Billups, R. (see Skapski, A.)—1431(L)

Birks, J. B. Transfer of excitation energy and radiationless transitions: reply to Comments by Furst and Kallmann—1135(L)

Blinc, R. Proton magnetic resonance study in ammonium

and silver trihydrogen periodates—849(L)
Bockris, J. O'M. (see Conway, B. E.)—1133(L)
in diborane—1005
Bolz, L. H., F. A. Mauer, and H. S. Peiser. Exploratory study, by low-temperature x-ray diffraction techniques, of diborane and the products of a microwave discharge
— (see Foner, S. N.)—546(L)
Bonham, R. A. and L. S. Bartell. Rapid procedure for rigorous analysis of electron diffraction data—702
— (see Bartell, L. S.)—400
Booth, F. B. (see Hildebrandt, A. F.)—273(L)
Boyd, Richard H. Theoretical depolymerization kinetics in polymers having an initial "most probable" molecular weight distribution—321
Bradley, Robert B. (see Becker, Edwin D.)—1413(L)
Bragg, J. K. (see Zimm, B. H.)—526
Bratt, L. C. (see Douglas, J. E.)—1416(L)
Bray, P. J. (see Silver, A. H.)—247
Brewer, Leo. Dissociation energy of S_2—1143(L)
Brinen, J. S. and Lionel Goodman. Sequence and spacing of $n \rightarrow \pi$ transitions in *s*-triazine—482
Broida, H. P. (see Beale, G. E., Jr.)—1030
— (see Peyron, M.)—846(L)
Brokaw, Richard S. Thermal conductivity of nitrogen-carbon dioxide mixtures—571(L)
Brown, H. W. (see Peyron, M.)—846(L)
Brown, L. Carlton (see Parker, Paul M.)—1227
Buchanan, Robert A. Near infrared spectra of crystalline alkali hydroxides—870
Burns, Gerald. Polarizabilities and antishielding factors of 10 and 18 electron closed shell atoms—1253
Burns, R. P. (see Drowart, J.)—1131(L)
Burrus, C. A. Stark effect at 0.93, 1.18, and 1.5 millimeters wavelength: DCl, DBr, and DI—1270
Burton, Milton (see Lipsky, Sanford)—1221

Cafasso, Fred and Benson R. Sundheim. Solutions of alkali metals in polyethers. I—809
Cahn, John W. and John E. Hilliard. Free energy of a nonuniform system. III. Nucleation in a two-component incompressible fluid—688
Candela, George A., Clyde A. Hutchison, Jr., and W. Burton Lewis. Erratum: Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields—555(L)
Carrington, Tucker. Line shape and *f* value in the OH $^2\Sigma^+ - {}^2\pi$ transition—1243
— Rotational transfer in the fluorescence spectrum of OH($^2\Sigma^+$)—1418(L)
Carroll, J. C. (see McGrath, J. W.)—1444
Casassa, Edward F. Statistical thermodynamics of polymer solutions. II. Excluded volume effect and second virial coefficient—800
Casavant, D. (see Skapski, A.)—1431(L)
Chalvet, O. (see Sung, S. S.)—553(L)
Chessin, Paul Lawrence. Free radical statistics—159
Chin, David (see Giguère, Paul A.)—1685(L)
Chojnacki, Henryk (see Pigoń, Krzysztof)—272(L)
Claassen, Howard H. (see Weinstock, Bernard)—262(L)
Clark, Sydney P., Jr. Effect of pressure on the melting points of eight alkali halides—1526
Clarke, John C. (see Taylor, T. I.)—277(L)
Clayton, Lorimer, Quitman Williams, and T. L. Weatherly. Erratum: Nitryl chloride molecular constants from microwave spectrum analysis—554(L)
Cleveland, Forrest F. (see Gilbert, Robert L.)—1633
Cloutier, G. G. and H. I. Schiff. Electron impact study of nitric oxide using a modified retarding potential difference method—793
Coffin, Kenneth P. Effect of argon and helium on the thermal conductivity of the $N_2O_4 \rightleftharpoons 2NO_2$ system—1290
Cohen, Morrel H. and David Turnbull. Molecular transport in liquids and glasses—1164
Cole, R. H. (see Oudemans, G. J.)—843(L)
Companion, Audrey L. (see Ellison, Frank O.)—285(L)
Conway, B. E. and J. O'M. Bockris. On the theory of proton conductance in water and ice—1133(L)
Conway, John G. Absorption spectrum of UF_4 and the energy levels of uranium V—1002
Corio, P. L. and I. Weinberg. Long-range nuclear spin-spin couplings in thiophene derivatives—569(L)
Corradini, Paolo. Structure of tetracobaltdode-carbonyl —1676(L)
Costain, C. C. and J. R. Morton. Microwave spectrum and structure of propynal (H—C ≡ C—CHO)—389
— (see Swalen, J. D.)—1562
Cote, James A. (see Wall, Frederick T.)—1640
Cotton, F. Albert (see Holm, Richard H.)—788
— (see Waugh, J. S.)—1434(L)
Crawford, Bryce, Jr. (see Fateley, William G.)—204
Crocco, L., I. Glassman, and I. E. Smith. Kinetics and mechanism of ethylene oxide decomposition at high temperatures—506
Csavinszky, P. Open-shell ground-state energy of the He_2^+ molecule ion—178
Cubicciotti, Daniel. Lattice energies of the alkali halides and the electron affinities of the halogens—1646
Curtiss, C. F. (see Livingston, Peter M.)—1643
Cvetanović, R. J., H. E. Gunning, and E. W. R. Steacie. Primary step in the mercury photosensitized reactions of olefins—573(L)
Czerwonko, Jerzy. Equations for a one-component lattice gas with "Ising" interaction—118

Dalby, F. W. (see Bennett, R. G.)—434
Danford, M. D. (see Levy, H. A.)—1458
Das, T. P. and T. Ghose. Magnetic properties of water molecule—42
Daudel, R. (see Sung, S. S.)—553(L)
Davidson, Norman (see Duff, Russell E.)—1018
Davis, W. D. (see Rourke, F. M.)—193
Day, Stephen M. and Charles F. Squire. Nuclear relaxation in KI at liquid helium temperatures—1127(L)
Deal, R. M. and W. S. Koski. Inequality of the coupling constants of the hydrazyl nitrogens in DPPH—1138(L)
Dean, C. (see Baer, R.)—1690(L)
deBethune, Andre J. Reply to Dr. Bogdan Jakuszewski: Absolute electrode potential, experimental electrochemical free energy of hydration—847(L)
Debye, P. Angular dissymmetry of the critical opalescence in liquid mixtures—680
— and L. K. H. van Beek. Effect of adsorbed water on the optical transmission properties of isotropic powders —1595
De Carli, Paul S. and John C. Jamieson. Formation of an amorphous form of quartz under shock conditions—1675(L)
Decius, J. C. (see Maki, Arthur)—772
de Kowalewski, Dora G., Per Kökeritz, and Hans Selén. On the microwave spectrum and electric dipole moment of fluorobenzene—1438(L)
De Maeyer, L. (see Eigen, M.)—1134(L)
DeMaria, G., J. Drowart, and M. G. Inghram. Thermodynamic study of InSb with a mass spectrometer—1076
— (see Drowart, J.)—1131(L)
Devlin, J. P. (see Hisatsune, I. C.)—1130(L)
Devor, D. P. and R. C. Pastor. Crystal constituent effects. IV. Magnetic resonance and partition studies on Cr^{3+} in $Zn_3La_2(NO_3)_{12} \cdot 24H_2O$—1145(L)
DeVries, R. C. and G. W. Sears. Growth of aluminum oxide whiskers by vapor deposition—1256
Dharmatti, S. S. and C. R. Kanekar. Chemical shifts in the nuclear magnetic resonance of Co^{59} and the ligand field theory—1436(L)
Dibeler, Vernon H. and Robert M. Reese. Multiple ionization of sodium vapor by electron impact—282(L)
— (see Herron, John T.)—1662
— (see Wacks, Morton E.)—1557

Dieke, G. H. (see Varsanyi, F.)—1066
DiGiorgio, V. E. and G. Wilse Robinson. Rotational fine structure in the $^3A_2 - {}^1A_1$, $\pi^* - n$ transition of formaldehyde—1678(L)
Dininny, R. E. and E. L. Pace. Infrared spectrum and the fundamental frequency assignments for trifluoromethanethiol (CF_3SH)—1630
Ditter, Jerome F. (see Lehmann, Walter J.)—549(L)
Dixon, R. N. Anomalous band intensity in Fermi resonance—258
Dobbs, F. W. (see Waugh, J. S.)—1235
Dodgen, H. W. and R. E. Anderson. Nuclear quadrupole resonance in solid 1,2 dibromoethane—851(L)
Dorman, F. H., J. D. Morrison, and A. J. C. Nicholson. Probability of multiple ionization by electron impact—1335
Douglas, J. E., L. C. Bratt, and E. M. Kinderman. Peculiarities of ozone formation in electron irradiation of nitrogen-oxygen mixtures—1416(L)
Douglass, Dean C. Fine structure of the Cl_2 quadrupole resonance spectrum—504
—— and David W. McCall. Self-diffusion in water—569(L)
—— (see McCall, David W.)—860(L), 1555
Dowling, Jerome M. (see Gilbert, Robert L.)—1633
Dows, David A. Infrared spectrum of crystalline boron trifluoride—1637
—— (see Swenson, C. A.)—1324
Drew, Charles M. and Alvin S. Gordon. Reaction of acetylene with methyl radicals—1417(L)
Drickamer, H. G. (see Suchan, H. L.)—355, 856(L)
Drowart, J., R. P. Burns, G. DeMaria, and Mark G. Inghram. Mass spectrometric study of carbon vapor—1131(L)
—— (see DeMaria, G.)—1076
Duff, Russell E. and Norman Davidson. Calculation of reaction profiles behind steady state shock waves. II. The dissociation of air—1018

Eberly, J. H. (see Axtmann, R. C.)—850(L)
Ehrenson, S. J. (see Glick, R. E.)—567(L)
Ehrlich, Gert. Molecular dissociation and reconstitution on solids—1111
Eigen, M. and L. De Maeyer. Comment on the Letter of B. E. Conway and J. O'M. Bockris—1134(L)
Elder, Fred A. (see Hall, K. Lynn)—1420(L)
Ellis, A. J., W. S. Fyfe, R. I. Rutherford, A. Fischer, and J. Vaughan. Influence of pressure on the Hammett reaction constant—176
Ellison, Frank O. and Audrey L. Companion. Use of one-electron AO-product functions in calculations on the hydrogen molecule—285(L)
Engelbrecht, A. (see Lotspeich, J. F.)—633
Enomoto, Satoru (see Narita, Shoji)—1151
Erikson, Ted A. (see Tykodi, R. J.)—1510, 1521
Evans, J. C. Absorption spectrum of formamide vapor in the 2700-3700 cm^{-1} region—1435(L)
—— and J. C. Wahr. Thermodynamic and spectroscopic study of pyrrolidine. II. Vibrational spectra and configuration—655
Eve, J. (see Rushbrooke, G. S.)—1333
Evett, Arthur A. Comparison of exact and approximate energy levels for a hindered rotator—1419(L)
—— Hindered rotator model for adsorbed hydrogen at low temperatures—565(L)

Fang, P. H. and Irene A. Stegun. Absorption of radiation by a cylindrical sample of a strong absorber—267(L)
Farnsworth, H. E. (see George, T. H.)—89
Farrar, T. C. (see Stejskal, E. O.)—55
Fateley, William G., Henry A. Bent, and Bryce Crawford, Jr. Infrared spectra of the frozen oxides of nitrogen—204
Favero, Paolo, Anna Maria Mirri, and John G. Baker. Millimeter wave spectrum and structure of formyl fluoride—566(L)
Ferguson, E. E. and R. E. Kagarise. Infrared dispersion due to the asymmetric stretching vibration of CS_2—236
Fernandez, Jose and Ralph S. Becker. Unique luminescences of dry chlorophylls—467
Fessenden, Richard W. and J. S. Waugh. Strong coupling in nuclear resonance spectra. II. Field dependence of some unsymmetrical three-spin spectra—996
—— (see McConnell, Harden M.)—1688(L)
Fike, C. T. Energy levels of an asymmetric rotor—568(L)
Fischer, A. (see Ellis, A. J.)—176
Fletcher, N. H. Erratum: Size effect in heterogeneous nucleation—1136(L)
Foner, S. N., F. A. Mauer, and L. H. Bolz. Argon deposition on a 4.2°K surface—546(L)
Fontana, B. J. Magnetic study of the frozen products from the nitrogen microwave discharge—148
Forman, A., J. N. Murrell, and L. E. Orgel. Sign of the electron spin density on methyl protons in aromatic molecules—1129(L)
Forsén, Sture. Proton magnetic resonance spectra of symmetrical hydrogen bonds—852(L)
Forstat, H., G. Taylor, and B. R. King. Low-temperature heat capacity of azurite—929
—— (see Spence, R. D.)—555(L)
Fox, J. W., A. C. H. Smith, and E. J. Smith. Variation with temperature of the recombination of hydrogen atoms on metallic surfaces—265(L)
Frank, Henry S. and Peter T. Thompson. Fluctuations and the limit of validity of the Debye-Hückel theory—1086
Fraser, R. D. B. and T. P. Macrae. Hydrogen – deuterium exchange reaction in fribrous proteins. II—122
Friedel, R. A. Absorption spectra and magnetic resonance spectra of asphaltene—280(L)
Friedman, Alan H. (see Schoonmaker, Richard C.)—1586
Friedman, L., F. A. Long, and M. Wolfsberg. Variation of appearance potentials of alkane fragment ions with the repeller voltage of the mass spectrometer ion source—755
Frisch, H. L. (see Reiss, H.)—369
Fujimoto, Takehiko (see Shingu, Haruo)—556(L)
Fujita, Hiroshi. Concentration-dependent sedimentation in two-component systems, with reference to differential boundaries—5
Fukui, Kenichi, Chikayoshi Nagata, Teijiro Yonezawa, Hiroshi Kato, and Keiji Morokuma. Novel perturbation theory in simple LCAO treatment of conjugated molecules—method of perturbed secular determinant—287
——, Teijiro Yonezawa, and Chikayoshi Nagata. Reply to Comments on the "Frontier electron theory"—550(L)
Funke, P. T. (see Pollara, L. Z.)—855(L)
Furst, Milton and Hartmut Kallmann. Transfer of excitation energy and radiationless transitions—1134(L)
Fyfe, W. S. (see Ellis, A. J.)—176

Gager, W. B. and F. O. Rice. Paramagnetic resonance spectra of active species. Blue material from hydrozoic acid—564(L)
Gallup, G. A. and J. L. Koenig. Effect of change in moment of inertia on line intensities of parallel vibration-rotation bands of symmetric top molecules—548(L)
Gant, Preston L. (see Yang, Kang)—1589
Gardner, Donald G., Jeanne C. Gardner, George Laush, and W. Wayne Meinke. Method for the analysis of multicomponent exponential decay curves—978
Gardner, Jeanne C. (see Gardner, Donald G.)—978
George, T. H., H. E. Farnsworth, and R. E. Schlier. Some measurements of adsorption of nitrogen and oxygen on a (0001) titanium surface using low-energy electron diffraction—89
Gerhold, George (see Zeltmann, Alfred H.)—889
Gevantman, L. H. and J. F. Pestaner. Ferric ion yields in ferrous sulfate solutions irradiated with low-energy x-rays—1140(L)
Ghose, T. (see Das, T. P.)—42

Giddings, J. Calvin. Nonequilibrium kinetics and chromatography—1462
Giguère, Paul A. and David Chin. Reaction products of atomic hydrogen with solid ozone—1685(L)
Gilbert, Robert L., Edward A. Piotrowski, Jerome M. Dowling, and Forrest F. Cleveland. Substituted methanes. XXIX. Vibrational spectra, potential constants, and calculated thermodynamic properties for dibromochlorofluoromethane and bromodichlorofluoromethane—1633
Gingrich, N. S. (see Tompson, C. W.)—1598
Glassman, I. (see Crocco, L.)—506
Glick, R. E., D. F. Kates, and S. J. Ehrenson. Applicability of the macroscopic magnetic susceptibility model to solvent effects in proton nuclear magnetic resonance—567(L)
Goldsmith, G. J. and J. G. White. Ferroelectric behavior of thiourea—1175
Gomer, Robert. Field desorption—341
— (see Melmed, A. J.)—554(L)
Goodman, Lionel (see Brinen, J. S.)—482
Gordon, Alvin S. and James R. McNesby. Isomerization of primary *n*-alkyl free radicals—853(L)
— (see Drew, Charles M.)—1417(L)
Grant, D. M. (see Gutowsky, H. S.)—1278
Green, M. E. (see Albrecht, A. C.)—261(L)
Green, Mino. Electrochemistry of the semiconductor-electrolyte electrode. I. The electrical double layer—200
Greenwood, H. H. Comment on "Reply to the Comments on the 'Frontier electron theory' by Fukui, Yonezawa, and Nagata"—552(L)
Grønlund, Finn and Walter J. Moore. Heavy ions from a radio-frequency proton source—1132(L)
Grossweiner, L. I. and E. F. Zwicker. Primary processes in the photochemistry of eosin—1141(L)
Guenther, Arthur H. $3\nu_3$ band of $C^{12}S^{32}S^{34}$—1095
Gunning, H. E. (see Cvetanović, R. J.)—573(L)
Gutowsky, H. S. Isotope effects in high resolution NMR spectroscopy—1683(L)
—, Martin Karplus, and D. M. Grant. Angular dependence of electron-coupled proton interactions in CH_2 groups—1278
— (see Stejskal, E. O.)—55

Haarhoff, P. C. (see Pistorius, Carl W. F. T.)—1439
Hall, K. Lynn and Fred A. Elder. Some observations on biphenyl radiolysis—1420(L)
Halmann, M. (see Pinchas, S.)—1692(L)
Halpern, J. and A. C. Harkness. Spectra of some transition metal ions and complexes in D_2O—1147(L)
Hameka, Hendrik F. Theory of the electron spin resonance of benzene in the triplet state—315
Hamill, W. H. (see Magee, J. L.)—1380
Handler, G. S. (see Townsend, J. R.)—1689(L)
Hardwick, Thomas J. Measurement of the recombination of H and OH in γ-irradiated aqueous systems—226
Harkness, A. C. (see Halpern, J.)—1147(L)
Harrington, George (see Sundheim, Benson R.)—700
Harris, Frank E. (see Harris, Gilda Maki)—1450
Harris, Gilda Maki. Equilibrium properties of a multicomponent ionized gas—1211
— and Frank E. Harris. Valence bond calculation of the barrier to internal rotation in molecules—1450
Hawksworth, W. A. and C. J. G. Raw. Initial thermoelectric powers of the nonisothermal calomel cell—1421(L)
Hayward, D. O. (see Melmed, A. J.)—545(L)
Heikes, R. R. (see Miller, R. C.)—116
Heller, Wilfried and Masayuki Nakagaki. Theoretical investigations on the light scattering of colloidal spheres. VII. Dissymmetry in unpolarized and polarized light—1188
Helmholz, Lindsay. Paramagnetic resonance spectrum of the fluoroferrate ion, FeF_6^{---}—172
Henglein, A. and G. A. Muccini. Negative ion-molecule reactions—1426(L)
Herron, John T. and Vernon H. Dibeler. Studies of the evaporation of condensates containing nitrogen atoms—1662
Herschbach, Dudley R. Calculation of energy levels for internal torsion and over-all rotation. III—91
—, Harold S. Johnston, and Donald Rapp. Molecular partition functions in terms of local properties—1652
Hersh, Herbert N. Color centers in KI: Tl x-rayed at low temperatures—909
Hexter, R. M. (see Swenson, C. A.)—1324
Higuchi, Jiro. Note on the simple UAO-MO calculation of the CH_3^+ ion—563(L)
Hildebrand, Joel H. "Free volumes" in liquids—1423(L)
— (see Smith, E. Brian)—145
Hildebrandt, A. F., F. B. Booth, and C. A. Barth. Paramagnetic line widths in gaseous atomic hydrogen—273(L)
Hildenbrand, D. L., G. C. Sinke, R. A. McDonald, W. R. Kramer, and D. R. Stull. Thermodynamic and spectroscopic study of pyrrolidine. I. Thermodynamic properties in the solid, liquid, and vapor states—650
Hill, Emma D. (see Jennings, L. D.)—1240
Hilliard, John E. (see Cahn, John W.)—688
Hirota, Eizi (see Kikuchi, Yoshikazu)—1139(L)
Hirschfelder, Joseph O. (see Konowalow, Daniel D.)—1575
— (see Stogryn, Daniel E.)—1531, 1545
Hirshfeld, M. A. (see Kimel, S.)—81
Hirst, R. C. (see Bartell, L. S.)—449
Hisatsune, I. C. and J. P. Devlin. Existence of N_2O_4 isomers—1130(L)
Hodnett, Ernest M. Hydrogen isotope effect in the oxidation of benzyldehyde-α-t with aqueous acid chromate—275(L)
Hoffman, John D. (see Lauritzen, John I., Jr.)—1680(L)
Holm, Richard H. and F. Albert Cotton. Magnetic investigations of spin-free cobaltous complexes. I. Tetrahalo cobalt(II) ions—788
Horie, T., S. Watanabe, and K. Kurata. Statistical interpretation for abnormal rotation of OH* split from H_2O_2 by electron impact—783
Hörl, Erwin M. Electron bombardment of solid acetone—564(L)
— (see Peyron, M.)—846(L)
Horne, R. A. (see Lessoff, H.)—1141(L)
Hostettler, Hans U. and Richard B. Bernstein. Comparison of exp-6, L.-J.(12,6) and Sutherland potential functions applied to the calculation of differential scattering cross sections—1422(L)
Huffman, Robert E. (see Hunt, W. W., Jr.)—266(L)
Hunt, W. W., Jr., and Robert E. Huffman. Relationship between ionization potentials and atomic radii—266(L)
Hurst, R. P. (see Plâtas, O.)—501
Hutchison, Clyde A., Jr. (see Candela, George A.)—555(L)
Hyne, J. B. (see Saunders, M.)—270(L)

Ichinohe, Seiichiro (see Narita, Shoji)—1151
Ichishima, Isao (see Yamaguchi, Akiko)—843(L)
Ikeda, Toshio. Erratum: Thermal membrane potential—267(L)
Imanishi, Sunao (see Mitsuo, Ito)—1694(L)
Inami, Y. Harry and J. B. Ramsey. Spectroscopic evidence for the enhancement by dissolved salts of the mole ratio of the gauche to the trans form of ethylene chloride—1298
Inghram, Mark G. (see DeMaria, G.)—1076
— (see Drowart, J.)—1131(L)
Inuzuka, Kōzō (see Ito, Mitsuo)—1694(L)
Isobe, Taro (see Ito, Kazuo)—861(L)
Ito, Kazuo, Taro Isobe, and Kōzō Sone. Nuclear magnetic resonance spectra of 1,10-phenanthroline and some methylated 1,10-phenanthrolines—861(L)
Ito, Mitsuo, Kōzō Inuzuka, and Sunao Imanishi. Correlation between solvent-induced frequency shifts of the $n-\pi^*$ ultraviolet absorption and the infrared C=O band of ketones—1694(L)

Jackson, J. L. Dynamic stability of frozen radicals. I. Description and application of the model—154

— Dynamic stability of frozen radicals. II. The formal theory of the model—722
Jacobson, Robert A. and William N. Lipscomb. Molecular and crystal structure of B_3Cl_3. II. Solution of the three-dimensional structure—605
Jaffe, J. H. (see Kimel, S.)—81
Jain, D. V. S. (see Benson, Sidney W.)—1008
Jakuszewski, B. Some remarks concerning the Paper of A. J. deBethune about the absolute electrode potential —846(L)
James, Hubert M. and Thomas A. Keenan. Theory of phase transitions in solid heavy methane—12
James, Thomas C. and William Klemperer. Line intensities in the Raman effect of $^1\Sigma$ diatomic molecules—130
Jamieson, John C. (see De Carli, Paul S.)—1675(L)
Jarmain, W. R. Simplified analytical representation of Klein-Dunham potential energy functions—1137(L)
Jarrett, H. S. Generalization of crystal field theory to include covalent bonding—1579
Javan, A. (see Lotspeich, J. F.)—633
Jeffrey, G. A. (see McMullan, Richard)—1231
Jennings, L. D., Emma D. Hill, and F. H. Spedding. Heat capacity of samarium from 13 to 350°K—1240
Johnston, Harold S. (see Herschbach, Dudley R.)—1652
Johnston, W. D. (see Miller, R. C.)—116
Jones, Walter D. Hückel theory: an effective Hamiltonian —1317

Kagarise, R. E. Determination of absorption coefficients from infrared dispersion data—1258
— (see Ferguson, E. E.)—236
Kallmann, Hartmut (see Furst, Milton)—1134(L)
Kanekar, C. R. (see Dharmatti, S. S.)—1436(L)
Karo, Arnold M. Electron population analysis of LiH and HF—182
— Lattice vibrations in alkali halide crystals. I. Lithium and sodium halides—1489
— and Leland C. Allen. LCAO wave functions for hydrogen fluoride with Hartree-Fock atomic orbitals—968
Karplus, Martin (see Belford, R. Linn)—394
— (see Gutowsky, H. S.)—1278
Kaskan, Walter E. Abnormal excitation of OH in $H_2/O_2/N_2$ flames—944
Kates, D. F. (see Glick, R. E.)—567(L)
Kato, Hiroshi (see Fukui, Kenichi)—287
Kauder, Lois Nash, T. I. Taylor, and W. Spindel. Isotope enrichment factors for nitrogen-15 in the nitric oxide-nitric acid exchange system—232
Keeling, R. O., Jr. Cobalt K-absorption edges in supported cobalt-on-alumina and cobalt-on-silica catalysts—279(L)
Keenan, Thomas A. (see James, Hubert M.)—12
Keller, Seymour P. and George D. Pettit. Optical spectra of rare earth activated $BaTiO_3$—1272
Kersey, Y. (see Lessoff, H.)—1141(L)
Keyes, Robert W. Laws of corresponding states for the thermal conductivity of molecular solids—452
Khan, G. A. (see Spence, R. D.)—555(L)
Kikuchi, Yoshikazu, Eizi Hirota, and Yonezo Morino. Second-order quadrupole effect in the microwave spectrum of propargyl bromide—1139(L)
Kimel, S., M. A. Hirshfeld, and J. H. Jaffe. Pressure induced shifts of HCl absorption lines in the infrared—81
Kimura, Katsumi (see Sasaki, Yasushi)—477
Kinderman, E. M. (see Douglas, J. E.)—1416(L)
King, A. D., Jr. (see Robertson, W. W.)—473
King, B. R. (see Forstat, H.)—929
King, I. R. Comparison of ionization and electronic excitation in flames—855(L)
Kirkwood, John G. (see Rice, Stuart A.)—575, 901
Kisliuk, P. Calorimetric heat of adsorption-nitrogen on tungsten—1605
Kistiakowsky, G. B. (see Smith, F. T.)—621
Klein, Ralph. Adsorption, diffusion, and evaporation of carbon monoxide on tungsten—1306
— and Milton D. Scheer. Reaction of hydrogen atoms with solid oxygen at 20°K—278(L)
Klemperer, William (see James, Thomas C.)—130
Koenig, J. L. (see Gallup, G. A.)—548(L)
Kojima, Shoji, Midori Minematsu, and Makoto Tanaka. Nuclear quadrupole resonances of nitrogen in amino and amido compounds—271(L)
Kökeritz, Per (see de Kowalewski, Dora G.)—1438(L)
Konowalow, Daniel D., J. O. Hirschfelder, and Bruno Linder. Low-temperature, low-pressure transport coefficients for gaseous oxygen and sulfur atoms—1575
Korvezee, A. E. and J. L. Meijering. Validity and consequences of Schreinemakers' theorem on ternary distillation lines—308
Koski, W. S. (see Deal, R. M.)—1138(L)
Kozima, Kunio and Shinhachiro Saito. Nuclear quadrupole resonance of dichlorocyclohexanone—560(L)
Kramer, W. R. (see Hildenbrand, D. L.)—650
Krigbaum, W. R. and A. Roig. Dipole moments of atactic and isotactic polystyrene—544(L)
Krisher, Lawrence C. and E. Bright Wilson, Jr. Microwave spectrum of acetyl cyanide—882
— (see Pierce, Louis)—875
— (see Thaddeus, P.)—1677(L)
Krongelb, S. and M. W. P. Strandberg. Use of paramagnetic-resonance techniques in the study of atomic oxygen recombinations—1196
Kryder, S. J. (see Maryott, A. A.)—617
Kubo, Masaji (see Nakamura, Daiyu)—1433(L)
— (see Sasaki, Yasushi)—477
Kurata, K. (see Horie, T.)—783
Kurita, Yukio (see Nakamura, Daiyu)—1433(L)

Laurie, Victor W. Microwave spectrum and internal rotation of ethyl cyanide—1500
— and David R. Lide, Jr. Microwave spectrum and internal rotation of 1-chloro-2-butyne—939
Lauritzen, John I., Jr., and John D. Hoffman. Formation of polymer crystals with folded chains from dilute solution —1680(L)
Laush, George (see Gardner, Donald G.)—978
Lebowitz, J. L. (see Reiss, H.)—369
Lecar, H. (see Thaddeus, P.)—1677(L)
Lehmann, Walter J. and Jerome F. Ditter. Comment on "Infrared spectra of partially deuterated diboranes" —549(L)
—, C. O. Wilson, Jr., and I. Shapiro. Infrared spectra of trimethylborane-d_9 and triethylborane-d_{15}—1071
Lessoff, H., Y. Kersey, and R. A. Horne. Thermoelectric properties of some mixed oxides—1141(L)
Levengood, W. C. and T. S. Vong. Dislocation type defects in glass—1104
Levy, H. A., M. D. Danford, and P. A. Agron. X-ray diffraction study of bismuth polymer in aqueous perchlorate solution—1458
Lewis, W. Burton (see Candela, George A.)—555(L)
Lide, David R., Jr., and D. E. Mann. Microwave spectrum and structure of N_2F_4—1129(L)
—, Robert W. Taft, Jr., and Peter Love. Microwave absorption in the trimethylamine-trimethylboron addition complex—561(L)
— (see Laurie, Victor W.)—939
Linder, Bruno (see Konowalow, Daniel D.)—1575
Lipscomb, William N. (see Atoji, Masao)—601
— (see Jacobson, Robert A.)—605
— (see Reddy, Josina van der Maas)—610
Lipsky, Sanford and Milton Burton. Comparison of high-energy and ultraviolet-radiation induced luminescence in liquid systems—1221
Livingston, Peter M. and C. F. Curtiss. Kinetic theory of

nonspherical molecules. IV. Angular momentum transport coefficient—1643
Loehlin, J. H. (see Waugh, J. S.)—1434(L)
Long, F. A. (see Friedman, L.)—755
Longwell, J. P. (see Lucchesi, P. J.)—558(L)
Lotspeich, J. F. Quadrupole coupling and bond structure in ReO_3F, ReO_3Cl, and MnO_3F—643
—, A. Javan, and A. Engelbrecht. Microwave spectrum and structure of perrhenyl fluoride—633
Loubser, J. (see Thaddeus, P.)—1677(L)
Love, Peter (see Lide, David R., Jr.)—561(L)
Lucchesi, P. J., D. L. Baeder, J. P. Longwell, and M. C. Schroeder. Effect of neutron irradiation on the activity of silica-alumina catalyst for the double bond isomerization of butene-1—558(L)

Maček, Andrej. Transition from deflagration to detonation in cast explosives—162
Macrae, T. P. (see Fraser, R. D. B.)—122
Magee, J. L. and W. H. Hamill. Comparison of hot and thermal reactions—1380
Mahan, Bruce H. Stepwise formulation of the activation rate in unimolecular reactions—270(L)
Mahlman, H. A. Activity concept in radiation chemistry—993
Maisch, William G. (see Vanderslice, Joseph T.)—738
Maki, Arthur and J. C. Decius. Vibrational spectrum of cyanate ion in various alkali halide lattices—772
Mann, D. E. (see Lide, David R., Jr.)—1129(L)
Maradudin, A. A. and G. H. Weiss. Auxiliary integrals for lattice sums—1433(L)
Margrave, John L. Ionization potentials for C_2F_4, C_2F_3Cl, and $C_2F_2Cl_2$ and the appearance potential of CF_2^+ from C_2F_4—1432(L)
— and Richard P. Wendt. Ratio (C_p/C_v) for perchloryl fluoride from velocity of sound measurements—857(L)
— (see Scheffee, R. S.)—1682(L)
Marsden, D. G. H. Dissociation energies of SO and S_2
Maryott, A. A. and S. J. Kryder. Nonresonant microwave absorption and electric dipole moment of NO in the gaseous state—617
Mason, Edward A. and S. C. Saxena. Thermal conductivity of multicomponent gas mixtures. II—511
— and Joseph T. Vanderslice. Elastic scattering of slow ions in gases—594
— (see Vanderslice, Joseph T.)—738
Matsen, F. A. (see Platas, O.)—501
Mauer, F. A. (see Bolz, L. H.)—1005
— (see Foner, S. N.)—546(L)
Maurer, R. D. Effect of catalyst size in heterogeneous nucleation—444
Mayer, Joseph E. (see Baldursson, Steingrimur)—814
Mazur, J. and Robert J. Rubin. Quantum-mechanical calculation of the probability of an exchange reaction for constrained linear encounters—1395
McCall, David W. and Dean C. Douglass. Note on the melt configuration of polyethylene—860(L)
—, Dean C. Douglass, and Ernest W. Anderson. Diffusion in liquids—1555
— (see Douglass, Dean C.)—569(L)
McConnell, Harden M. and Richard W. Fessenden. Carbon-13 hyperfine splitting in $CH(COOH)_2$—1688(L)
— and Don D. Thompson. Molecular transfer of nonequilibrium nuclear spin magnetization—85
McDonald, R. A. (see Hildenbrand, D. L.)—650
McGrath, J. W., A. A. Silvidi, and J. C. Carroll. Proton magnetic resonance study of lithium sulfate monohydrate—1444
McKinney, Paul C. and Gordon M. Barrow. Chemical bond. III. A one-dimensional theory of the energetics and ionic character of the hydrogen bond—294
McMullan, Richard and G. A. Jeffrey. Hydrates of the tetra *n*-butyl and tetra *i*-amyl quaternary ammonium salts—1231
McNesby, James R. Photolysis of oxygen in solution in liquid nitrogen and in liquid carbon monoxide at 1849 A—283(L)
— (see Gordon, Alvin S.)—853(L)
Medrud, Ronald C. (see Atoji, Masao)—332
Meijering, J. L. (see Korvezee, A. E.)—308
Meinke, W. Wayne (see Gardner, Donald G.)—978
Meisels, G. G. On the participation of excited ions in ion-molecule reactions—284(L)
Mel, Howard C. New method of continuous free boundary electrophoresis—559(L)
Meller, F. (see Milberg, M. E.)—126
Melmed, A. J. and R. Gomer. Erratum: Field emission from metal whiskers—554(L)
— and D. O. Hayward. On the occurrence of fivefold rotational symmetry in metal whiskers—545(L)
Melton, C. E. and P. S. Rudolph. Negative ion mass spectra of hydrocarbons and alcohols—1485
Merrifield, R. E. Interaction of excitation waves in a one-dimensional crystal—522
Milberg, M. E. and F. Meller. Structure of vitreous $B_2O_3 \cdot \frac{1}{3} H_2O$—126
Miller, R. C., R. R. Heikes, and W. D. Johnston. Activation energy for hole motion in $Li_xNi_yCo_{1-x-y}O$—116
Mills, I. M. (see Randic, M.)—1681(L)
Minematsu, Midori (see Kojima, Shoji)—271(L)
Mirri, Anna Maria (see Favero, Paolo)—566(L)
Mitoff, S. P. Electrical conductivity of single crystals of MgO—1261
Mizushima, San-ichiro (see Suzuki, I.)—1437(L)
— (see Yamaguchi, Akiko)—843(L)
Moore, Walter J. (see Grønlund, Finn)—1132(L)
Morelock, C. R. and G. W. Sears. Growth mechanism of copper whiskers by hydrogen reduction of cuprous iodide—926
Morgan, H. W. (see Staats, P. A.)—553(L)
Morgan, L. O. and A. W. Nolle. Proton spin relaxation in aqueous solutions of paramagnetic ions. II. Cr^{+++}, Mn^{++}, Ni^{++}, Cu^{++}, and Gd^{+++}—365
Morino, Yonezo (see Kikuchi, Yoshikazu)—1139(L)
Morokuma, Keiji (see Fukui, Kenichi)—287
Morrison, J. D. and A. J. C. Nicholson. Probability of double ionization by electron impact for neon, argon, and xenon—1320
— (see Dorman, F. H.)—1335
Morrow, J. C., III (see Norman, Vello)—455
Morton, J. R. (see Costain, C. C.)—389
Moulton, W. G. (see Randall, J. L.)—730
Muccini, G. A. (see Henglein, A.)—1426(L)
Muller, Norbert and Donald E. Pritchard. C^{13} splittings in proton magnetic resonance spectra. I. Hydrocarbons—768
— and Donald E. Pritchard. C^{13} splittings in proton magnetic resonance spectra. II. Bonding in substituted methanes—1471
Mulliken, R. S. (see Wilkinson, P. G.)—674
Murrell, J. N. (see Forman, A.)—1129(L)

Nachtrieb, Norman H., Henry A. Resing, and Stuart A. Rice. Effect of pressure on self-diffusion in lead—135
— (see Rice, Stuart A.)—139
Nagai, Kazuo. Local steric hindrances and configurations of linear macromolecules in solutions. I. Formulation—1169
Nagata, Chikayoshi (see Fukui, Kenichi)—287, 550(L)
Nakagaki, Masayuki (see Heller, Wilfried)—1188
Nakamura, Daiyu, Yasuhiko Uehara, Yukio Kurita, and Masaji Kubo. Nuclear quadrupole resonance of bromine and iodine in mercuric bromide and potassium tetraiodomercurate—1433(L)

Naphtali, Leonard M. Complex chemical equilibria by minimizing free energy—263(L)
Narasimhan, P. T. and Max T. Rogers. Proton nuclear magnetic shielding and the diamagnetic anisotropy of C—C and C—H bonds in propane—1302
—— and Max T. Rogers. Relative signs of the mercury-proton spin-spin coupling constants in mercury diethyl —1430(L)
—— and Max T. Rogers. Signs of the proton spin-spin coupling constants in pure ethyl alcohol—1428(L)
Narita, Shoji, Seiichiro Ichinohe, and Satoru Enomoto. Infrared spectra of vinyl chloride and vinyl chloride-d_3 —1151
Nicholas, J. F. Apparent activation energy and frequency factor for a process involving competing mechanisms—922
Nicholson, A. J. C. (see Dorman, F. H.)—1335
—— (see Morrison, J. D.)—1320
Nikitin, E. E. and N. D. Sokolov. Theory of thermal second-order decomposition of molecules—1371
Noble, Gordon A. Paramagnetic resonance of *F* centers in potassium iodide—931
Nolle, A. W. (see Morgan, L. O.)—365
Norman, Vello and J. C. Morrow, III. Magnetic properties of some iridium complexes—455

Odajima, A., J. Sohma, and S. Watanabe. Nuclear magnetic resonance of water sorbed on fibrous materials—276(L)
Ogg, Richard A., Jr. (see Ray, James D.)—168
Ore, Aadne. Intermolecular energy transfer and concentration depolarization of fluorescent light—442
Orgel, L. E. (see Forman, A.)—1129(L)
Oriani, R. A. Contributions to the change in Knight shift upon the melting and alloying of the alkali metals—557(L)
Oudemans, G. J. and R. H. Cole. Dielectric constant and pair interactions in gaseous helium and argon—843(L)

Pace, E. L. (see Dininny, R. E.)—1630
Pappalardo, R. Ligand field theory and the absorption spectra of $MnCl_2$ and $MnBr_2$—1050
Parker, Paul M. and L. Carlton Brown. Computation of asymmetric rotator constants from energy moments. III. First-order centrifugal stretching effects—1227
Pastor, R. C. Crystal constituent effects. III. Partition of Ni^{++}—514
—— (see Devor, D. P.)—1145(L)
Peiser, H. S. (see Bolz, L. H.)—1005
Person, W. B. (see Swenson, C. A.)—1324
Pestaner, J. F. (see Gevantman, L. H.)—1140(L)
Peterlin, A. and M. Ribarič. Dynamic theory of electrosedimentation—759
Pettit, George D. (see Keller, Seymour P.)—1272
Peyron, M., E. M. Hörl, H. W. Brown, and H. P. Broida. Erratum: Spectroscopic evidence for triatomic nitrogen in solids at very low temperature—846(L)
Pierce, Louis. Internal rotation in double internal rotor molecules: the microwave spectrum of dimethyl silane —547(L)
—— and Lawrence C. Krisher. Microwave spectrum, internal barrier, structure, conformation, and dipole moment of acetyl fluoride—875
Pigoń, Krzysztof and Henryk Chojnacki. Ratio of ranges of free carriers in anthracene surface cell—272(L)
Pinchas, S., M. Halmann, and B. P. Stoicheff. Fundamental vibration frequencies of D_2O^{18} vapor—1692(L)
Piotrowski, Edward A. (see Gilbert, Robert L.)—1633
Pistorius, Carl W. F. T. Potential function of boric acid —1454
—— and P. C. Haarhoff. Vibrational assignment and potential field of iron pentacarbonyl—1439
Pitzer, K. S. (see Sinanoğlu, O.)—960
Platas, O., R. P. Hurst, and F. A. Matsen. Electronic structure of LiH ion—501
Plooster, Myron N. and Thomas B. Reed. Carbon-hydrogen-acetylene equilibrium at high temperatures—66
Plyler, E. K. (see Allen, Harry C., Jr.)—1062
Poindexter, Edward H. Overhauser effect in asphalt solutions—1477
Polanyi, J. C. Energy distribution among reagents and products of atomic reactions—1338
Pollara, L. Z. and P. T. Funke. Note on a new potential function—855(L)
Poole, Charles P., Jr., and Roy S. Anderson. Electron spin resonance of ultraviolet irradiated compounds. I. Unsaturated hydrocarbons—346
Porter, Richard F. (see Schoonmaker, Richard C.)—830, 1586
Potter, Robert L. Thermodynamic functions of some chlorine compounds—1100
Potts, W. J. (see Scherer, J. R.)—1691(L)
Present, R. D. On the velocity distribution in a chemically reacting gas—747
Price, Fraser P. Growth habit of single polymer crystals —1679(L)
Prigogine, I. and Thor A. Bak. Diffusion and chemical reaction in a one-dimensional condensed system—1368
Pritchard, Donald E. (see Muller, Norbert)—768, 1471
Pullman, Bernard. Remarks on "Reply to the Comments on 'Frontier electron theory' by Fukui, Yonezawa, and Nagata"—551(L)

Ramsay, D. A. (see Ballik, E. A.)—1128(L)
Ramsey, J. B. (see Inami, Y. Harry)—1298
Randall, J. L., W. G. Moulton, and W. B. Ard, Jr. Effects of crystalline defects on pure quadrupole resonances—730
Randic, M. and I. M. Mills. *G* matrix for XY_3—UW_3 and $WZXY_3$ molecules—1681(L)
Rank, D. H. (see Saksena, G. D.)—839
Rapp, Donald (see Herschbach, Dudley R.)—1652
Rauh, E. G. and R. J. Thorn. Thermionic properties of uranium—1481
Raw, C. J. G. (see Hawksworth, W. A.)—1421(L)
Ray, James D. and Richard A. Ogg, Jr. Thermodynamic properties of nitryl chloride—168
Reddy, Josina van der Maas and William N. Lipscomb. Molecular structure of $B_{10}H_{12}(CH_3CN)_2$—610
Redlich, Otto. Physically meaningful concepts—314
Reed, Thomas B. (see Plooster, Myron N.)—66
Reese, Robert M. (see Dibeler, Vernon H.)—282(L)
Reiss, H., H. L. Frisch, and J. L. Lebowitz. Statistical mechanics of rigid spheres—369
Resing, Henry A. (see Nachtrieb, Norman H.)—135
Ribarič, M. (see Peterlin, A.)—759
Rice, F. O. (see Gager, W. B.)—564(L)
Rice, O. K. Gas of hard nonattracting spheres—987
Rice, Stuart A. Statistical mechanical theory of transport processes. XIII. Kinetic theory of dense rigid sphere fluids—584
—— and John G. Kirkwood. On an approximate theory of transport in dense media—901
——, John G. Kirkwood, John Ross, and Robert W. Zwanzig. Statistical mechanical theory of transport processes. XII. Dense rigid sphere fluids—575
—— and Norman H. Nachtrieb. On the dynamical theory of diffusion in crystals. II. Pressure dependence of the self-diffusion constant—139
—— (see Nachtrieb, Norman H.)—135
Robben, Frank. Vibrational relaxation of nitric oxide—420
Robertson, W. W. and A. D. King, Jr. Spectroscopic evidence for long-range repulsive intermolecular forces—473
Robinson, G. Wilse (see DiGiorgio, V. E.)—1678(L)
Rogers, Max T. (see Narasimhan, P. T.)—1302, 1428(L), 1430(L)
Roig, A. (see Krigbaum, W. R.)—544(L)
Rosen, Gerald. *H* theorems for one-dimensional combustion of a gas—253

Rosenberg, Barnett. Photoconduction and cis-trans isomerism in β-carotene—238
Ross, John (see Rice, Stuart A.)—575
Roth, Walter. Resonance radiation behind shock waves in Xe—844(L)
—— Vibrational relaxation of CN in the shock tube—720; erratum—1683(L)
Rothe, Erhard W. and Richard B. Bernstein. Total collision cross sections for the interaction of atomic beams of alkali metals with gases—1619
Rourke, F. M., J. C. Sheffield, W. D. Davis, and F. A. White. Charge permutation and dissociation of molecular ions by impact with neutral molecules—193
Rubin, Robert J. (see Mazur, J.)—1395
Rucker, Sylvia M. (see Wall, Frederick T.)—1640
Rudolph, P. S. (see Melton, C. E.)—1485
Runciman, W. A. and B. G. Wybourne. Spectra of trivalent praseodymium and thulium ions—1149(L)
Rushbrooke, G. S. and J. Eve. On noncrossing lattice polygons—1333
Rutherford, R. I. (see Ellis, A. J.)—176

Saito, Shinhachiro (see Kozima, Kunio)—560(L)
Saksena, G. D., T. A. Wiggins, and D. H. Rank. Molecular constants of carbonyl sulfide and a coriolis perturbation—839
Salwen, Harold and John Trischka. Dipole moment function of $CO(^1\Sigma^+)$—541
—— (see Trischka, John)—218
Sasaki, Yasushi, Katsumi Kimura, and Masaji Kubo. Electron diffraction investigation of triphenylamine—477
Saunders, M. and J. B. Hyne. Hydrogen bonded species in alcohols—270(L)
Saxena, S. C. (see Mason, E. A.)—511
Sayre, Edward V. Absorption spectra at 4°K of single crystals of normal and isotopically substituted sodium and potassium nitrates—73
Schatz, P. N. Relation between dispersion and intensity measurements in pure liquids—1146(L)
Scheer, Milton D. (see Klein, Ralph)—278(L)
Scheffee, R. S. and J. L. Margrave. Vapor pressure equations for species over solid and liquid LiF—1682(L)
Scherer, J. R. and W. J. Potts. Assignment of the vinyl fluoride wagging modes—1691(L)
Scherr, Charles W. Note on a Paper by B. F. Gray—548(L)
Schiff, H. I. (see Cloutier, G. G.)—793
Schirber, J. E. (see Atoji, Masao)—1628
Schlier, R. E. (see George, T. H.)—89
Schmidt, Paul W. (see Bale, Harold D.)—1612
Schneider, W. G. (see Barfield, R. N.)—488
Schoonmaker, Richard C., Alan H. Friedman, and Richard F. Porter. Mass spectrometric and thermodynamic study of gaseous transition metal (II) halides—1586
—— and Richard F. Porter. Mass spectrometric study of alkali hydroxide vapors—830
Schroeder, M. C. (see Lucchesi, P. J.)—558(L)
Searcy, Alan W. Prediction of isomeric form and bond angles for covalent molecules and ions—1
Sears, Gerald W. Growth mechanism for graphite whiskers—358
—— Twist in lithium fluoride whiskers—53
—— Two-dimensional nucleation of noncoherent layers—157
—— (see DeVries, R. C.)—1256
—— (see Morelock, C. R.)—926
Selén, Hans (see de Kowalewski, Dora G.)—1438(L)
Shapiro, I. (see Lehmann, W. J.)—1071
Shavitt, Isaiah. A calculation of the rates of the ortho-para conversions and isotope exchanges in hydrogen—1359
Shaw, Thomas M. Effect of water vapor on the dissociation of hydrogen in an electrical discharge—1142(L)
Sheffield, J. C. (see Rourke, F. M.)—193
Shimanouchi, Takehiko (see Suzuki, I.)—1437(L)
—— (see Yamaguchi, Akiko)—843(L)
Shingu, Haruo and Takehiko Fujimoto. Empirical correlation between molecular structure and zero-point energies in hydrocarbons—556(L)
Shoemaker, D. P. (see Waugh, J. S.)—1434(L)
Shoolery, J. N. Dependence of C^{13}-proton spin coupling constants on s character of the bond—1427(L)
Shuler, Kurt E. Vibrational distribution functions in bimolecular dissociation reactions—1375
Shuler, W. E. (see Axtmann, R. C.)—850(L)
Silver, A. H. and P. J. Bray. Nuclear magnetic resonance study of boron carbide—247
Silvidi, A. A. (see McGrath, J. W.)—1444
Sinanoğlu, O. and K. S. Pitzer. Equation of state and thermodynamic properties of gases at high temperatures. I. Diatomic molecules—960
Sinke, G. C. (see Hildenbrand, D. L.)—650
Skapski, Adam S. Capillary relation between temperature and size of ice particles in clouds—573(L)
——, R. Billups, and D. Casavant. Interfacial tension solid-liquid of benzene—1431(L)
Skinner, Gordon B. Limitations of the reflected shock technique for studying fast chemical reactions—268(L)
Smith, A. C. H. (see Fox, J. W.)—265(L)
Smith, E. Brian and Joel H. Hildebrand. Liquid isochores and derived functions of n-C_7F_{16}, c-$C_8F_{11}CF_3$, c-$C_4Cl_2F_6$, n-2,2,3$C_4Cl_3F_7$, $CCl_2F \cdot CCl_2F$, and CCl_4—145
Smith, E. J. (see Fox, J. W.)—265(L)
Smith, Felix T. Participation of vibration in exchange reactions—1352
—— and G. B. Kistiakowsky. Kinetics of coordinate bond formation. III. Method of temperature patterns and the reaction $NH_3 + BF_3$—621
Smith, I. E. (see Crocco, L.)—506
Sohma, J. (see Odajima, A.)—276(L)
Sokolov, N. D. (see Nikitin, E. E.)—1371
Somayajulu, G. R. Lengths of CC "single" bonds and radii of hybrid orbitals of carbon—919
Sone, Kôzô (see Ito, Kazuo)—861(L)
Spedding, F. H. (see Jennings, L. D.)—1240
Spence, R. D., H. Forstat, G. A. Khan, and G. Taylor. Antiferromagnetism in $NiBr_2 \cdot 6H_2O$—555(L)
Spindel, W. (see Kauder, Lois Nash)—232
Squire, Charles F. (see Day, Stephen M.)—1127(L)
Staats, P. A. and H. W. Morgan. Infrared spectra of solid ammonia—553(L)
Steacie, E. W. R. (see Cvetanović, R. J.)—573(L)
Steel, Colin. High frequency factors in unimolecular reactions—899
Stegun, Irene A. (see Fang, P. H.)—267(L)
Stejskal, E. O., D. E. Woessner, T. C. Farrar, and H. S. Gutowsky. Proton magnetic resonance of the CH_3 group. V. Temperature dependence of T_1 in several molecular crystals—55
Stephen, M. J. and J. P. Auffray. Hyperfine interaction and quadrupole coupling constant in the hydrogen molecule ion—1329
Stern, S. Alexander (see Waterman, P. C.)—405
Stewart, James E. Erratum: Vibrational spectra of primary and secondary aliphatic amines—1136(L)
Stogryn, Daniel E. and Joseph O. Hirschfelder. Contribution of bound, metastable, and free molecules to the second virial coefficient and some properties of double molecules—1531
—— and Joseph O. Hirschfelder. Initial pressure dependence of thermal conductivity and viscosity—1545
Stoicheff, B. P. (see Pinchas, S.)—1692(L)
Storey, William H., Jr. (see Truby, Frank K.)—857(L)
Stout, J. W. Absorption spectrum of manganous fluoride—709
Strandberg, M. W. P. (see Krongelb, S.)—1196
Stull, D. R. (see Hildenbrand, D. L.)—650
Suchan, H. L. and H. G. Drickamer. Two pressure induced phase transitions in triglycine sulfate—856(L)

—, S. Wiederhorn, and H. G. Drickamer. Effect of pressure on the absorption edges of certain elements—355
Sundheim, Benson R. and George Harrington. Absorption spectrum of $NiCl_2$ in molten LiCl/KCl—700
— (see Cafasso, Fred)—809
Sung, S. S., O. Chalvet, and R. Daudel. Comments on a Letter by Fukui—553(L)
Suzuki, I., M. Tsuboi, T. Shimanouchi, and S. Mizushima. Interaction between benzene and *N*-monosubstituted amides—1437(L)
Swalen, J. D. and C. C. Costain. Internal rotation in molecules with two internal rotors: microwave spectrum of acetone—1562
Swenson, C. A., W. B. Person, D. A. Dows, and R. M. Hexter. Infrared studies of crystal benzene. I. The resolution and assignment of ν_{20}, and the relative magnitudes of crystal fields in benzene—1324
— (see Atoji, Masao)—1628

Taft, Robert W., Jr. (see Lide, David R., Jr.)—561(L)
Tanaka, Makoto (see Kojima, Shoji)—271(L)
Taylor, G. (see Forstat, H.)—929
— (see Spence, R. D.)—555(L)
Taylor, Robert C. (see Vaughan, Wyman R.)—1425(L)
Taylor, T. I. and John C. Clarke. Exchange of nitric oxide with water in nitric acid solutions as a means of concentrating oxygen-18—277(L)
— (see Kauder, Lois Nash)—232
Thaddeus, P., J. Loubser, L. Krisher, and H. Lecar. Beam maser spectroscopy on formaldehyde—1677(L)
Thompson, Don D. (see McConnell, Harden M.)—85
Thompson, Peter T. (see Frank, Henry S.)—1086
Thorn, R. J. (see Rauh, E. G.)—1481
Tietz, T. Atomic form factor of an electron in the Thomas-Fermi-atom—1686(L)
— On the variation of the diamagnetic susceptibility of water with temperature in the Thomas-Fermi model—274(L)
Tobolsky, Arthur V. Expected square of the length of a hydrocarbon-type chain—387
Tompson, C. W. and N. S. Gingrich. Atomic distributions in liquid, plastic, and crystalline sulfur—1598
Townsend, J. R. and G. S. Handler. Relaxation solution of the Thomas-Fermi atomic equation—1689(L)
Trischka, John and Harold Salwen. Dipole moment function of diatomic molecules—218
— (see Salwen, Harold)—541
Truby, Frank K. and William H. Storey, Jr. Radiation induced free radicals in lactose—857(L)
Tsuboi, M. (see Suzuki, I.)—1437(L)
Turnbull, David (see Cohen, Morrel H.)—1164
Twomey, S. Nucleation of ammonium chloride particles from hydrogen chloride and ammonia in air—1684(L)
Tykodi, R. J. Thermodynamics, stationary states, and steady-rate processes. I. Introduction and migrational equilibrium in isothermal and monothermal fields—1506
— Thermodynamics, stationary states, and steady-rate processes. III. The thermocouple revisited—1517
— and Ted A. Erikson. Thermodynamics, stationary states, and steady-rate processes. II. Migrational equilibrium in thermal fields—1510
— and Ted A. Erikson. Thermodynamics, stationary states, and steady-rate processes. IV. Steady monothermal rate processes—1521

Uehara, Yasuhiko (see Nakamura, Daiyu)—1433(L)

van Beek, L. K. H. (see Debye, P.)—1595
Vanderslice, Joseph T., Edward A. Mason, and William G. Maisch. Interactions between oxygen and nitrogen: O—N, O—N_2, and O_2—N_2—738
— (see Mason, Edward A.)—594
Varney, Robert N. Molecular ions—1314
Varsanyi, F. and G. H. Dieke. Monochromatically excited fluorescence in rare earth salts—1066
Vaughan, J. (see Ellis, A. J.)—176
Vaughan, Wyman R. and Robert C. Taylor. NMR spectra of normal and deuterated methylacetylenes—1425(L)
Vong, T. S. (see Levengood, W. C.)—1104
von Roos, Oldwig. Liouville's equation for a weakly interacting gas possessing internal degrees of freedom—1415(L)

Wacks, Morton E. and Vernon H. Dibeler. Electron impact studies of aromatic hydrocarbons. I. Benzene, naphthalene, anthracene, and phenanthrene—1557
Wada, Akiyoshi. Dielectric properties of polypeptide solutions. IV. Several problems on the electric dipole moment of the α-helix—495
Wahr, J. C. (see Evans, J. C.)—655
Wainwright, T. E. (see Alder, B. J.)—459
Walker, R. E. and A. A. Westenberg. Molecular diffusion studies in gases at high temperature. III. Results and interpretation of the He—A system—519
Wall, Frederick T., James A. Cote, and Sylvia M. Rucker. Ion binding by spherical polyelectrolyte molecules—1640
Walnut, Thomas H. On the use of harmonic oscillator wave functions in the treatment of anharmonic crystals—361
— Use of the self-consistent field in the treatment of the vibrations of crystals—1468
Ward, I. M. Nuclear magnetic relaxation in polyethylene deuteroterephthalate—858(L)
Watanabe, S. (see Horie, T.)—783
— (see Odajima, A.)—276(L)
Waterman, P. C. and S. Alexander Stern. Separation of gas mixtures in a supersonic jet—405
Waugh, J. S. and F. W. Dobbs. Strong coupling in nuclear resonance spectra. III. Systems containing many equivalent spins—1235
—, J. H. Loehlin, F. A. Cotton, and D. P. Shoemaker. Barrier to rotation about the metal-cyclopentadienyl bond—1434(L)
— (see Fessenden, R. W.)—996
Weatherly, T. L. (see Clayton, Lorimer)—554(L)
Weil, John A. (see Anderson, John H.)—427
Weinberg, I. (see Corio, P. L.)—569(L)
Weinstock, Bernard and Howard H. Claassen. Jahn-Teller effect in the vibrational spectra of hexafluorides—262(L)
Weiss, G. H. (see Maradudin, A. A.)—1433(L)
Weltner, William, Jr. Polytypism and the origin of the potential barrier hindering internal rotation in molecules—264(L)
Wendt, Richard P. (see Margrave, John L.)—857(L)
Wentink, T., Jr., and S. H. Bauer. Triatomic linear molecules containing carbon and oxygen, sulfur, selenium, or tellurium. III. Absolute intensity of the σ_3 band of CSe_2—834
Westenberg, A. A. (see Walker, R. E.)—519
Weston, Ralph E., Jr. H_3 activated complex and the rate of reaction of hydrogen atoms with hydrogen molecules—892
White, F. A. (see Rourke, F. M.)—193
White, J. G. (see Goldsmith, G. J.)—1175
White, P. (see Benson, G. C.)—109
Wickersheim, Kenneth A. Infrared absorption spectrum of lithium hydroxide—863
Widom, B. Collision theory of the kinetics of dissociation of diatomic molecules—1027
— Mean-first-passage times and the collision theory of bimolecular reactions—1387
Wiederhorn, S. (see Suchan, H. L.)—355
Wiggins, T. A. (see Saksena, G. D.)—839
Wilkins, Roger L. and Robert L. Altman. Thermodynamic properties of some boron-oxygen-hydrogen compounds—337
Wilkinson, P. G. and R. S. Mulliken. Forbidden band sys-

tems in nitrogen. II. The $a'^1\Sigma_u^- - X^1\Sigma_g^+$ system in absorption—674
Williams, Donald E. (see Atoji, Masao)—329
Williams, Quitman (see Clayton, Lorimer)—554(L)
Wilson, C. O., Jr. (see Lehmann, W. J.)—1071
Wilson, E. Bright, Jr. (see Krisher, Lawrence C.)—882
Windle, J. J. Single crystal electron spin resonance spectra for x-irradiated glycine—859(L)
Wise, Henry. Diffusion coefficient of atomic hydrogen through multicomponent mixtures—1414(L)
—— (see Wood, Bernard J.)—265(L)
Woessner, D. E. (see Stejskal, E. O.)—55
Wolcott, Norman M. Debye θ of hexagonal crystals at 0°K—536
Wolfsberg, M. (see Friedman, L.)—755
Wood, Bernard J. and Henry Wise. Catalytic activity of solids for hydrogen-atom recombination—265(L)
Wulfman, Carl E. Semiquantitative united-atom treatment and the shape of triatomic molecules—381
Wybourne, B. G. (see Runciman, W. A.)—1149(L)

Yamaguchi, Akiko, Isao Ichishima, Takehiko Shimanouchi, and San-ichiro Mizushima. Far infrared spectrum of hydrazine—843(L)
Yang, Kang and Preston L. Gant. Reactions initiated by β decay of tritium. II. The tritium-ethylene system—1589
Yonezawa, Teijiro (see Fukui, Kenichi)—287, 550(L)

Zeltmann, Alfred H. and George Gerhold. Equilibrium in the exchange of hydrogen between arsine and water—889
Zimm, B. H. and J. K. Bragg. Theory of the phase transition between helix and random coil in polypeptide chains—526
Zwanzig, Robert W. (see Rice, Stuart A.)—575
Zwicker, E. F. (see Grossweiner, L. I.)—1141(L)

Analytic Subject Index to Volume 31

(References with (L) are to Letters to the Editor)

Absorption Spectra

Infrared

Absorption spectrum of formamide vapor in the 2700-3700 cm^{-1} region, J. C. Evans—1435(L)

Absorption spectrum of UF_+ and the energy levels of uranium V, John G. Conway—1002

Comment on "Infrared spectra of partially deuterated diboranes," Walter J. Lehmann and Jerome F. Ditter —549(L)

Determination of absorption coefficients from infrared dispersion data, R. E. Kagarise—1258

Effect of change in moment of inertia on line intensities of parallel vibration-rotation bands of symmetric top molecules, G. A. Gallup and J. L. Koenig—548(L)

Erratum: Vibrational spectra of primary and secondary aliphatic amines, [J. Chem. Phys. 30, 1259 (1959)], James E. Stewart—1136(L)

Ethane carbon-carbon distance obtained from infrared spectra, Harry C. Allen, Jr. and E. K. Plyler—1062

Evidence for a low-lying second potential minimum in hydrogen bonded systems, Charles L. Bell and Gordon M. Barrow—1158

Existence of N_2O_4 isomers, I. C. Hisatsune and J. P. Devlin—1130(L)

Far infrared spectrum of hydrazine, Akiko Yamaguchi, Isao Ichishima, Takehiko Shimanouchi and San-ichiro Mizushima—843(L)

Fundamental vibration frequencies of D_2O^{18} vapor, S. Pinchas, M. Halmann and B. P. Stoicheff—1692(L)

Infrared absorption spectrum of lithium hydroxide, Kenneth A. Wickersheim—863

Infrared dispersion due to the asymmetric stretching vibration of CS_2, E. E. Ferguson and R. E. Kagarise—236

Infrared spectra of solid ammonia, P. A. Staats and H. W. Morgan—553(L)

Infrared spectra of the frozen oxides of nitrogen, William G. Fateley, Henry A. Bent and Bryce Crawford, Jr.—204

Infrared spectra of trimethylborane-d_9 and triethylborane-d_{15}, W. J. Lehmann, C. O. Wilson, Jr., and I. Shapiro —1071

Infrared spectra of vinyl chloride and vinyl chloride-d_3, Shoji Narita, Seiichiro Ichinohe, and Satoru Enomoto —1151

Infrared spectrum and the fundamental frequency assignments for trifluoromethanethiol (CF_3SH), R. E. Dinninny and E. L. Pace—1630

Infrared spectrum of crystalline boron trifluoride, David A. Dows—1637

Infrared studies of crystal benzene. I. The resolution and assignment of ν_{20}, and the relative magnitudes of crystal fields in benzene, C. A. Swenson, W. B. Person, D. A. Dows, and R. M. Hexter—1324

Interaction between benzene and N-monosubstituted amides, I. Suzuki, M. Tsuboi, T. Shimanouchi, and S. Mizushima—1437(L)

Molecular constants of carbonyl sulfide and a coriolis perturbation, G. D. Saksena, T. A. Wiggins and D. H. Rank—839

Near infrared spectra of crystalline alkali hydroxides, Robert A. Buchanan—870

Pressure induced shifts of HCl absorption lines in the infrared, S. Kimel, M. A. Hirshfeld and J. H. Jaffe—81

Spectroscopic evidence for the enhancement by dissolved salts of the mole ratio of the gauche to the trans form of ethylene chloride, Y. Harry Inami and J. B. Ramsey—1297

Substituted methanes. XXIX. Vibrational spectra, potential constants, and calculated thermodynamic properties for dibromochlorofluoromethane and bromodichlorofluoromethane, Robert L. Gilbert, Edward A. Piotrowski, Jerome M. Dowling and Forrest F. Cleveland—1633

Thermodynamic and spectroscopic study of pyrrolidine. I. Thermodynamic properties in the solid, liquid and vapor states, D. L. Hildenbrand, G. C. Sinke, R. A. McDonald, W. R. Kramer and D. R. Stull—650

Thermodynamic and spectroscopic study of pyrrolidine. II. Vibrational spectra and configuration, J. C. Evans and J. C. Wahr—655

The $3\nu_3$ band of $C^{12}S^{32}S^{34}$, Arthur H. Guenther—1095

Triatomic linear molecules containing carbon and oxygen, sulfur, selenium, or tellurium. III. Absolute intensity of σ_3 of CSe_2, T. Wentink, Jr. and S. H. Bauer—834

Vibrational spectrum of cyanate ion in various alkali halide lattices, Arthur Maki and J. C. Decius—772

Microwave

Calculation of energy levels for internal torsion and overall rotation. III. Dudley R. Herschbach—91

Erratum: Nitryl chloride molecular constants from microwave spectrum analysis [J. Chem. Phys. 30, 1328 (1959)], Lorimer Clayton, Quitman Williams, and T. L. Weatherly—554(L)

Internal rotation in double internal rotor molecules: The microwave spectrum of dimethyl silane, Louis Pierce —547(L)

Internal rotation in molecules with two internal rotors: Microwave spectrum of acetone, J. D. Swalen and C. C. Costain—1562

Magnetic resonance and partition studies on Cr^{+3} in $Zn_3La_2(NO_3)_{12}\cdot 24H_2O$, D. P. Devor and R. C. Pastor —1145(L)

Microwave absorption in the trimethylamine-trimethylboron addition complex, David R. Lide, Jr., Robert W. Taft, Jr., and Peter Love—561(L)

Microwave spectrum and internal rotation of ethyl cyanide, Victor W. Laurie—1500

Microwave spectrum and internal rotation of 1-chloro-2-butyne, Victor W. Laurie and David R. Lide, Jr.—939

Microwave spectrum and structure of N_2F_4, David R. Lide, Jr., and D. E. Mann—1129(L)

Microwave spectrum and structure of perrhenyl fluoride, J. F. Lotspeich, A. Javan and A. Engelbrecht—633

Microwave spectrum and structure of propynal (H-C ≡ C-CHO), C. C. Costain and J. R. Morton—389

Microwave spectrum, internal barrier, structure, conformation, and dipole moment of acetyl fluoride, Louis Pierce and Lawrence C. Krisher—875

Microwave spectrum of acetyl cyanide, Lawrence C. Krisher and E. Bright Wilson, Jr.—882

Millimeter wave spectrum and structure of formyl fluoride, Paolo Favero, Anna Marie Mirri and John G. Baker—566(L)

Molecular constants of carbonyl sulfide and a coriolis perturbation, G. D. Saksena, T. A. Wiggins and D. H. Rank—839

Nonresonant microwave absorption and electric dipole

moment of NO in the gaseous state, A. A. Maryott and S. J. Kryder—617

On the microwave spectrum and electric dipole moment of fluorobenzene, Dora G. de Kowalewski, Peter Kökeritz and Hans Selén—1438(L)

Quadrupole coupling and bond structure in ReO_3F, ReO_3Cl, and MnO_3F, J. F. Lotspeich—643

Second-order quadrupole effect in the microwave spectrum of propargyl bromide, Yoshikazu Kikuchi, Eizi Hirota and Yonezo Morino—1139(L)

Stark effect at 0.93, 1.18, and 1.5 millimeters wavelength DCl, DBr and DI, C. A. Burrus—1270

of Crystals

Absorption spectra at 4°K of single crystals of normal and isotopically substituted sodium and potassium nitrates, Edward V. Sayre—73

Absorption spectrum of manganous fluoride, J. W. Stout —709

Color centers in KI : Tl x-rayed at low temperatures, Herbert N. Hersh—909

Infrared absorption spectrum of lithium hydroxide, Kenneth A. Wickersheim—863

Infrared spectra of solid ammonia, P. A. Staats and H. W. Morgan—553(L)

Infrared spectrum of crystalline boron trifluoride, David A. Dows—1637

Infrared studies of crystal benzene. I. The resolution and assignment of ν_{20}, and the relative magnitudes of crystal fields in benzene, C. A. Swenson, W. B. Person, D. A. Dows and R. M. Hexter—1324

Ligand field theory and the absorption spectra of $MnCl_2$ and $MnBr_2$, R. Pappalardo—1050

Near infrared spectra of crystalline alkali hydroxides, Robert A. Buchanan—870

Optical spectra of rare earth activated $BaTiO_3$, Seymour P. Keller and George D. Pettit—1272

Spectra of trivalent praseodymium and thulium ions, W. A. Runciman and B. G. Wybourne—1149(L)

Two pressure induced phase transitions in triglycine sulfate, H. L. Suchan and H. G. Drickamer—856(L)

Vibrational spectrum of cyanate ion in various alkali halide lattices. Arthur Maki and J. C. Decius—772

Visible or Ultraviolet

Absorption spectra and magnetic resonance spectra of asphaltene, R. A. Friedel—280(L)

Absorption spectra at 4°K of single crystals of normal and isotopically substituted sodium and potassium nitrates, Edward V. Sayre—73

Absorption spectrum of manganous fluoride, J. W. Stout —709

Absorption spectrum of NiCl in molten LiCl/KCl, Benson R. Sundheim and George Harrington—700

Absorption spectrum of UF_4 and the energy levels of uranium V, John G. Conway—1002

Anomalous band intensity in Fermi resonance, R. N. Dixon—258

Chemical bond III: A one dimensional theory of the energetics and ionic character of the hydrogen bond, Paul C. McKinney and Gordon M. Barrow—294

Color centers in KI : Tl x-rayed at low temperatures, Herbert N. Hersh—909

Correlation between solvent-induced frequency shifts of the $n - \pi^*$ ultraviolet absorption and the infrared C = 0 band of ketones, Mitsuo Ito, Kozo Inuzuka and Sunao Imanishi—1694(L)

Effect of pressure on the absorption edges of certain elements, H. L. Suchan, S. Wiederhorn and H. G. Drickamer—355

Forbidden band systems in nitrogen. II. The $a'\ ^1\Sigma_u^- - X\ ^1\Sigma_g^+$ system in absorption, P. G. Wilkinson and R. S. Mulliken—674

Ground state of the C_2 molecule, E. A. Ballik and D. A. Ramsay—1128(L)

Hydrogen bond: An experimental verification of the double minimum potential, Charles L. Bell and Gordon M. Barrow—300

Ligand field theory and the absorption spectra of $MnCl_2$ and $MnBr_2$, R. Pappalardo—1050

Ligand influence upon radial wave functions, R. Linn Belford and M. Karplus—394

Oscillator strengths in the far ultraviolet. I. Nitric oxide, George W. Bethke—662

Oscillator strengths in the far ultraviolet. II. Oxygen Schumann-Runge bands, George W. Bethke—669

Rotational fine structure in the $^3A_2 - {}^1A_1$, $\pi^* - n$ transition of formaldehyde, V. E. DiGiorgio and G. Wilse Robinson—1678(L)

Sequence and spacing of $n - \pi$ transitions in *s*-triazine, J. S. Brinen and Lionel Goodman—482

Solutions of alkali metals in polyethers. I., Fred Cafasso and Benson R. Sundheim—809

Spectra of some transition metal ions and complexes in D_2O, J. Halpern and A. C. Harkness—1147(L)

Spectroscopic evidence for long-range repulsive intermolecular forces, W. W. Robertson and A. D. King, Jr. —473

Statistical interpretation for abnormal rotation of OH split from H_2O_2 by electron impact, T. Horie, S. Watanabe and K. Kurata—783

Adsorption (see Surface Phenomena)

Apparatus and Methods

Absorption of radiation by a cylindrical sample of a strong absorber, P. H. Fang and Irene A. Stegun—267(L)

Dynamical theory of electrosedimentation, A. Peterlin and M. Ribarič—759

Energy levels of an asymmetric rotor, C. T. Fike—568(L)

Kinetics and mechanism of ethylene oxide decomposition at high temperatures, L. Crocco, I. Glassman and I. E. Smith—506

New method of continuous free boundary electrophoresis, Howard C. Mel—559(L)

Noncrossing lattice polygons, G. S. Rushbrooke and J. Eve—1333

Note on a paper by B. F. Gray, Charles W. Scherr—548(L)

Oscillator strengths in the far ultraviolet. I. Nitric oxide, George W. Bethke—662

Rapid procedure for rigorous analysis of electron diffraction data, R. A. Bonham and L. S. Bartell—702

Beams, Atomic and Molecular

Beam maser spectroscopy on formaldehyde, P. Thaddeus, J. Loubser, L. Krisher and H. Lecar—1677(L)

Heavy ions from a radiofrequency proton source, Finn Grønlund and Walter J. Moore—1132(L)

Total collision cross sections for the interaction of atomic beams of alkali metals with gases, Erhard W. Rothe and Richard B. Bernstein—1619

Catalysis

Cobalt *K*-absorption edges in supported cobalt-on-alumina and cobalt-on-silica catalysts, R. O. Keeling, Jr.—279(L)

Effect of catalyst size in heterogeneous nucleation, R. D. Maurer—444

Effect of neutron irradiation on the activity of silica-alumina catalyst for the double bond isomerization of butene-1, P. J. Lucchesi, D. L. Baeder, J. P. Longwell and M. C. Schroeder—558(L)

Centrifugation

Concentration-dependent sedimentation in two-component systems, with reference to differential boundaries, Hiroshi Fujita—5

Chemical Reactions (see Kinetics of Reactions)

Reaction products of atomic hydrogen with solid ozone, Paul A. Giguère and David Chin—1685(L)

Conductance

Activation energy for hole motion in $Li_xNi_yCo_{1-x-y}O$, R. C. Miller, R. R. Heikes, and W. D. Johnston—116

Comment on the Letter of B. E. Conway and J. O'M. Bockris, M. Eigen and L. De Maeyer—1134(L)

Electrical conductivity of single crystals of MgO, S. P. Mitoff—1261

On the theory of proton conductance in water and ice, B. E. Conway and J. O'M. Bockris—1133(L)

Solutions of alkali metals in polyethers. I., Fred Cafasso and Benson R. Sundheim—809

Crystal Growth

Capillary relation between temperature and size of ice particles in clouds, Adam S. Skapski—573(L)

Effect of catalyst size in heterogeneous nucleation, R. D. Maurer—444

Growth mechanism for graphite whiskers, Gerald W. Sears—358

Growth mechanism of copper whiskers by hydrogen reduction of cuprous iodide, C. R. Morelock and G. W. Sears—926

Growth of aluminum oxide whiskers by vapor deposition, R. C. DeVries and G. W. Sears—1256

Mechanism for the growth of whiskers from solution on an impervious substrate, S. Amelinckx—1687(L)

Nucleation of ammonium chloride particles from hydrogen chloride and ammonia in air, S. Twomey—1684(L)

Occurrence of fivefold rotational symmetry in metal whiskers, A. J. Melmed and D. O. Hayward—545(L)

Two-dimensional nucleation of noncoherent layers, Gerald W. Sears—157

Crystalline State

Absorption spectrum of manganous fluoride, J. W. Stout—709

Activation energy for hole motion in $Li_xNi_yCo_{1-x-y}O$, R. C. Miller, R. R. Heikes, and W. D. Johnston—116

Amorphous and unoriented character of polymers formed in radiation induced solid state polymerization, George Adler—848

Antiferromagnetism in $NiBr_2 \cdot 6H_2O$, R. D. Spence, H. Forstat, G. A. Khan and G. Taylor—555(L)

Auxiliary integrals for lattice sums, A. A. Maradudin and G. H. Weiss—1433(L)

Contribution of surface distortion to the surface energy of alkali halide crystals, G. C. Benson, P. Balk and P. White—109

Crystal constituent effects. III. Partition of Ni^{++}, R. C. Pastor—514

Debye θ of hexagonal crystals at 0°K, Norman M. Wolcott—536

Dynamical theory of diffusion in crystals. II. Pressure dependence of the self diffusion constant, Stuart A. Rice and Norman H. Nachtrieb—139

Effect of catalyst size in heterogeneous nucleation, R. D. Maurer—444

Effect of pressure on self-diffusion in lead, Norman H. Nachtrieb, Henry A. Resing, and Stuart A. Rice—135

Effect of pressure on the absorption edges of certain elements, H. L. Suchan, S. Wiederhorn and H. G. Drickamer—355

Effects of crystalline defects on pure quadrupole resonances, J. L. Randall, W. G. Moulton, and W. B. Ard, Jr.—730

Electrical conductivity of single crystals of MgO, S. P. Mitoff—1261

Erratum: Field emission from metal whiskers [J. Chem. Phys. 30, 586 (1959)], A. J. Melmed and R. Gomer—554(L)

Erratum: Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields [J. Chem. Phys. 30, 246 (1959)], George A. Candela, Clyde A. Hutchison, Jr., and W. Burton Lewis—555(L)

Ferroelectric behavior of thiourea, G. J. Goldsmith and J. G. White—1175

Force parameters for some nonpolar molecules on the exp-6-8 model, A. K. Barua—957

Free radical statistics, Paul Lawrence Chessin—159

Growth mechanism for graphite whiskers, Gerald W. Sears—358

Growth mechanism of copper whiskers by hydrogen reduction of cuprous iodide, C. R. Morelock and G. W. Sears—926

Interaction of excitation waves in a one-dimensional crystal, R. E. Merrifield—522

Lattice energies of the alkali halides and the electron affinities of the halogens, Daniel Cubicciotti—1646

Lattice vibrations in alkali halide crystals. I. Lithium and sodium halides, Arnold M. Karo—1489

Low-temperature heat capacity of azurite, H. Forstat, G. Taylor, and B. R. King—929

Magnetic investigations of spin-free cobaltous complexes. I. Tetrahalo cobalt (II) ions, Richard H. Holm and F. Albert Cotton—788

Monochromatically excited fluorescence in rare earth salts, F. Varsanyi and G. H. Dieke—1066

Noncrossing lattice polygons, G. S. Rushbrooke and J. Eve—1333

Nuclear magnetic resonance study of boron carbide, A. H. Silver and P. J. Bray—247

On the use of harmonic oscillator wave functions in the treatment of anharmonic crystals, Thomas H. Walnut—361

Paramagnetic resonance of color centers in germanium-doped quartz, John H. Anderson and John A. Weil—427

Paramagnetic resonance of F centers in potassium iodide, Gordon Noble—931

Polytypism and the origin of the potential barrier hindering internal rotation in molecules, William Weltner, Jr.—264(L)

Proton magnetic resonance of the CH_3 group. V. Temperature dependence of T_1 in several molecular crystals, E. O. Stejskal, D. E. Woessner, T. C. Farrar, and H. S. Gutowsky—55

Proton magnetic resonance study in ammonium and silver trihydrogen periodates, R. Blinc—849(L)

Ratio of ranges of free carriers in anthracene surface-cell, Krzysztof Pigoń and Henryk Chojnacki—272(L)

Twist in lithium fluoride whiskers, Gerald W. Sears—53

Two-dimensional nucleation of noncoherent layers, Gerald W. Sears—157

Use of self-consistent field in the treatment of the vibrations of crystals, Thomas H. Walnut—1468

Crystal Structure

Crystal structure of β-Hg, Masao Atoji, J. E. Schirber, and C. A. Swenson—1628

Deuterium positions in lanthanum deuteroxide by neutron diffraction, Masao Atoji and Donald E. Williams—329

Exploratory study, by low-temperature x-ray diffraction techniques, of diborane and the products of a microwave discharge in diborane, L. H. Bolz, F. A. Mauer and H. S. Peiser—1005

Hydrates of the tetra *n*-butyl and tetra *i*-amyl quaternary ammonium salts, Richard McMullan and G. A. Jeffrey —1231

Molecular and crystal structure of B_8Cl_8. I. Preliminary x-ray diffraction study, Masao Atoji and William N. Lipscomb—601

Molecular and crystal structure of B_8Cl_8. II. Solution of the three-dimensional structure, Robert A. Jacobson and William N. Lipscomb—605

Molecular structure of $B_{10}H_{12}(CH_3CN)_2$, Josina van der Maas Reddy and William N. Lipscomb—610

Nuclear magnetic resonance study of boron carbide, A. H. Silver and P. J. Bray—247

Nuclear quadrupole resonance in solid 1,2 dibromoethane, H. W. Dodgen and R. E. Anderson—851(L)

Nuclear quadrupole resonances of nitrogen in amino and amido compounds, Shoji Kojima, Midori Minematsu, and Makoto Tanaka—271(L)

Polytypism and the origin of the potential barrier hindering internal rotation in molecules, William Weltner, Jr. —264(L)

Proton magnetic resonance study in ammonium and silver trihydrogen periodates, R. Blinc—849(L)

Structures of calcium dicarbide and uranium dicarbide by neutron diffraction, Masao Atoji and Ronald C. Medrud —332

Detonation (see also Shock Waves)

Transition from deflagration to detonation in cast explosives, Andrej Maček—162

Deuterium (see Isotopes)

Dielectrics

Argon deposition on a 4.2°K surface, S. N. Foner, F. A. Mauer, and L. H. Bolz—546(L)

Dielectric constant and pair interactions in gaseous helium and argon, G. J. Oudemans and R. H. Cole—843(L)

Dielectric constant of liquid sulfur hexafluoride, Daniel Berg—572(L)

Dielectric properties of polypeptide solutions. IV. Several problems on the electric dipole moment of the α-helix, Akiyoshi Wada—495

Dynamical theory of electrosedimentation, A. Peterlin and M. Ribarič—759

Ferroelectric behavior of thiourea, G. J. Goldsmith and J. G. White—1175

Relation between dispersion and intensity measurements in pure liquids, P. N. Schatz—1146(L)

Diffusion

Diffusion and chemical reaction in a one-dimensional condensed system, I. Prigogine and Thor A. Bak—1368

Diffusion coefficient of atomic hydrogen through multicomponent mixtures, Henry Wise—1414(L)

Diffusion in liquids, David W. McCall, Dean C. Douglass, and Ernest W. Anderson—1555

Dynamical theory of diffusion in crystals. II. Pressure dependence of the self-diffusion constant, Stuart A. Rice and Norman H. Nachtrieb—139

Effect of pressure on self-diffusion in lead, Norman H. Nachtrieb, Henry A. Resing, and Stuart A. Rice—135

Molecular diffusion studies in gases at high temperature. III. Results and interpretation of the He-A system, R. E. Walker and A. A. Westenberg—519

Molecular transport in liquids and glasses, Morrel H. Cohen and David Turnbull—1164

Note on the melt configuration of polyethylene, David W. McCall and Dean C. Douglass—860(L)

On an approximate theory of transport in dense media, Stuart A. Rice and John G. Kirkwood—901

On the linear phenomenological equations. II. The linear statistical mechanical theory, Richard J. Bearman—751

Self-diffusion in water, Dean C. Douglass and David W. McCall—569(L)

Thermodynamics, stationary states, and steady-rate processes. IV. Steady monothermal rate processes, R. J. Tykodi and Ted A. Erikson—1521

Use of paramagnetic-resonance techniques in the study of atomic oxygen recombinations, S. Krongelb and M. W. P. Strandberg—1196

Dipole Moment

Dielectric properties of polypeptide solutions. IV. Several problems on the electric dipole moment of the α helix, Akiyoshi Wada—495

Dipole moment function of $CO(^1\Sigma^+)$, Harold Salwen and John Trischka—541

Dipole moment function of diatomic molecules, John Trischka and Harold Salwen—218

Dipole moments of atactic and isotactic polystyrene, W. R. Krigbaum and A. Roig—544(L)

Erratum: Nitryl chloride molecular constants from microwave spectrum analysis [J. Chem. Phys. 30, 1328 (1959)], Lorimer Clayton, Quitman Williams, and T. L. Weatherly—554(L)

Infrared dispersion due to the asymmetric stretching vibration of CS_2, E. E. Ferguson and R. E. Kagarise—236

Internal rotation in molecules with two internal rotors: Microwave spectrum of acetone, J. D. Swalen and C. C. Costain—1562

LCAO wave functions for hydrogen fluoride with Hartree-Fock atomic orbitals, Arnold M. Karo and Leland C. Allen—968

Microwave spectrum, internal barrier, structure, conformation, and dipole moment of acetyl fluoride, Louis Pierce and Lawrence C. Krisher—875

Microwave spectrum of acetyl cyanide, Lawrence C. Krisher and E. Bright Wilson, Jr.—882

Millimeter wave spectrum and structure of formyl fluoride, Paolo Favero, Anna Marie Mirri, and John G. Baker—566(L)

Nonresonant microwave absorption and electric dipole moment of NO in the gaseous state, A. A. Maryott and S. J. Kryder—617

Triatomic linear molecules containing carbon and oxygen, sulfur, selenium, or tellurium. III. Absolute intensity of σ_3 of CSe_2, T. Wentink, Jr. and S. H. Bauer—834

Electrical Properties

Electrical conductivity of single crystals of MgO, S. P. Mitoff—1261

Photoconduction and cis-trans isomerism in β carotene, Barnett Rosenberg—238

Photoconductivity in a rigid glass, A. C. Albrecht and M. E. Green—261(L)

Electrochemistry

Electrochemistry of the semiconductor-electrolyte electrode. I. The electrical double layer, Mino Green—200

Erratum: Thermal membrane potential [J. Chem. Phys. 28, 166 (1958)], Toshio Ikeda—267(L)
Initial thermoelectric powers of the nonisothermal calomel cell, W. A. Hawksworth and C. J. G. Raw—1421(L)
Reply to Dr. Bogdan Jakuszewski: Absolute Electrode Potential—Experimental Electrochemical Free Energy of Hydration—847(L)
Some remarks concerning the paper of A. J. de Bethune about the absolute electrode potential, B. Jakuszewski —846(L)

Electron Affinity

Lattice energies of the alkali halides and the electron affinities of the halogens, Daniel Cubicciotti—1646

Electron Diffraction

Electron diffraction investigation of triphenylamine, Yasushi Sasaki, Katsumi Kimura, and Masaji Kubo—477
Electron diffraction study of the structure of phosphine, L. S. Bartell and R. C. Hirst—449
Molecular structure of ethylene, L. S. Bartell and R. A. Bonham—400
Rapid procedure for rigorous analysis of electron diffraction data, R. A. Bonham and L. S. Bartell—702

Electrophoresis

New method of continuous free boundary electrophoresis, Howard C. Mel—559(L)

Emission Spectra

Abnormal excitation of OH in $H_2/O_2/N_2$ flames, Walter E. Kaskan—944
Erratum: Spectroscopic evidence for triatomic nitrogen in solids at very low temperature [J. Chem. Phys. 30, 1304 (1959)], M. Peyron, E. M. Hörl, H. W. Brown, and H. P. Broida—846(L)
Erratum: Vibrational relaxation of CN in the shock tube [J. Chem. Phys. 31, 720 (1959)], W. Roth—1683(L)
Line shape and f value in the OH $^2\Sigma^+ - {}^2\pi$ transition, Tucker Carrington—1243
Resonance radiation behind shock waves in Xe, Walter Roth—844(L)
Spectral study of a visible, short-duration afterglow in nitrogen, G. E. Beale, Jr., and H. P. Broida—1030
Unique luminescences of dry chlorophylls, Jose Fernandez and Ralph S. Becker—467
Vibrational relaxation of CN in the shock tube, W. Roth—720

Energy Transfer

Comparison of high-energy and ultraviolet radiation induced luminescence in liquid systems, Sanford Lipsky and Milton Burton—1221
Transfer of excitation energy and radiationless transitions, Milton Furst and Hartmut Kallmann—1134(L)
Transfer of excitation energy and radiationless transitions: Reply to Comments by Furst and Kallmann, J. B. Birks—1135(L)

Equation of State

Equation of state and thermodynamic properties of gases at high temperatures. I. Diatomic molecules, O. Sinanoğlu and K. S. Pitzer—960
Force parameters for some nonpolar molecules on the exp 6-8 model, A. K. Barua—957

Errata

Erratum: Field emission from metal whiskers [J. Chem. Phys. 30, 586 (1959)], A. J. Melmed and R. Gomer —554(L)
Erratum: Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields [J. Chem. Phys. 30, 246 (1959)], George A. Candela, Clyde A. Hutchison, Jr., and W. Burton Lewis—555(L)
Erratum: Nitryl chloride molecular constants from microwave spectrum analysis [J. Chem. Phys. 30, 1328 (1959)], Lorimer Clayton, Quitman Williams, and T. L. Weatherly—554(L)
Erratum: Size effect in heterogeneous nucleation [J. Chem. Phys. 29, 572 (1958)], N. H. Fletcher—1136(L)
Erratum: Spectroscopic evidence for triatomic nitrogen in solids at very low temperature [J. Chem. Phys. 30, 1304 (1959)], M. Peyron, E. M. Hörl, H. W. Brown, and H. P. Broida—846(L)
Erratum: Thermal membrane potential [J. Chem. Phys. 28, 166 (1958)], Toshio Ikeda—267(L)
Erratum: Vibrational relaxation of CN in the shock tube [J. Chem. Phys. 31, 720 (1959)], W. Roth—1683(L)
Erratum: Vibrational spectra of primary and secondary aliphatic amines, [J. Chem. Phys. 30, 1259 (1959)], James E. Stewart—1136(L)

Field Emission Microscopy

Adsorption, diffusion and evaporation of carbon monoxide on tungsten, Ralph Klein—1306
Erratum: Field emission from metal whiskers [J. Chem. Phys. 30, 586 (1959)], A. J. Melmed and R. Gomer —554(L)
Field desorption, Robert Gomer—341
Occurrence of fivefold rotational symmetry in metal whiskers, A. J. Melmed and D. O. Hayward—545(L)

Films (see Surface Phenomena)

Flames

Abnormal excitation of OH in $H_2/O_2/N_2$ flames, Walter E. Kaskan—944
Comparison of ionization and electronic excitation in flames, I. R. King—855(L)
H theorems for one-dimensional combustion of a gas, Gerald Rosen—253
Kinetics of coordinate bond formation. III. Method of temperature patterns and the reaction $NH_3 + BF_3$, F. T. Smith and G. B. Kistiakowsky—621

Fluorescence

Electron bombardment of solid acetone, Erwin M. Hörl —564(L)
Intermolecular energy transfer and concentration depolarization of fluorescent light, Aadne Ore—442
Monochromatically excited fluorescence in rare earth salts, F. Varsanyi and G. H. Dieke—1066
Rotational transfer in the fluorescence spectrum of OH($^2\Sigma^+$), Tucker Carrington—1418(L)
Unique luminescences of dry chlorophylls, Jose Fernandez and Ralph S. Becker—467

Free Radicals

Abnormal excitation of OH in $H_2/O_2/N_2$ flames, Walter E. Kaskan—944
Dynamic stability of frozen radicals. I. Description and application of the model, J. L. Jackson—154
Dynamic stability of frozen radicals. II. The formal theory of the model, J. L. Jackson—722

Erratum: Spectroscopic evidence for triatomic nitrogen in solids at very low temperature, [J. Chem. Phys. 30, 1304 (1959)], M. Peyron, E. M. Hörl, H. W. Brown, and H. P. Broida—846(L)
Free radical statistics, Paul Lawrence Chessin—159
Line shape and f value in the OH $^2\Sigma^+ - {}^2\pi$ transition, Tucker Carrington—1243
Magnetic study of the frozen products from the nitrogen microwave discharge, B. J. Fontana—148
On the trapping of free radicals of oxygen and chlorine, Sidney W. Benson and Kenneth H. Anderson—1082
Paramagnetic resonance spectra of active species. Blue material from hydrazoic acid, W. B. Gager and F. O. Rice—564(L)
Rotational transfer in the fluorescence spectrum of OH($^2\Sigma^+$), Tucker Carrington—1418(L)

Free Rotation (see Rotational Isomerism)

Gases

Dielectric constant and pair interactions in gaseous helium and argon, G. J. Oudemans and R. H. Cole—843(L)
Equation of state and thermodynamic properties of gases at high temperatures. I. Diatomic molecules, O. Sinanoğlu and K. S. Pitzer—960
Equations for a one-component lattice gas with "ising" interaction, Jerzy Czerwonko—118
Equilibrium properties of a multicomponent ionized gas, Gilda Maki Harris—1211
Force parameters for some nonpolar molecules on the exp 6-8 model, A. K. Barua—957
Gas of hard nonattracting spheres, O. K. Rice—987
Interactions between oxygen and nitrogen: O-N, O-N_2, and O_2-N_2, Joseph T. Vanderslice, Edward A. Mason and William G. Maisch—738
Kinetics theory of nonspherical molecules. IV. Angular momentum transport coefficient, Peter M. Livingston and C. F. Curtiss—1643
Molecular diffusion studies in gases at high temperature. III. Results and interpretation of the He-A system, R. E. Walker and A. A. Westenberg—519
Note on a new potential function, L. Z. Pollara and P. T. Funke—855(L)
Separation of gas mixtures in a supersonic jet, P. C. Waterman and S. Alexander Stern—405
Statistical mechanics of rigid spheres, H. Reiss, H. L. Frisch and J. L. Lebowitz—369
Thermal conductivity of multicomponent gas mixtures. II., E. A. Mason and S. C. Saxena—511
Thermal conductivity of nitrogen-carbon dioxide mixtures, Richard S. Brokaw—571(L)
Vibrational relaxation of nitric oxide, Frank Robben—420

Glasses

Dislocation type defects in glass, W. C. Levengood and T. S. Vong—1104
Molecular transport in liquids and glasses, Morrel H. Cohen and David Turnbull—1164
Photoconductivity in a rigid glass, A. C. Albrecht and M. E. Green—261(L)
Structure of vitreous $B_2O_3 \cdot \frac{1}{3}H_2O$, M. E. Milberg and F. Meller—126

Heat Capacity (see Thermodynamic Properties)

High Pressures

Effect of pressure on the absorption edges of certain elements, H. L. Suchan, S. Wiederhorn, and H. G. Drickamer—355
Formation of an amorphous form of quartz under shock conditions, Paul S. De Carli and John C. Jamieson—1675(L)
Two pressure induced phase transitions in triglycine sulfate, H. L. Suchan and H. G. Drickamer—856(L)

Hindered Rotation (see Rotation)

Microwave spectrum and internal rotation of ethyl cyanide, Victor W. Laurie—1500

Infrared Spectra (see Absorption Spectra)

Intensities of Spectra

Anomalous band intensity in Fermi resonance, R. N. Dixon—258
Effect of change in moment of inertia on line intensities of parallel vibration-rotation bands of symmetric top molecules, G. A. Gallup and J. L. Koenig—548(L)
Experimental determination of the oscillator strength of the first negative bands of N_2^+, R. G. Bennett and F. W. Dalby—434
Infrared dispersion due to the asymmetric stretching vibration of CS_2, E. E. Ferguson and R. E. Kagarise—236
Line intensities in the Raman effect of $^1\Sigma$ diatomic molecules, Thomas C. James and William Klemperer—130
Oscillator strengths in the far ultraviolet. I. Nitric oxide, George W. Bethke—662
Oscillator strengths in the far ultraviolet. II. Oxygen Schumann-Runge bands, George W. Bethke—670
Triatomic linear molecules containing carbon and oxygen, sulfur, selenium, or tellurium. III. Absolute intensity of σ_3 of CSe_2, T. Wentink, Jr., and S. H. Bauer—834

Isotope Effects

Equilibrium in the exchange of hydrogen between arsine and water, Alfred H. Zeltmann and George Gerhold—889
Erratum: Spectroscopic evidence for triatomic nitrogen in solids at very low temperature [J. Chem. Phys. 30, 1304 (1959)], M. Peyron, E. M. Hörl, H. W. Brown, and H. P. Broida—846(L)
Exchange of nitric oxide with water in nitric acid solutions as a means of concentrating oxygen-18, T. I. Taylor and John C. Clarke—277(L)
Fine structure of the Cl_2 quadrupole resonance spectrum, Dean C. Douglass—504
Hydrogen isotope effect in the oxidation of benzaldehyde-α-t with aqueous acid chromate, Ernest M. Hodnett—275(L)
Infrared spectra of trimethylborane-d_9 and triethylborane-d_{15}, W. J. Lehmann, C. O. Wilson, Jr., and I. Shapiro—1071
Isotope effects in high resolution NMR spectroscopy, H. S. Gutowsky—1683(L)
Isotope enrichment factors for nitrogen-15 in the nitric oxide-nitric acid exchange system, Lois Nash Kauder, T. I. Taylor and W. Spindel—232
Microwave spectrum, internal barrier, structure, confirmation, and dipole moment of acetyl fluoride, Louis Pierce and Lawrence C. Krisher—875
Microwave spectrum of acetyl cyanide, Lawrence C. Krisher and E. Bright Wilson, Jr.—882

Isotopes

Calculation of the rates of the ortho-para conversions and isotope exchanges in hydrogen, Isaiah Shavitt—1359
Equilibrium in the exchange of hydrogen between arsine and water, Alfred H. Zeltmann and George Gerhold—889
Exchange of nitric oxide with water in nitric acid solutions

as a means of concentrating oxygen-18, T. I. Taylor and John C. Clarke—277(L)
Hydrogen-deuterium exchange reaction in fibrous proteins. II., R. D. B. Fraser and T. P. Macrae—122
Isotope enrichment factors for nitrogen-15 in the nitric oxide-nitric acid exchange system, Lois Nash Kauder, T. I. Taylor, and W. Spindel—232

Kinetics of Reaction

Apparent activation energy and frequency factor for a process involving competing mechanisms, J. F. Nicholas—922
Calculation of reaction profiles behind steady state shock waves. II. The dissociation of air, Russell E. Duff and Norman Davidson—1018
Calculation of the rates of the ortho-para conversions and isotope exchanges in hydrogen, Isaiah Shavitt—1359
Collision theory of the kinetics of dissociation of diatomic molecules, B. Widom—1027
Comments: Catalytic activity of solids for hydrogen-atom recombination, Bernard J. Wood and Henry Wise—265(L)
Comparison of hot and thermal reactions, J. L. Magee and W. H. Hamill—1380
Dynamic stability of frozen radicals. II. The formal theory of the model, J. L. Jackson—722
Effect of water vapor on the dissociation of hydrogen in an electrical discharge, Thomas M. Shaw—1142(L)
Energy distribution among reagents and products of atomic reactions, J. C. Polanyi—1338
Further studies of the pyrolysis of dimethyl ether, Sidney W. Benson and D. V. S. Jain—1008
High-frequency factors in unimolecular reactions, Colin Steel—899
H theorems for one-dimensional combustion of a gas, Gerald Rosen—253
H_3 activated complex and the rate of reaction of hydrogen atoms with hydrogen molecules, Ralph E. Weston, Jr.—892
Hydrogen isotope effect in the oxidation of benzaldehyde-*α-t* with aqueous acid chromate, Ernest M. Hodnett—275(L)
Influence of pressure on the Hammett reaction constant, A. J. Ellis, W. S. Fyfe, R. I. Rutherford, A. Fischer, and J. Vaughan—176
Isomerization of primary *n*-alkyl free radicals, Alvin S. Gordon and James R. McNesby—853(L)
Kinetics and mechanism of ethylene oxide decomposition at high temperatures, L. Crocco, I. Glassman, and I. E. Smith—506
Kinetics of coordinate bond formation. III. Method of temperature patterns and the reaction $NH_3 + BF_3$, F. T. Smith and G. B. Kistiakowsky—621
Limitations of the reflected shock technique for studying fast chemical reactions, Gordon B. Skinner—268(L)
Mean-first-passage times and the collision theory of bimolecular reactions, B. Widom—1387
Molecular dissociation and reconstitution on solids, Gert Ehrlich—1111
Molecular transfer of nonequilibrium nuclear spin magnetization, Harden M. McConnell and Don D. Thompson—85
Nonequilibrium kinetics and chromatography, J. Calvin Giddings—1462
On the trapping of free radicals of oxygen and chlorine, Sidney W. Benson and Kenneth H. Anderson—1082
On the velocity distribution in a chemically reacting gas, R. D. Present—747
Paramagnetic resonance spectra of active species. Blue material from hydrazoic acid, W. B. Gager and F. O. Rice—564(L)
Participation of excited ions in ion-molecule reactions, G. G. Meisels—284(L)
Participation of vibration in exchange reactions, Felix T. Smith—1352
Photolysis of oxygen in solution in liquid nitrogen and in liquid carbon monoxide at 1849A, James R. McNesby—283(L)
Primary step in the mercury photosensitized reactions of olefins, R. J. Cvetanovic, H. E. Gunning, and E. W. R. Steacie—573(L)
Quantum-mechanical calculation of the probability of an exchange reaction for constrained linear encounters, J. Mazur and Robert J. Rubin—1395
Reaction of acetylene with methyl radicals, Charles M. Drew and Alvin S. Gordon—1417(L)
Reaction of hydrogen atoms with solid oxygen at 20°K, Ralph Klein and Milton D. Scheer—278(L)
Stepwise formulation of the activation rate in unimolecular reactions, Bruce H. Mahan—270(L)
Theoretical depolymerization kinetics in polymers having an initial "most probable" molecular weight distribution, Richard H. Boyd—321
Theory of thermal second-order decomposition of molecules, E. E. Nikitin and N. D. Sokolov—1371
Use of paramagnetic-resonance techniques in the study of atomic oxygen recombinations, S. Krongelb and M. W. P. Strandberg—1196
Variation with temperature of the recombination of hydrogen atoms on metallic surfaces, J. W. Fox, A. C. H. Smith and E. J. Smith—265(L)
Vibrational distribution functions in bimolecular dissociation reactions, Kurt E. Shuler—1375

Large Molecules (see Polymers)

Light Scattering

Angular dissymmetry of the critical opalescence in liquid mixtures, P. Debye—680
Effect of adsorbed water on the optical transmission properties of isotropic powders, P. Debye and L. K. H. Van Beek—1595
Theoretical investigations on the light scattering of colloidal spheres. VII. Dissymmetry in unpolarized and polarized light, Wilfried Heller and Masayuki Nakagaki—1188

Liquids

Absorption spectrum of NiCl in molten LiCl/KCl, Benson R. Sundheim and George Harrington—700
Angular dissymmetry of the critical opalescence in liquid mixtures, P. Debye—680
Atomic distributions in liquid, plastic and crystalline sulfur, C. W. Tompson and H. S. Gingrich—1598
Diffusion in liquids, David W. McCall, Dean C. Douglass, and Ernest W. Anderson—1555
Excess ultrasonic absorption in diethylamine-water mixtures, R. N. Barfield and W. G. Schneider—488
"Free volumes" in liquids, J. H. Hildebrand—1423(L)
Gas of hard nonattracting spheres, O. K. Rice—987
Liquid isochores and derived functions of *n*-C_7F_{16}, *c*-$C_6F_{11}CF_3$, *c*-$C_4Cl_2F_6$, *n*-2,2,3$C_4Cl_3F_7$, $CCl_2F \cdot CCl_2F$, and CCl_4, E. Brian Smith and Joel H. Hildebrand—145
Molecular transport in liquids and glasses, Morrel H. Cohen and David Turnbull—1164
Self-diffusion in water, Dean C. Douglass and David W. McCall—569(L)
Statistical mechanics of rigid spheres, H. Reiss, H. L. Frisch, and J. L. Lebowitz—369
Theory of Bose-Einstein fluids, statistical mechanical treatment of the thermodynamic properties of liquid helium, Steingrimur Baldursson and Joseph E. Mayer with Henry Aroeste—814

Magnetic Resonance

Absorption spectra and magnetic resonance spectra of asphaltene, R. A. Friedel—280(L)

Angular dependence of electron-couples proton interactions in CH_2 groups, H. S. Gutowsky, Martin Karplus, and D. M. Grant—1278

Antiferromagnetism in Ni $Br_2 \cdot 6H_2O$, R. D. Spence, H. Forstat, G. A. Khan and G. Taylor—555(L)

Applicability of the macroscopic magnetic susceptibility model to solvent effects in proton nuclear magnetic resonance, R. E. Glick, D. F. Kates, and S. J. Ehrenson—567(L)

Carbon-13 hyperfine splitting in $CH(COOH)_2$, Harden M. McConnell and Richard W. Fessenden—1688(L)

Chemical shifts in the nuclear magnetic resonance of Co^{59} and the ligand field theory, S. S. Dharmatti and C. R. Kanekar—1436(L)

Contributions to the change in Knight shift upon the melting and alloying of the alkali metals, R. A. Oriani—557(L)

Crystal constituent effects. III. Partition of Ni^{++}, R. C. Pastor—514

C^{13} splittings in proton magnetic resonance spectra. I. Hydrocarbons, Norbert Muller and Donald E. Pritchard—768

C^{13} splittings in proton magnetic resonance spectra. II. Bonding in substituted methanes, Norbert Muller and Donald E. Pritchard—1471

Dependence of C^{13}-proton spin coupling constants on s-character of the bond, J. N. Shoolery—1427(L)

Effects of "ring currents" on the NMR spectra of porphyrins, Edwin D. Becker and Robert B. Bradley—1413(L)

Electron spin resonance of ultraviolet irradiated compounds. I. Unsaturated hydrocarbons, Charles P. Poole, Jr. and Roy S. Anderson—346

H^1-P^{31} spin coupling in trialkyl phosphates, R. C. Axtmann, W. E. Shuler and J. H. Eberly—850(L)

Hydrogen bonded species in alcohols, M. Saunders and J. B. Hyne—270(L)

Inequality of the coupling constants of the hydrazyl nitrogens in DPPH, R. M. Deal and W. S. Koski—1138(L)

Isotope effects in high resolution NMR spectroscopy, H. S. Gutowsky—1683(L)

Long range nuclear spin-spin couplings in thiophene derivatives, P. L. Corio and I. Weinberg—569(L)

Molecular transfer of nonequilibrium nuclear spin magnetization, Harden M. McConnell and Don D. Thompson—85

NMR studies of hydrogen bonding in alcohols and phenol, Edwin D. Becker—269(L)

Nuclear magnetic relaxation in polyethylene deuteroterephthalate, I. M. Ward—858(L)

Nuclear magnetic resonance of water sorbed on fibrous materials, A. Odajima, J. Sohma and S. Watanabe—276(L)

Nuclear magnetic resonance spectra of 1,10-phenanthroline and some methylated 1,10-phenanthrolines, Kazuo Ito, Taro Isobe, and Kôzô Sone—861(L)

Nuclear magnetic resonance study of boron carbide, A. H. Silver and P. J. Bray—247

Nuclear quadrupole resonance of bromine and iodine in mercuric bromide and potassium tetraiodomercurate, Daiyu Nakamura, Yasuhiko Uehara, Yukio Kurita, and Masaji Kubo—1433(L)

Nuclear relaxation in KI at liquid helium temperature, Stephen M. Day and Charles F. Squire—1127(L)

Overhauser effects in asphalt solutions, Edward H. Poindexter—1477

Paramagnetic line widths in gaseous atomic hydrogen, A. F. Hildebrandt, F. B. Booth, and C. A. Barth—273(L)

Paramagnetic resonance of color centers in germanium-doped quartz, John H. Anderson and John A. Weil—427

Paramagnetic resonance of F centers in potassium iodide, Gordon Noble—931

Paramagnetic resonance spectra of active species. Blue material from hydrazoic acid, W. B. Gager and F. O. Rice—564(L)

Paramagnetic resonance spectrum of the fluoroferrate ion, $FeF_6^{=}$, Lindsay Helmholz—172

Proton magnetic resonance of the CH_3 group. V. Temperature dependence of T_1 in several molecular crystals, E. O. Stejskal, D. E. Woessner, T. C. Farrar, and H. S. Gutowsky—55

Proton magnetic resonance spectra of symmetrical hydrogen bonds, Sture Forsén—852(L)

Proton magnetic resonance study in ammonium and silver trihydrogen periodates, R. Blinc—849(L)

Proton magnetic resonance study of lithium sulfate monohydrate, J. W. McGrath, A. A. Silvidi and J. C. Carroll—1444

Proton nuclear magnetic shielding and the diamagnetic anisotropy of C-C and C-H bonds in propane, P. T. Narasimhan and Max T. Rogers—1302

Proton spin relaxation in aqueous solutions of paramagnetic ions. II. Cr^{+++}, Mn^{++}, Ni^{++}, Cu^{++}, and Gd^{+++}, L. O. Morgan and A. W. Nolle—365

Radiation induced free radicals in lactose, Frank K. Truby and William H. Storey, Jr.—857(L)

Relative signs of the mercury-proton spin-spin coupling constants in mercury diethyl, P. T. Narasimhan and Max T. Rogers—1430(L)

Self-diffusion in water, Dean C. Douglass and David W. McCall—569(L)

Sign of the electron spin density on methyl protons, A. Forman, J. N. Murrell, and L. E. Orgel—1129(L)

Signs of the proton spin-spin coupling constants in pure ethyl alcohol, P. T. Narasimhan and Max T. Rogers—1428(L)

Single crystal electron spin resonance spectra for x-irradiated glycine, J. J. Windle—859(L)

Solutions of alkali metals in polyethers. I., Fred Cafasso and Benson R. Sundheim—809

Strong coupling in nuclear resonance spectra. II. Field dependence of some unsymmetrical three-spin spectra, R. W. Fessenden and J. S. Waugh—996

Strong coupling in nuclear resonance spectra. III. Systems containing many equivalent spins, J. S. Waugh and F. W. Dobbs—1235

Theory of the electron spin resonance of benzene in the triplet state, Hendrik F. Hameka—315

Use of paramagnetic-resonance techniques in the study of atomic oxygen recombinations, S. Krongelb and M. W. P. Strandberg—1196

Magnetic Susceptibilities

Applicability of the macroscopic magnetic susceptibility model to solvent effects in proton nuclear magnetic resonance, R. E. Glick, D. F. Kates and S. J. Ehrenson—567(L)

Erratum: Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields [J. Chem. Phys. 30, 246 (1959)], George A. Candela, Clyde A. Hutchison, Jr. and W. Burton Lewis—555(L)

Heat capacity of samarium from 13 to 350°K, L. D. Jennings, Emma D. Hill, and F. H. Spedding—1240

Magnetic investigations of spin-free cobaltous complexes. I. Tetrahalo cobalt (II) ions, Richard H. Holm and F. Albert Cotton—788

Magnetic properties of some iridium complexes, Vello Norman and J. C. Morrow, III—455

Magnetic properties of water molecule, T. P. Das and T. Ghose—42

Magnetic study of the frozen products from the nitrogen microwave discharge, B. J. Fontana—148

Variation of the diamagnetic susceptibility of water with

temperature in the Thomas-Fermi model, T. Tietz —274(L)

Mass Spectra

Charge permutation and dissociation of molecular ions by impact with neutral molecules, F. M. Rourke, J. C. Sheffield, W. D. Davis, and F. A. White—193
Electron impact studies of aromatic hydrocarbons. I. Benzene, naphthalene, anthracene, and phenanthrene, Morton E. Wacks and Vernon H. Dibeler—1557
Electron impact study of nitric oxide using a modified retarding potential difference method, G. G. Cloutier and H. I. Schiff—793
Ionization potentials for C_2F_4, C_2F_3Cl, and $C_2F_2Cl_2$ and the appearance potential of CF_2^+ from C_2F_4, John L. Margrave—1432(L)
Mass spectrometric and thermodynamic study of gaseous transition metal (II) halides, Richard C. Schoonmaker, Alan H. Friedman, and Richard F. Porter—1586
Mass spectrometric study of alkali hydroxide vapors, Richard C. Schoonmaker and Richard F. Porter—830
Mass spectrometric study of carbon vapor, J. Drowart, R. P. Burns, G. DeMaria, and Mark G. Inghram—1131(L)
Multiple ionization of sodium vapor by electron impact, Vernon H. Dibeler and Robert M. Reese—282(L)
Negative ion mass spectra of hydrocarbons and alcohols, C. E. Melton and P. S. Rudolph—1485
Negative ion-molecule reactions, A. Henglein and G. A. Muccini—1426(L)
Probability of double ionization by electron impact for neon, argon, and xenon, J. D. Morrison and A. J. C. Nicholson—1320
Probability of multiple ionization by electron impact, F. H. Dorman, J. D. Morrison and A. J. C. Nicholson—1335
Relationship between ionization potentials and atomic radii, W. W. Hunt, Jr., and Robert E. Huffman—266(L)
Studies of the evaporation of condensates containing nitrogen atoms, John T. Herron and Vernon H. Dibeler—1662
Thermodynamic study of InSb using a mass spectrometer, G. DeMaria, J. Drowart, and M. G. Inghram—1076
Variation of appearance potentials of alkane fragment ions with the repeller voltage of the mass spectrometer ion source, L. Friedman, F. A. Long, and M. Wolfsberg—755

Mechanics, Quantum

Atomic form-factor of an electron in the Thomas-Fermi atom, T. Tietz—1686(L)
Comment on "Reply to the comments on the Frontier electron theory" by Fukui, Yonezawa and Nagata, H. H. Greenwood—552(L)
Comments on a letter by Fukui, S. S. Sung, O. Chalvet, and R. Daudel—553(L)
Computation of asymmetric rotator constants from energy moments. III. First-order centrifugal stretching effects, Paul M. Parker and L. Carlton Brown—1227
Dipole moment function of $CO(^1\Sigma^+)$, Harold Salwen and John Trischka—541
Dipole moment function of diatomic molecules, John Trischka and Harold Salwen—218
Electron population analysis of LiH and HF, A. M. Karo —182
Electronic structure of LiH ion, O. Platas, R. P. Hurst, and F. A. Matsen—501
Electronic wave functions for polyatomic molecules, Leland C. Allen—736
Generalization of crystal field theory to include covalent bonding, H. S. Jarrett—1579
Hückel theory: An effective Hamiltonian, Walter D. Jones —1317
Hydrogen bond: An experimental verification of the double minimum potential, Charles L. Bell and Gordon M. Barrow—300
Hyperfine interaction and quadrupole coupling constant in the hydrogen molecule ion, M. J. Stephen and J. P. Auffray—1329
LCAO wave functions for hydrogen fluoride with Hartree-Fock atomic orbitals, Arnold M. Karo and Leland C. Allen—968
Ligand influence upon radial wave functions, R. Linn Belford and M. Karplus—394
Line intensities in the Raman effect of $^1\Sigma$ diatomic molecules, Thomas C. James and William Klemperer—130
Magnetic properties of water molecule, T. P. Das and T. Ghose—42
Note on a paper by B. F. Gray, Charles W. Scherr—548(L)
Novel perturbation theory in simple LCAO treatment of conjugated molecules—method of perturbed secular determinant, Kenichi Fukui, Chikayoshi Nagata, Teijiro Yonezawa, Hiroshi Kato, and Keiji Morokuma—287
On the use of harmonic oscillator wave functions in the treatment of anharmonic crystals, Thomas H. Walnut —361
Open-shell ground state energy of the He_2^+ molecule ion, P. Csavinszky—178
Polarizabilities and antishielding factors of 10 and 18 electron closed shell atoms, Gerald Burns—1253
Quantum-mechanical calculation of the probability of an exchange reaction for constrained linear encounters, J. Mazur and Robert J. Rubin—1395
Relaxation solution of the Thomas-Fermi atomic equation, J. R. Townsend and G. S. Handler—1689(L)
Remarks on "Reply to the comments on frontier electron theory," by Fukui, Yonezawa, and Nagata, Bernard Pullman—551(L)
Reply to the comments on the "Frontier electron theory," Kenichi Fukui, Teijiro Yonezawa, and Chikayoshi Nagata —550(L)
Semi-quantitative united-atom treatment and the shape of triatomic molecules, Carl E. Wulfman—381
Sequence and spacing of $n \rightarrow \pi$ transitions in *s* triazine, J. S. Brinen and Lionel Goodman—482
Theory of phase transitions in solid heavy methane, Hubert M. James and Thomas A. Keenan—12
Theory of the electron spin resonance of benzene in the triplet state, Hendrik F. Hameka—315
Use of self-consistent field in the treatment of the vibrations of crystals, Thomas H. Walnut—1468
Valence bond calculation of the barrier to internal rotation in molecules, Gilda Maki Harris and Frank E. Harris—1450

Mechanics, Statistical

Diffusion and chemical reaction in a one-dimensional condensed system, I. Prigogine and Thor A. Bak—1368
Equations for a one-component lattice gas with "ising" interaction, Jerzy Czerwonko—118
Equilibrium properties of a multicomponent ionized gas, Gilda Maki Harris—1211
Free-volume theory for square-well potentials, Berni J. Alder—1666
Gas of hard nonattracting spheres, O. K. Rice—987
Liouville's equation for a weakly interacting gas possessing internal degrees of freedom, Oldwig von Roos—1415(L)
Local steric hindrances and configurations of linear macromolecules in solutions. I. Formulation, Kazuo Nagai—1169
Mean-first-passage times and the collision theory of bimolecular reactions, B. Widom—1387
Molecular partition functions in terms of local properties,

Dudley R. Herschbach, Harold S. Johnston, and Donald Rapp—1652
Note on a new potential function, L. Z. Pollara and P. T. Funke—855(L)
On an approximate theory of transport in dense media, Stuart A. Rice and John G. Kirkwood—901
On the linear phenomenological equations. II. The linear statistical mechanical theory, Richard J. Bearman—751
Statistical mechanical theory of transport processes. XII. Dense rigid sphere fluid, Stuart A. Rice, John G. Kirkwood, John Ross, and Robert W. Zwanzig—575
Statistical mechanical theory of transport processes. XIII. Kinetic theory of dense rigid sphere fluids, Stuart A. Rice—584
Statistical mechanics of rigid spheres, H. Reiss, H. L. Frisch, and J. L. Lebowitz—369
Statistical thermodynamics of polymer solutions. II. Excluded volume effect and second virial coefficient, Edward F. Casassa—800
Studies in molecular dynamics. I. General method, B. J. Alder and T. E. Wainwright—459
Theory of Bose-Einstein fluids, statistical mechanical treatment of the thermodynamic properties of liquid helium, Steingrimur Baldursson and Joseph E. Mayer with Henry Aroeste—814
Theory of the phase transitions between helix and random coil in polypeptide chains, B. H. Zimm and J. K. Bragg—526
Vibrational distribution functions in bimolecular dissociation reactions, Kurt E. Shuler—1375

Metals

Contributions to the change in Knight shift upon the melting and alloying of the alkali metals, R. A. Oriani—557(L)
Molecular dissociation and reconstitution on solids, Gert Ehrlich—1111
On the velocity distribution in a chemically reacting gas, R. D. Present—747

Microwave Spectra (see Absorption Spectra)

Molecular Beams

Argon deposition on a 4.2°K surface, S. N. Foner, F. A. Mauer, and L. H. Bolz—546(L)

Molecular Films (see Surface Phenomena)

Molecular Spectra (see Absorption Spectra, Emission Spectra, Fluorescence and Raman Spectra)

Molecular Structure and Constants (see also Absorption Spectra, Fluorescence, Raman Spectra, Electron and X-ray Diffraction)

Angular dependence of electron-couples proton interactions in CH_2 groups, H. S. Gutowsky, Martin Karplus, and D. M. Grant—1278
Assignment of the vinyl fluoride wagging modes, J. R. Scherer and W. J. Potts—1691(L)
Barrier to rotation about the metal-cyclopentadienyl bond, J. S. Waugh, J. H. Loehlin, F. A. Cotton, and D. P. Shoemaker—1434(L)
Beam maser spectroscopy on formaldehyde, P. Thaddeus, J. Loubser, L. Krisher, and H. Lecar—1677(L)
Calculation of energy levels for internal torsion and overall rotation. III., Dudley R. Herschbach—91
Carbon-13 hyperfine splitting in $CH(COOH)_2$, Harden M. McConnell and Richard W. Fessenden—1688(L)
Comment on "Infrared spectra of partially deuterated diboranes," Walter J. Lehmann and Jerome F. Ditter—549(L)
Computation of asymmetric rotator constants from energy moments. III. First order centrifugal stretching effects, Paul M. Parker and L. Carlton Brown—1227
C^{13} splittings in proton magnetic resonance spectra. I. Hydrocarbons, Norbert Muller and Donald E. Pritchard—768
C^{13} splittings in proton magnetic resonance spectra. II. Bonding in substituted methanes, Norbert Muller and Donald E. Pritchard—1471
Dependence of C^{13}-proton spin coupling constants on s character of the bond, J. N. Shoolery—1427(L)
Dipole moments of atactic and isotactic polystyrene, W. R. Krigbaum and A. Roig—544(L)
Dissociation energies of SO and S_2, D. G. H. Marsden—1144(L)
Dissociation energy of S_2, Leo Brewer—1143(L)
Dynamic stability of frozen radicals. I. Description and application of the model, J. L. Jackson—154
Effect of change in moment of inertia on line intensities of parallel vibration-rotation bands of symmetric top molecules, G. A. Gallup and J. L. Koenig—548(L)
Electron diffraction investigation of triphenylamine, Yasushi Sasaki, Katsumi Kimura, and Masaji Kubo—477
Electron diffraction study of the structure of phosphine, L. S. Bartell and R. C. Hirst—449
Electron impact study of nitric oxide using a modified retarding potential difference method, G. G. Cloutier and H. I. Schiff—793
Empirical correlation between molecular structure and zero-point energies in hydrocarbons, Haruo Shingu and Takehiko Fujimoto—556(L)
Energy levels of an asymmetric rotor, C. T. Fike—568(L)
Erratum: Nitryl chloride molecular constants from microwave spectrum analysis [J. Chem. Phys. 30, 1328 (1959)], Lorimer Clayton, Quitman Williams, and T. L. Weatherly—554(L)
Erratum: Spectroscopic evidence for triatomic nitrogen in solids at very low temperature [J. Chem. Phys. 30, 1304 (1959)], M. Peyron, E. M. Hörl, H. W. Brown, and H. P. Broida—846(L)
Erratum: Vibrational spectra of primary and secondary aliphatic amines [J. Chem. Phys. 30, 1259 (1959)], James E. Stewart—1136(L)
Ethane carbon-carbon distance obtained from infrared spectra, Harry C. Allen, Jr. and E. K. Plyler—1062
Expected square of the length of a hydrocarbon-type chain, Arthur V. Tobolsky—387
Far infrared spectrum of hydrazine, Akiko Yamaguchi, Isao Ichishima, Takehiko Shimanouchi, and San-ichiro Mizushima—843(L)
Fine structure of the Cl_2 quadrupole resonance spectrum, Dean C. Douglass—504
G matrix for XY_3-UW_3 and $WZXY_3$ molecules, M. Randic and I. M. Mills—1681(L)
Ground state of the C_2 molecule, E. A. Ballik and D. A. Ramsay—1128(L)
H^1-P^{31} spin coupling in trialkyl phosphates, R. C. Axtmann, W. E. Shuler, and J. H. Eberly—850(L)
Hydrogen bonded species in alcohols, M. Saunders and J. B. Hyne—270(L)
Hydrogen-deuterium exchange reaction in fibrous proteins. II., R. D. B. Fraser and T. P. Macrae—122
Infrared dispersion due to the asymmetric stretching vibration of CS_2, E. E. Ferguson and R. E. Kagarise—236
Infrared spectra of trimethylborane-d_9 and triethylborane-d_{15}, W. J. Lehmann, C. O. Wilson, Jr., and I. Shapiro—1071
Infrared spectra of vinyl chloride and vinyl chloride-d_3,

Shoji Narita, Seiichiro Ichinohe, and Satoru Enomoto —1151

Infrared spectrum and the fundamental frequency assignments for trifluoromethanethiol (CF_3SH), R. E. Dininny and E. L. Pace—1630

Internal rotation in double internal rotor molecules: The microwave spectrum of dimethyl silane, Louis Pierce —547(L)

Internal rotation in molecules with two internal rotors: Microwave spectrum of acetone, J. D. Swalen and C. C. Costain—1562

Jahn-Teller effect in the vibrational spectra of hexafluorides, Bernard Weinstock and Howard H. Claassen —262(L)

Lengths of the CC 'single' bonds and the radii of the hybrid orbitals of carbon, G. R. Somayajulu—919

Long-range nuclear spin-spin couplings in thiophene derivatives, P. L. Corio and I. Weinberg—569(L)

Microwave absorption in the trimethylamine-trimethylboron addition complex, David R. Lide, Jr., Robert W. Taft, Jr., and Peter Love—561(L)

Microwave spectrum and internal rotation of ethyl cyanide, Victor W. Laurie—1500

Microwave spectrum and internal rotation of 1-chloro-2-butyne, Victor W. Laurie and David R. Lide, Jr.—939

Microwave spectrum and structure of N_2F_4, David R. Lide, Jr., and D. E. Mann—1129(L)

Microwave spectrum and structure of perrhenyl fluoride, J. F. Lotspeich, A. Javan, and A. Engelbrecht—633

Microwave spectrum and structure of propynal (HC ≡ C-CHO), C. C. Costain and J. R. Morton—389

Microwave spectrum, internal barrier, structure, conformation, and dipole moment of acetyl fluoride, Louis Pierce and Lawrence C. Krisher—875

Microwave spectrum of acetyl cyanide, Lawrence C. Krisher and E. Bright Wilson, Jr.—882

Millimeter wave spectrum and structure of formyl fluoride, Paolo Favero, Anna Marie Mirri and John G. Baker—566(L)

Molecular and crystal structure of B_5Cl_9. II. Solution of the three-dimensional structure, Robert A. Jacobson and William N. Lipscomb—605

Molecular constants of carbonyl sulfide and a coriolis perturbation, G. D. Saksena, T. A. Wiggins, and D. H. Rank—839

Molecular ions, Robert N. Varney—1314

Molecular structure of $B_{10}H_{12}(CH_3CN)_2$, Josina van der Maas Reddy and William N. Lipscomb—610

Molecular structure of ethylene, L. S. Bartell and R. A. Bonham—400

NMR studies of hydrogen bonding in alcohols and phenol, Edwin D. Becker—269(L)

Note on the melt configuration of polyethylene, David W. McCall and Dean C. Douglass—860(L)

Note on the simple UAO-MO calculation of the CH_3^+ ion, Jiro Higuchi—563(L)

Nuclear magnetic resonance spectra of 1,10-phenanthroline and some methylated 1,10-phenanthrolines, Kazuo Ito, Taro Isobe, and Kôzô Sone—861(L)

Nuclear quadrupole resonance of dichlorocyclohexanone, Kunio Kozima and Shinhachiro Saito—560(L)

On the microwave spectrum and electric dipole moment of fluorobenzene, Dora G. de Kowalewski, Peter Kõkeritz, and Hans Selén—1438(L)

Open-shell ground state energy of the He_2^+ molecule ion, P. Csavinszky—178

Polytypism and the origin of the potential barrier hindering internal rotation in molecules, William Weltner, Jr. —264(L)

Potential function of boric acid, Carl W. F. T. Pistorius —1454

Prediction of isomeric form and bond angles for covalent molecules and ions, Alan W. Searcy—1

Proton magnetic resonance spectra of symmetrical hydrogen bonds, Sture Forsén—852(L)

Proton nuclear magnetic shielding and the diamagnetic anisotropy of C-C and C-H bonds in propane, P. T. Narasimhan and Max T. Rogers—1302

Quadrupole coupling and bond structure in ReO_3F, ReO_3Cl, and MnO_3F, J. F. Lotspeich—643

Relative signs of the mercury-proton spin-spin coupling constants in mercury diethyl, P. T. Narasimhan and Max T. Rogers—1430(L)

Rotational fine structure in the $^3A_2 - {}^1A_1$, $\pi^* - n$ transition of formaldehyde, V. E. DiGiorgio, and G. Wilse Robinson—1678(L)

Second-order quadrupole effect in the microwave spectrum of propargyl bromide, Yoshikazu Kikuchi, Eizi Hirota and Yonezo Morino—1139(L)

Semi-quantitative united-atom treatment and the shape of triatomic molecules, Carl E. Wulfman—381

Sign of the electron spin density on methyl protons, A. Forman, J. N. Murrell, and L. E. Orgel—1129(L)

Signs of the proton spin-spin coupling constants in pure ethyl alcohol, P. T. Narasimhan and Max T. Rogers —1428(L)

Simplified analytical representation of Klein-Dunham potential energy functions, W. R. Jarmain—1137(L)

Strong coupling in nuclear resonance spectra. III. Systems containing many equivalent spins, J. S. Waugh and F. W. Dobbs—1235

Strong coupling in nuclear resonance spectra. II. Field dependence of some unsymmetrical three-spin spectra, R. W. Fessenden and J. S. Waugh—996

Structure of tetracobaltdodecarbonyl, Paolo Corradini —1676(L)

Thermodynamic and spectroscopic study of pyrrolidine. I. Thermodynamic properties in the solid, liquid and vapor states, D. L. Hildenbrand, G. C. Sinke, R. A. McDonald, W. R. Kramer, and D. R. Stull—650

Thermodynamic and spectroscopic study of pyrrolidine. II. Vibrational spectra and configuration, J. C. Evans and J. C. Wahr—655

The $^3\nu_3$ band of $C^{12}S^{32}S^{34}$, Arthur H. Guenther—1095

Triatomic linear molecules containing carbon and oxygen, sulfur, selenium, or tellurium. III. Absolute intensity of σ_3 of CSe_2, T. Wentink, Jr., and S. H. Bauer—834

Vibrational assignment and potential field of iron pentacarbonyl, Carl W. F. T. Pistorius and P. C. Haarhoff —1439

Vibrational spectrum of cyanate ion in various alkali halide lattices, Arthur Maki and J. C. Decius—772

Neutron Diffraction

Deuterium positions in lanthanum deuteroxide by neutron diffraction, Masao Atoji and Donald E. Williams—329

Nuclear Quadrupole Resonance

Effects of crystalline defects on pure quadrupole resonances, J. L. Randall, W. G. Moulton, and W. B. Ard, Jr.—730

Fine structure of the Cl_2 quadrupole resonance spectrum, Dean C. Douglass—504

Nuclear quadrupole resonance in solid 1,2 dibromoethane, H. W. Dodgen and R. E. Anderson—851(L)

Nuclear quadrupole resonance of dichlorocyclohexanone, Kunio Kozima and Shinhachiro Saito—560(L)

Nuclear quadrupole resonances of nitrogen in amino and amido compounds, Shoji Kojima, Midori Minematsu and Makoto Tanaka—271(L)

Nuclear quadrupole resonances using impurity molecules as probes, R. Baer and C. Dean—1690(L)

Nuclear Resonance (see Magnetic Resonance)

NMR spectra of normal and deuterated methylacetylenes, Wyman R. Vaughan and Robert C. Taylor—1425(L)

Phase Transitions

Contributions to the change in Knight shift upon the melting and alloying of the alkali metals, R. A. Oriani —557(L)

Equations for a one-component lattice gas with "ising" interaction, Jerzy Czerwonko—118

Erratum: Size effect in heterogeneous nucleation [J. Chem. Phys. **29**, 572 (1958)], N. H. Fletcher—1136(L)

Low temperature heat capacity of azurite, H. Forstat, G. Taylor, and B. R. King—929

Theory of phase transitions in solid heavy methane, Hubert M. James and Thomas A. Keenan—12

Theory of the phase transitions between helix and random coil in polypeptide chains, B. H. Zimm and J. K. Bragg —526

Two pressure induced phase transitions in triglycine sulfate, H. L. Suchan and H. G. Drickamer—856(L)

Phosphors

Unique luminescences of dry chlorophylls, Jose Fernandez and Ralph S. Becker—467

Photochemistry

On the trapping of free radicals of oxygen and chlorine, Sidney W. Benson and Kenneth H. Anderson—1082

Photolysis of oxygen in solution in liquid nitrogen and in liquid carbon monoxide at 1849A, James R. McNesby —283(L)

Primary processes in the photochemistry of eosin, L. I. Grossweiner and E. F. Zwicker—1141(L)

Primary step in the mercury photosensitized reactions of olefins, R. J. Cvetanovic, H. E. Gunning, and E. W. R. Steacie—573(L)

Photoconductivity

Photoconduction and cis-trans isomerism in β carotene, Barnett Rosenberg—238

Photoconductivity in a rigid glass, A. C. Albrecht and M. E. Green—261(L)

Ratio of ranges of free carriers in anthracene surface-cell, Krzysztof Pigoń and Henryk Chojnacki—272(L)

Polymers

Amorphous and unoriented character of polymers formed in radiation induced solid state polymerization, George Adler—848

Dielectric properties of polypeptide solutions. IV. Several problems on the electric dipole moment of the α helix, Akiyoshi Wada—495

Dipole moments of atactic and isotactic polystyrene, W. R. Krigbaum and A. Roig—544(L)

Dynamical theory of electrosedimentation, A. Peterlin and M. Ribarič—759

Formation of polymer crystals with folded chains from dilute solution, John I. Lauritzen, Jr., and John D. Hoffman—1680(L)

Growth habit of single polymer crystals, Fraser P. Price —1679(L)

Ion binding by spherical polyelectrolyte molecules, Frederick T. Wall, James A. Cote, and Sylvia M. Rucker—1640

Local steric hindrances and configurations of linear macromolecules in solutions. I. Formulation, Kazuo Nagai—1169

Noncrossing lattice polygons, G. S. Rushbrooke and J. Eve—1333

Note on the melt configuration of polyethylene, David W. McCall and Dean C. Douglass—860(L)

Nuclear magnetic relaxation in polyethylene deuteroterephthalate, I. M. Ward—858(L)

Statistical thermodynamics of polymer solutions. II. Excluded volume effect and second virial coefficient, Edward F. Casassa—800

Theoretical depolymerization kinetics in polymers having an initial "most probable" molecular weight distribution, Richard H. Boyd—321

Theory of the phase transitions between helix and random coil in polypeptide chains, B. H. Zimm and J. K. Bragg —526

Proteins

Dielectric properties of polypeptide solutions. IV. Several problems on the electric dipole moment of the α helix, Akiyoshi Wada—495

Hydrogen-deuterium exchange reaction in fibrous proteins. II., R. D. B. Fraser and T. P. Macrae—122

Theory of the phase transitions between helix and random coil in polypeptide chains, B. H. Zimm and J. K. Bragg —526

Quadrupole Resonance (see Nuclear Quadrupole Resonance)

Quantum Mechanics (see Mechanics, Quantum)

Interaction of excitation waves in a one-dimensional crystal, R. E. Merrifield—522

Interactions between oxygen and nitrogen: O-N, O-N_2, and O_2-N_2, Joseph T. Vanderslice, Edward A. Mason, and William G. Maisch—738

Note on the simple UAO-MO calculation of the CH_5^+ ion, Jiro Higuchi—563(L)

Use of one-electron AO-product functions in calculations on the hydrogen molecule, Frank O. Ellison and Audrey L. Companion—285(L)

Radiation Chemistry

Activity concept in radiation chemistry, H. A. Mahlman —993

Amorphous and unoriented character of polymers formed in radiation induced solid state polymerization, George Adler—848

Comparison of high-energy and ultraviolet radiation induced luminescence in liquid systems, Sanford Lipsky and Milton Burton—1221

Dynamic stability of frozen radicals. II. The formal theory of the model, J. L. Jackson—722

Electron bombardment of solid acetone, Erwin M. Hörl —564(L)

Electron spin resonance of ultraviolet irradiated compounds. I. Unsaturated hydrocarbons, Charles P. Poole, Jr. and Roy S. Anderson—346

Ferric ion yields in ferrous sulfate solutions irradiated with low energy x-rays, L. H. Gevantman and J. F. Pestaner—1140(L)

Measurement of the recombination of H and OH in γ-irradiated aqueous systems, Thomas J. Hardwick—226

Participation of excited ions in ion-molecule reactions, G. G. Meisels—284(L)

Peculiarities of ozone formation in electron irradiation of nitrogen-oxygen mixtures, J. E. Douglas, L. C. Bratt, and E. M. Kinderman—1416(L)

Radiation induced free radicals in lactose, Frank K. Truby, and William H. Storey, Jr.—857(L)

Reactions initiated by β decay of tritium. II. The tritium-ethylene system, Kang Yang and Preston L. Gant—1589
Single crystal electron spin resonance spectra for x-irradiated glycine, J. J. Windle—859(L)
Some observations on biphenyl radiolysis, L. Lynn Hall and Fred A. Elder—1420(L)

Radiochemistry

Method for the analysis of multicomponent exponential decay curves, Donald C. Gardner, Jeanne C. Gardner, George Laush, and W. Wayne Meinke—978

Raman Spectra

Fundamental vibration frequencies of D_2O^{18} vapor, S. Pinchas, M. Halmann, and B. P. Stoicheff—1692(L)
Jahn-Teller effect in the vibrational spectra of hexafluorides, Bernard Weinstock and Howard H. Claassen—262(L)
Line intensities in the Raman effect of $^1\Sigma$ diatomic molecules, Thomas C. James and William Klemperer—130
Substituted methanes. XXIX. Vibrational spectra, potential constants, and calculated thermodynamic properties for dibromochlorofluoromethane and bromodichlorofluoromethane, Robert L. Gilbert, Edward A. Piotrowski, Jerome M. Dowling, and Forrest F. Cleveland—1633
Thermodynamic and spectroscopic study of pyrrolidine. I. Thermodynamic properties in the solid, liquid and vapor states, D. L. Hildenbrand, G. C. Sinke, R. A. McDonald, W. R. Kramer, and D. R. Stull—650
Thermodynamic and spectroscopic study of pyrrolidine. II. Vibrational spectra and configuration, J. C. Evans and J. C. Wahr—655

Reaction Rates (see Kinetics of Reaction)

Refractive Indexes

Relation between dispersion and intensity measurements in pure liquids, P. N. Schatz—1146(L)

Rotation

Barrier to rotation about the metal-cyclopentadienyl bond, J. S. Waugh, J. H. Loehlin, F. A. Cotton, and D. P. Shoemaker—1434(L)
Calculation of energy levels for internal torsion and over-all rotation. III., Dudley R. Herschbach—91
Comparison of exact and approximate energy levels for a hindered rotator, Arthur A. Evett—1419(L)
Computation of asymmetric rotator constants from energy moments. III. First order centrifugal stretching effects, Paul M. Parker and L. Carlton Brown—1227
Internal rotation in double internal rotor molecules: The microwave spectrum of dimethyl silane, Louis Pierce—547(L)
Internal rotation in molecules with two internal rotors: Microwave spectrum of acetone, J. D. Swalen and C. C. Costain—1562
Line intensities in the Raman effect of $^1\Sigma$ diatomic molecules, Thomas C. James and William Klemperer—130
Microwave spectrum, internal barrier, structure, conformation, and dipole moment of acetyl fluoride, Louis Pierce and Lawrence C. Krisher—875
Microwave spectrum of acetyl cyanide, Lawrence C. Krisher and E. Bright Wilson, Jr.—882
Polytypism and the origin of the potential barrier hindering internal rotation in molecules, William Weltner, Jr.—264(L)
Rotational fine structure in the $^3A_2 - {}^1A_1$, $\pi^* - n$ transition of formaldehyde, V. E. DiGiorgio and G. Wilse Robinson—1678(L)
Statistical interpretation for abnormal rotation of OH split from H_2O_2 by electron impact, T. Horie, S. Watanabe and K. Kurata—783
Theory of phase transitions in solid heavy methane, Hubert M. James and Thomas A. Keenan—12
Thermodynamic and spectroscopic study of pyrrolidine. II. Vibrational spectra and configuration, J. C. Evans and J. C. Wahr—655
Valence bond calculation of the barrier to internal rotation in molecules, Gilda Maki Harris and Frank E. Harris—1450

Scattering

Comparison of Exp-6, L.-J.(12,6) and Sutherland potential functions applied to the calculation of differential scattering cross-sections, Hans U. Hostettler and Richard B. Bernstein—1422(L)
Elastic scattering of slow ions in gases, Edward A. Mason and Joseph T. Vanderslice—594
Total collision cross sections for the interaction of atomic beams of alkali metals with gases, Erhard W. Rothe and Richard B. Bernstein—1619

Sedimentation

Concentration-dependent sedimentation in two-component systems, with reference to differential boundaries, Hiroshi Fujita—5

Semiconductors

Electrochemistry of the semiconductor-electrolyte electrode. I. The electrical double layer, Mino Green—200
Thermoelectric properties of some mixed oxides, H. Lessoff, Y. Kersey, and R. A. Horne—1141(L)

Shock Waves (see also Detonation)

Calculation of reaction profiles behind steady-state shock waves. II. The dissociation of air, Russell E. Duff and Norman Davidson—1018
Erratum: Vibrational relaxation of CN in the shock tube [J. Chem. Phys. **31**, 720 (1959)], W. Roth—1683(L)
Formation of an amorphous form of quartz under shock conditions, Paul S. De Carli and John C. Jamieson—1675(L)
Limitations of the reflected shock technique for studying fast chemical reactions, Gordon B. Skinner—268(L)
Resonance radiation behind shock waves in Xe, Walter Roth—844(L)
Transition from deflagration to detonation in cast-explosives, Andrej Maček—162
Vibrational relaxation of CN in the shock tube, W. Roth—720
Vibrational relaxation of nitric oxide, Frank Robben—420

Solutions (see also Liquids)

Absorption spectrum of NiCl in molten LiCl/KCl, Benson R. Sundheim and George Harrington—700
Angular dissymmetry of the critical opalescence in liquid mixtures, P. Debye—680
Applicability of the macroscopic magnetic susceptibility model to solvent effects in proton nuclear magnetic resonance, R. E. Glick, D. F. Kates, and S. J. Ehrenson—567(L)
Chemical bond III: A one dimensional theory of the energetics and ionic character of the hydrogen bond, Paul C. McKinney and Gordon M. Barrow—294
Erratum: Thermal membrane potential [J. Chem. Phys. **28**, 166 (1958)], Toshio Ikeda—267(L)

Excess ultrasonic absorption in diethylamine-water mixtures, R. N. Barfield and W. G. Schneider—488
Fluctuations and the limit of validity of the Debye-Hückel theory, Henry S. Frank and Peter T. Thompson—1086
Free energy of a nonuniform system. III. Nucleation in a two-component incompressible fluid, John W. Cahn and John E. Hilliard—688
Hydrogen bonded species in alcohols, M. Saunders and J. B. Hyne—270(L)
NMR studies of hydrogen bonding in alcohols and phenol, Edwin D. Becker—269(L)
Proton spin relaxation in aqueous solutions of paramagnetic ions. II. Cr^{+++}, Mn^{++}, Ni^{++}, Cu^{++}, and Gd^{+++}, L. O. Morgan and A. W. Nolle—365
Solutions of alkali metals in polyethers. I., Fred Cafasso and Benson R. Sundheim—809
Statistical thermodynamics of polymer solutions. II. Excluded volume effect and second virial coefficient, Edward F. Casassa—800

Spectra (see Absorption Spectra, Emission Spectra, Fluorescence, Raman Spectra)

Statistical Mechanics (see Mechanics, Statistical)

Surface Phenomena

Adsorption, diffusion and evaporation of carbon monoxide on tungsten, Ralph Klein—1306
Calorimetric heat of adsorption-nitrogen on tungsten, P. Kisliuk—1605
Comments: Catalytic activity of solids for hydrogen-atom recombination, Bernard J. Wood and Henry Wise—265(L)
Contribution of surface distortion to the surface energy of alkali halide crystals, G. C. Benson, P. Balk, and P. White—109
Effect of neutron irradiation on the activity of silica-alumina catalyst for the double bond isomerization of butene-1, P. J. Lucchesi, D. L. Baeder, J. P. Longwell, and M. C. Schroeder—558(L)
Electrochemistry of the semiconductor-electrolyte electrode. I. The electrical double layer, Mino Green—200
Erratum: Size effect in heterogeneous nucleation [J. Chem. Phys. 29, 572 (1958)], N. H. Fletcher—1136(L)
Field desorption, Robert Gomer—341
Hindered rotator model for adsorbed hydrogen at low temperatures, Arthur A. Evett—565(L)
Interfacial tension solid-liquid of benzene, A. Skapski, R. Billups, and D. Casavant—1431(L)
Molecular dissociation and reconstitution on solids, Gert Ehrlich—1111
Some measurements of adsorption of nitrogen and oxygen on a (0001) titanium surface using low-energy electron diffraction, T. H. George, H. E. Farnsworth, and R. E. Schlier—89
Use of paramagnetic-resonance techniques in the study of atomic oxygen recombinations, S. Krongelb and M. W. P. Strandberg—1196
Variation with temperature of the recombination of hydrogen atoms on metallic surfaces, J. W. Fox, A. C. H. Smith, and E. J. Smith—265(L)

Thermal Conductivity

Effect of argon and helium on the thermal conductivity of the $N_2O_4 \rightleftarrows 2NO_2$ system, Kenneth P. Coffin—1290
Laws of corresponding states for the thermal conductivity of molecular solids, Robert W. Keyes—452
On an approximate theory of transport in dense media, Stuart A. Rice and John G. Kirkwood—901
Thermal conductivity of multicomponent gas mixtures. II., E. A. Mason and S. C. Saxena—511
Thermal conductivity of nitrogen-carbon dioxide mixtures, Richard S. Brokaw—571(L)

Thermal Diffusion

Thermodynamics, stationary states, and steady-rate processes. II. Migrational equilibrium in thermal fields, R. J. Tykodi and Ted A. Erikson—1510

Thermionic Emission

Thermionic properties of uranium, E. G. Rauh and R. J. Thorn—1481

Thermodynamic Properties

Antiferromagnetism in Ni $Br_2 \cdot 6H_2O$, R. D. Spence, H. Forstat, G. A. Khan, and G. Taylor—555(L)
Bond energies and the interactions between next-nearest neighbors. I. Saturated hydrocarbons, diamond sulfanes, S_8, and organic sulfur compounds, Thomas L. Allen—1039
Carbon-hydrogen-acetylene equilibrium at high temperatures, Myron N. Plooster and Thomas B. Reed—66
Debye θ of hexagonal crystals at 0°K, Norman M. Wolcott—536
Dynamic stability of frozen radicals. I. Description and application of the model, J. L. Jackson—154
Effect of pressure on the melting point of eight alkali halides, Sydney P. Clark, Jr.—1526
Equilibrium in the exchange of hydrogen between arsine and water, Alfred H. Zeltmann and George Gerhold—889
Heat capacity of samarium from 13 to 350°K, L. D. Jennings, Emma D. Hill, and F. H. Spedding—1240
Isotope enrichment factors for nitrogen-15 in the nitric oxide-nitric acid exchange system, Lois Nash Kauder, T. I. Taylor, and W. Spindel—232
Liquid isochores and derived functions of n-C_7F_{16}, c-$C_6F_{11}CF_3$, c-$C_4Cl_2F_6$, n-2,2,3$C_4Cl_3F_7$, $CCl_2F \cdot CCl_2F$, and CCl_4, E. Brian Smith and Joel H. Hildebrand—145
Low-temperature heat capacity of azurite, H. Forstat, G. Taylor, and B. R. King—929
Magnetic resonance and partition studies on Cr^{+3} in $Zn_3La_2(NO_3)_{12} \cdot 24H_2O$, D. P. Devor and R. C. Pastor—1145(L)
Mass spectrometric and thermodynamic study of gaseous transition metal (II) halides, Richard C. Schoonmaker, Alan H. Friedman, and Richard F. Porter—1586
Mass spectrometric study of alkali hydroxide vapors, Richard C. Schoonmaker and Richard F. Porter—830
Ratio (C_p/C_v) for perchloryl fluoride from velocity of sound measurements, John L. Margrave and Richard P. Wendt—857(L)
Reply to Dr. Bogdan Jakuszewski: Absolute electrode potential—experimental electrochemical free energy of hydration—847(L)
Solutions of alkali metals in polyethers. I., Fred Cafasso and Benson R. Sundheim—809
Some remarks concerning the paper of A. J. de Bethune about the absolute electrode potential, B. Jakuszewski—846(L)
Substituted methanes. XXIX. Vibrational spectra, potential constants, and calculated thermodynamic properties for dibromochlorofluoromethane and bromodichlorofluoromethane, Robert L. Gilbert, Edward A. Piotrowski, Jerome M. Dowling, and Forrest F. Cleveland—1633
Thermodynamic and spectroscopic study of pyrrolidine. I. Thermodynamic properties in the solid, liquid and vapor states, D. L. Hildenbrand, G. C. Sinke, R. A. McDonald, W. R. Kramer, and D. R. Stull—650
Thermodynamic and spectroscopic study of pyrrolidine. II. Vibrational spectra and configuration, J. C. Evans and J. C. Wahr—655

Thermodynamic functions of some chlorine compounds, Robert L. Potter—1100
Thermodynamic functions of some gaseous diatomic halides of aluminum, boron, and lithium, Robert L. Altman—1035
Thermodynamic properties of nitryl chloride, James D. Ray and Richard A. Ogg, Jr.—168
Thermodynamic properties of some boron-oxygen-hydrogen compounds, Roger L. Wilkins and Robert L. Altman—337
Thermodynamic study of InSb using a mass spectrometer, G. DeMaria, J. Drowart, and M. G. Inghram—1076
Vapor pressure equations for species over solid and liquid LiF, R. S. Scheffe and J. L. Margrave—1682(L)

Thermodynamics

Complex chemical equilibria by minimizing free energy, Leonard M. Naphtali—263(L)
Electrochemistry of the semiconductor-electrolyte electrode. I. The electrical double layer, Mino Green—200
Free energy of a nonuniform system. III. Nucleation in a two-component incompressible fluid, John W. Cahn and John E. Hilliard—688
Physically meaningful concepts, Otto Redlich—314
Thermodynamic and spectroscopic study of pyrrolidine. I. Thermodynamic properties in the solid, liquid and vapor states, D. L. Hildenbrand, G. C. Sinke, R. A. McDonald, W. R. Kramer, and D. R. Stull—650
Thermodynamics, stationary states, and steady-rate processes. I. Introduction and migrational equilibrium in isothermal and monothermal fields, R. J. Tykodi—1506
Thermodynamics, stationary states, and steady-rate processes. II. Migrational equilibrium in thermal fields, R. J. Tykodi and Ted A. Erikson—1510
Thermodynamics, stationary states, and steady-rate processes. III. The thermocouple revisited, R. J. Tykodi—1517
Thermodynamics, stationary states, and steady-rate processes. IV. Steady monothermal rate processes, R. J. Tykodi and Ted A. Erikson—1521
Validity and consequences of Schreinemakers' theorem on ternary distillation lines, A. E. Korvezee and J. L. Meijering—308

Transport Phenomena

Diffusion coefficient of atomic hydrogen through multicomponent mixtures, Henry Wise—1414(L)
Dynamical theory of diffusion in crystals. II. Pressure dependence of the self diffusion constant, Stuart A. Rice and Norman H. Nachtrieb—139
Effect of pressure on self-diffusion in lead, Norman H. Nachtrieb, Henry A. Resing, and Stuart A. Rice—135
Interactions between oxygen and nitrogen: O-N, O-N_2, and O_2-N_2, Joseph T. Vanderslice, Edward A. Mason, and William G. Maisch—738
Kinetics theory of nonspherical molecules. IV. Angular momentum transport coefficient, Peter M. Livingston and C. F. Curtiss—1643
Liouville's equation for a weakly interacting gas possessing internal degrees of freedom, Oldwig von Roos—1415(L)
Low-temperature, low-pressure transport coefficients for gaseous oxygen and sulfur atoms, Daniel D. Konowalow, J. O. Hirschfelder, and Bruno Linder—1575
Molecular transport in liquids and glasses, Morrel H. Cohen and David Turnbull—1164
On an approximate theory of transport in dense media, Stuart A. Rice and John G. Kirkwood—901
On the linear phenomenological equations. II. The linear statistical mechanical theory, Richard J. Bearman—751
Statistical mechanical theory of transport processes. XII. Dense rigid sphere fluid, Stuart A. Rice, John G. Kirkwood, John Ross, and Robert W. Zwanzig—575
Statistical mechanical theory of transport processes. XIII. Kinetic theory of dense rigid sphere fluids, Stuart A. Rice—584
Thermal conductivity of multicomponent gas mixtures. II., E. A. Mason and S. C. Saxena—511

Ultrasonics

Excess ultrasonic absorption in diethylamine-water mixtures, R. N. Barfield and W. G. Schneider—488

Valence and Chemical Bond

Angular dependence of electron-couples proton interactions in CH_2 groups, H. S. Gutowsky, Martin Karplus, and D. M. Grant—1278
Bond energies and the interactions between next-nearest neighbors. I. Saturated hydrocarbons, diamond sulfanes, S_8, and organic sulfur compounds, Thomas L. Allen—1039
Chemical bond III: A one dimensional theory of the energetics and ionic character of the hydrogen bond, Paul
C^{13} splittings in proton magnetic resonance spectra. I. Hydrocarbons, Norbert Muller and Donald E. Pritchard—768
Deuterium positions in lanthanum deuteroxide by neutron diffraction, Masao Atoji and Donald E. Williams—329
Electronic structure of LiH ion, O. Platas, R. P. Hurst, and F. A. Matsen—501
Electronic wave functions for polyatomic molecules, Leland C. Allen—736
Electron population analysis of LiH and HF, A. M. Karo—182
Empirical correlation between molecular structure and zero-point energies in hydrocarbons, Haruo Shingu and Takehiko Fujimoto—556(L)
Ethane carbon-carbon distance obtained from infrared spectra, Harry C. Allen, Jr., and E. K. Plyler—1062
Evidence for a low-lying second potential minimum in hydrogen bonded systems, Charles L. Bell and Gordon M. Barrow—1158
Excess ultrasonic absorption in diethylamine-water mixtures, R. N. Barfield and W. G. Schneider—488
Expected square of the length of a hydrocarbon-type chain, Arthur V. Tobolsky—387
Hydrogen bond: An experimental verification of the double minimum potential, Charles L. Bell and Gordon M. Barrow—300
Hydrogen bonded species in alcohols, M. Saunders and J. B. Hyne—270(L)
LCAO wave functions for hydrogen fluoride with Hartree-Fock atomic orbitals, Arnold M. Karo and Leland C. Allen—968
Lengths of the CC 'single' bonds and the radii of the hybrid orbitals of carbon, G. R. Somayajulu—919
Magnetic properties of water molecule, T. P. Das and T. Ghose—42
Microwave absorption in the trimethylamine-trimethylboron addition complex, David R. Lide, Jr., Robert W. Taft, Jr., and Peter Love—561(L)
Microwave spectrum and internal rotation of 1-chloro-2-butyne, Victor W. Laurie and David R. Lide, Jr.—939
NMR studies of hydrogen bonding in alcohols and phenol, Edwin D. Becker—269(L)
Novel perturbation theory in simple LCAO treatment of conjugated molecules—method of perturbed secular determinant, Kenichi Fukui, Chikayoshi Nagata, Teijiro Yonezawa, Hiroshi Kato, and Keiji Morokuma—287
Open-shell ground state energy of the He_2^+ molecule ion, P. Csavinszky—178

Paramagnetic resonance spectrum of the fluoroferrate ion, $FeF_6^{=}$, Lindsay Helmholz—172
Polytypism and the origin of the potential barrier hindering internal rotation in molecules, William Weltner, Jr. —264(L)
Prediction of isomeric form and bond angles for covalent molecules and ions, Alan W. Searcy—1
Proton magnetic resonance spectra of symmetrical hydrogen bonds, Sture Forsén—852(L)
Proton magnetic resonance study in ammonium and silver trihydrogen periodates, R. Blinc—849(L)
Quadrupole coupling and bond structure in ReO_3F, ReO_3Cl, and MnO_3F, J. F. Lotspeich—643
Sequence and spacing of $n - \pi$ transitions in *s*-triazine, J. S. Brinen and Lionel Goodman—482
Structures of calcium dicarbide and uranium dicarbide by neutron diffraction, Masao Atoji and Ronald C. Medrud—332
Vibrational spectrum of cyanate ion in various alkali halide lattices, Arthur Maki and J. C. Decius—772

Viscosity

Excess ultrasonic absorption in diethylamine-water mixtures, R. N. Barfield and W. G. Schneider—488
Note on the melt configuration of polyethylene, David W. McCall and Dean C. Douglass—860(L)
On an approximate theory of transport in dense media, Stuart A. Rice and John G. Kirkwood—901

X-Ray Diffraction

Argon deposition on a 4.2°K surface, S. N. Foner, F. A. Mauer, and L. H. Bolz—546(L)
Atomic distributions in liquid, plastic and crystalline sulfur, C. W. Tompson and N. S. Gingrich—1598
Cobalt *K*-absorption edges in supported cobalt-on-alumina and cobalt-on-silica catalysts, R. O. Keeling, Jr.—279(L)
Exploratory study, by low-temperature x-ray diffraction techniques, of diborane and the products of a microwave discharge in diborane, L. H. Bolz, F. A. Mauer, and H. S. Peiser—1005
Hydrates of the tetra *n*-butyl and tetra *i*-amyl quaternary ammonium salts, Richard McMullan and G. A. Jeffrey —1231
Molecular and crystal structure of B_8Cl_8. I. Preliminary x-ray diffraction study, Masao Atoji and William N. Lipscomb—601
Molecular and crystal structure of B_8Cl_8. II. Solution of the three-dimensional structure, Robert A. Jacobson and William N. Lipscomb—605
Molecular structure of $B_{10}H_{12}(CH_3CN)_2$, Josina van der Maas Reddy and William N. Lipscomb—610
Scaling error in radial distribution studies, Arthur Bienenstock—570(L)
Small angle x-ray scattering from aluminum hydroxide gels—II, Harold D. Bale and Paul W. Schmidt—1612
Structure of tetracobaltdodecarbonyl, Paolo Corradini —1676(L)
Structure of vitreous $B_2O_3 \cdot \frac{1}{3} H_2O$, M. E. Milberg and F. Meller—126
Structures of calcium dicarbide and uranium dicarbide by neutron diffraction, Masao Atoji and Ronald C. Medrud—332
X-ray diffraction study of bismuth polymer in aqueous perchlorate solution, H. A. Levy, M. D. Danford, and P. A. Agron—1458